

#### Your Timber Windows of Knutsford Quotation

For high performance engineered timber products

Quote Ref: 2000/1 V2 Date: Friday 9 September 2022

Quotation Prepared for: Linds

Lindsey Haines Hawthorne Cottage Burwardsley Road

Tattenhall Cheshire CH3 9NS Scope of Project:

Supply Only - To supply only the Windows & Doors as detailed below. Price includes delivery direct to site / nominated address. No allowance has been made for a site survey and for any fixing materials however fitting & maintenance instructions are supplied. Please Note: When buying items on a supply only basis it is the responsibility of the customer to ensure all products meet current Building Regulations.

Site Address: As quotation

#### **Technical Specification:**

All products in multi-layer Engineered Meranti sections for added stability. Factory glazed with krypton gas filled double glazed units featuring soft-coat energy saving glass. Fully factory finished with high performance, micro-porous paint treatments. Entrance doors fitted with multi-point claw locks and robust, adjustable hinges. French doors fitted with multi-point claw locks to master doors, flush bolts to slave door. Robust, adjustable hinges. Conventional Cottage Casement windows with high security multi-point locking systems and locking handles.

lt	Item Qty Item Reference		Product	Style	Remarks
1	1	Ground left	Conventional Cottage Window	DL301	Monkeytail - Black, Astragal Squares, White Finished.
3	1	Ground Centre New opening Front	Conventional Cottage Window Conventional Cottage Window	DL301 DL200	Monkeytail - Black. Astragal Squares. White Finished. Monkeytail - Black. Astragal Squares. White Finished.
4	1	New Opening South east	Conventional Cottage Window	DL200	Monkeytail - Black. Astragal Squares. White Finished.
5	1	Rear right side lounge	Conventional Cottage Window	DL100	White Finished.
7	1 1	Rear Kitchen Rear Shower room	Conventional Cottage Window Conventional Cottage Window	DL200 DL102	Monkeytail - Black. Astragal Squares. White Finished. Monkeytail - Black. Astragal Squares. White Finished.
8	1	Dorma Front 1	Conventional Cottage Window	DL301	Monkeytail - Black. Astragal Squares. White Finished.
9	1	Dorma Front 2	Conventional Cottage Window	DL301	Monkeytail - Black. Astragal Squares. White Finished.
10	) 1	Dorma Front 3	Conventional Cottage Window	DL301	Monkeytail - Black. Astragal Squares. White Finished.
1/	1	Rear French doors (modern exter New Balcony Door	nsion) French Door Entrance Door	OUT-A-Apsley IN-A-Stratfield	Cottage - Black. White Finished. Cottage - Black. White Finished.
14	. '	New balcony bool	LITTI AITCE DOOL	แง-ส-วินิสินิเซิเน	Cottage - black. White Fillished.



#### Your Timber Windows of Knutsford Quotation

For high performance engineered timber products

Quote Ref: 2000/1 V2 Date: Friday 9 September 2022

Prepared By:

Sales Manager

Nett Price:

VAT (20%):

Total Price:

QUOTATION VALID FOR: 30 DAYS

Lead Time:

\* Approximately 9-11 weeks from Sign Off of Final Detail.

Terms:

Deposit with Order: 50%

Prior to delivery: 50%

Your Guarantees:



GUARANTEE







GUARANTEE GUARANTEE GUARANTEE

10 YEARS 10 YEARS 12 YEARS #6 YEARS

\* 5 years for 14mm double glazed units. \* 6 years for Meranti & Reilwood: 1 year for Dak. Not applicable to putty finished products.



Quantity: 1


Style: DL301 Item Reference: Ground left

Quote Ref: 2000/1 V2

Key Features:

Item: 1





# Detailed Specification:

1500	Head Drip	None	Glass Pattern	Clear
980				
60mm	Add Ons Required	No	Glass Type	4mm Annealed/10mm Krypton/4mm Annealed LowE (18mm)
Ovolo	Trickle Vents Required	No		Astragal Squares
			Size of Bar	18mm
White (RAL 9003)	Window Board Required	No		
			Handle	Monkeytail - Black
165mm x 38mm (inc. in overall ht)			Peg Stay Alignment	Opening end pointing to handle
Engineered Meranti			Peg Stay	Monkeytail - Black
No			Dummy Hinges	None
Yes			Hinge System	Pivot with Kenrick locks
			FSC Certified	No
	980 60mm  Ovolo  White (RAL 9003)  165mm x 38mm (inc. in overall ht) Engineered Meranti No	980 60mm Add Ons Required  Ovolo Trickle Vents Required  White (RAL 9003) Window Board Required  165mm x 38mm (inc. in overall ht) Engineered Meranti No	980 60mm Add Ons Required No Ovolo Trickle Vents Required No White (RAL 9003) Window Board Required No 165mm x 38mm (inc. in overall ht) Engineered Meranti No	980 60mm Add Ons Required No Glass Type  Ovolo Trickle Vents Required No Glazing Features Size of Bar  White (RAL 9003) Window Board Required No Handle 165mm x 38mm (inc. in overall ht) Peg Stay Alignment Engineered Meranti Peg Stay No Yes Hinge System




Quantity: 1

Style: DL301 Item Reference: Ground Centre Quote Ref: 2000/1 V2

Key Features:

Item: 2





# Detailed Specification:

Width (mm)	1500	Head Drip	None	Glass Pattern	Clear
Height (mm)	980				
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed/10mm Krypton/4mm Annealed LowE (18mm)
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
				Size of Bar	18mm
Colour	White (RAL 9003)	Window Board Required	No		
				Handle	Monkeytail - Black
Cill	165mm x 38mm (inc. in overall ht)			Peg Stay Alignment	Opening end pointing to handle
Cill Species	Engineered Meranti			Peg Stay	Monkeytail - Black
Cill Horns	No			Dummy Hinges	None
Factory Fit Cill	Yes			Hinge System	Pivot with Kenrick locks
				FSC Certified	No



Quote Ref: 2000/1 V2


Quantity: 1

Style: DL200 Item Reference: New opening Front

Key Features:

Item: 3





# Detailed Specification:

Width (mm)	1300	Head Drip	None	Glass Pattern	Clear
Height (mm)	980				
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed/10mm Krypton/4mm Annealed LowE (18mm)
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
				Size of Bar	18mm
Colour	White (RAL 9003)	Window Board Required	No		
				Handle	Monkeytail - Black
Cill	165mm x 38mm (inc. in overall ht)			Peg Stay Alignment	Opening end pointing to handle
Cill Species	Engineered Meranti			Peg Stay	Monkeytail - Black
Cill Horns	No			Dummy Hinges	None
Factory Fit Cill	Yes			Hinge System	Pivot with Kenrick locks
				FSC Certified	No



Quantity: 1

Style: DL200


Item Reference: New Opening South east

Quote Ref: 2000/1 V2




Item: 4





# Detailed Specification:

Width (mm)	1300	Head Drip	None	Glass Pattern	Clear
Height (mm)	980				
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed/10mm Krypton/4mm Annealed LowE (18mm)
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
				Size of Bar	18mm
Colour	White (RAL 9003)	Window Board Required	No		
				Handle	Monkeytail - Black
Cill	165mm x 38mm (inc. in overall ht)			Peg Stay Alignment	Opening end pointing to handle
Cill Species	Engineered Meranti			Peg Stay	Monkeytail - Black
Cill Horns	No			Dummy Hinges	None
Factory Fit Cill	Yes			Hinge System	Pivot with Kenrick locks
				FSC Certified	No





Quantity: 1


Style: DL200 Item Reference: Rear Kitchen

Quote Ref: 2000/1 V2

Key Features:

Item: 6





# Detailed Specification:

Width (mm)	1100	Head Drip	None	Glass Pattern	Clear
Height (mm)	980				
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed/10mm Krypton/4mm Annealed LowE (18mm)
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
				Size of Bar	18mm
Colour	White (RAL 9003)	Window Board Required	No		
				Handle	Monkeytail - Black
Cill	165mm x 38mm (inc. in overall ht)			Peg Stay Alignment	Opening end pointing to handle
Cill Species	Engineered Meranti			Peg Stay	Monkeytail - Black
Cill Horns	No			Dummy Hinges	None
Factory Fit Cill	Yes			Hinge System	Pivot with Kenrick locks
				FSC Certified	No
	<u> </u>				<u> </u>



Quote Ref: 2000/1 V2


Quantity: 1

Style: DL102 Item Reference: Rear Shower room

Key Features:

Item: 7





# Detailed Specification:

Width (mm)	630	Head Drip	None	Glass Pattern	Clear
Height (mm)	980				
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed/10mm Krypton/4mm Annealed LowE (18mm)
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
				Size of Bar	18mm
Colour	White (RAL 9003)	Window Board Required	No		
				Handle	Monkeytail - Black
Cill	165mm x 38mm (inc. in overall ht)			Peg Stay Alignment	Opening end pointing to handle
Cill Species	Engineered Meranti			Peg Stay	Monkeytail - Black
Cill Horns	No			Dummy Hinges	None
Factory Fit Cill	Yes			Hinge System	Pivot with Kenrick locks
				FSC Certified	No
				1.00 001111100	



Quantity: 1


Style: DL301 Item Reference: Dorma Front 1

Quote Ref: 2000/1 V2

Key Features:

Item: 8





# Detailed Specification:

Width (mm)	1500	Head Drip	None	Glass Pattern	Clear
Height (mm)	980				
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed/10mm Krypton/4mm Annealed LowE (18mm)
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
				Size of Bar	18mm
Colour	White (RAL 9003)	Window Board Required	No		
				Handle	Monkeytail - Black
Cill	165mm x 38mm (inc. in overall ht)			Peg Stay Alignment	Opening end pointing to handle
Cill Species	Engineered Meranti			Peg Stay	Monkeytail - Black
Cill Horns	No			Dummy Hinges	None
Factory Fit Cill	Yes			Hinge System	Pivot with Kenrick locks
				FSC Certified	No



Quantity: 1


Style: DL301 Item Reference: Dorma Front 2

Quote Ref: 2000/1 V2

Key Features:

Item: 9





# Detailed Specification:

/4mm Annealed LowE (18mm)
e



Quantity: 1


Style: DL301 Item Reference: Dorma Front 3

Quote Ref: 2000/1 V2



Item: 10





# Detailed Specification:

Width (mm)	1500	Head Drip	None	Glass Pattern	Clear
Height (mm)	980				
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed/10mm Krypton/4mm Annealed LowE (18mm)
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
				Size of Bar	18mm
Colour	White (RAL 9003)	Window Board Required	No		
				Handle	Monkeytail - Black
Cill	165mm x 38mm (inc. in overall ht)			Peg Stay Alignment	Opening end pointing to handle
Cill Species	Engineered Meranti			Peg Stay	Monkeytail - Black
Cill Horns	No			Dummy Hinges	None
Factory Fit Cill	Yes			Hinge System	Pivot with Kenrick locks
				FSC Certified	No

#### FRENCH DOOR IN MERANTI

Quantity: 1


Style: OUT-A-Apsley

Item Reference: Rear French doors (modern extension) Quote Ref: 2000/1 V2

Key Features:

Item: 11






DRAWING NOTES: VIEWED FROM OUTSIDE. ARROW DENOTES HINGE POSITION.
DRAWINGS DO NOT DEPICT KNOCKERS, SPY HOLES, SECURITY CHAINS OR DOORKNOBS. REFER TO BROCHURE FOR FULL GLAZING CONFIGURATIONS.

# Detailed Specification:

Overall Width (mm)	1800	Head Drip	None	Door Sash Glass Pattern	Clear
Overall Height (mm)	2100				
Frame Head Size	60mm	Cill Type	Projecting Cill	Glass Type	4mm Toughened/10mm Krypton/4mm Toughened LowE (18mm)
Stiles & Rails	110mm	Cill	145mm x 35mm (inc. in overall ht)		
		Cill Horns	No	Door Sash Glazing Features	Astragal Squares
Feature Mould	Ovolo	Cill Species	Engineered Meranti	Size Of Bar	18mm
		Factory Fit Cill	Yes		
Primary	Left			Door Handle	Cottage - Black (Dark Kaba)
Door Opens	Out	Add Ons Required	No	Door Knocker	No
Door Sash Style	Apsley			Letterbox	None
		Trickle Vents Required	No	Security Chain	None
Colour	White (RAL 9003)				
		Threshold Board Required	No	FSC Certified	No
		Hinge Colour	Black		
		Threshold Colour	Black		
		External Access	Yes		





18mm Glazed Door - Open Out Feature Mould: Ovolo Vertical Section Standard Threshold with 145mm x 35mm Projecting Cill Style: IN-A-Stratfield Item Referen


Item Reference: New Balcony Door

Quote Ref: 2000/1 V2

Key Features:

Item: 12






DRAWING NOTES: VIEWED FROM OUTSIDE. ARROW DENOTES HINGE POSITION.

DRAWINGS DO NOT DEPICT KNOCKERS, SPY HOLES, SECURITY CHAINS OR DOORKNOBS. REFER TO BROCHURE FOR FULL GLAZING CONFIGURATIONS.

# Detailed Specification:

Overall Width (mm)	900	Head Drip	None	Door Sash Glass Pattern	Clear
Overall Height (mm)	2100				
Frame Head Size	60mm	Cill Type	Projecting Cill	Glass Type	4mm Toughened/10mm Krypton/4mm Toughened LowE (18mm)
Stiles & Rails	110mm	Cill	145mm x 35mm (inc. in overall ht)	Door Panel(s)	Plank Effect
		Cill Horns	No		
Feature Mould	Ovolo	Cill Species	Engineered Meranti	Door Sash Glazing Features	Astragal Squares
Mid-Rail Height (mm)	1000	Factory Fit Cill	Yes	Size Of Bar	18mm
Hinge Side	Left	Add Ons Required	No	Door Handle	Cottage - Black (Dark Kaba)
Door Opens	In			Door Knocker	No
Door Sash Style	Stratfield	Trickle Vents Required	No	Letterbox	None
				Security Chain	None
Colour	White (RAL 9003)	Threshold Board Required	No		
				FSC Certified	No
		Hinge Colour	Black		
		Threshold Colour	Black		
		External Access	Yes		





18mm Double Glazed Door - Open In Feature Mould: Ovolo Vertical Section Standard Threshold with 145mm x 35mm Projecting Cill