

# Trial Pit Photos

TP13

Manor Farm, Carburton

P21-00134



Photograph 39: TP13. Trial Pit.



Photograph 40: TP13. Topsoil Arisings.

# Trial Pit Photos

TP13

Manor Farm, Carburton

P21-00134



Photograph 41: TP13. Arisings.



Met Consultancy Group Ltd  
 Southgate House  
 Pontefract Road  
 Leeds  
 LS10 1SW  
 Email: admin@metconsultancygroup.com  
 Phone: 0113 200 8900

# Trial Pit Log

Trial Pit No  
 TP14  
 Sheet 1 of 1


Project Name: Manor Farm, Carburton

Project No.  
 P21-00134

Co-ords: 461237.00 - 373355.00  
 Level: 37.50

Date  
 22/10/2021

Location: Manor Farm, Piper Lane, Carburton, S80 3BT



Scale  
 1:25

Logged  
 YK

Client: Wellbeck Estates Company Ltd

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
				0.25	37.25		Grass overlying loose dark brown silty gravelly SAND (TOPSOIL) with frequent rootlets. Sand is fine. Gravel is subangular to rounded fine to coarse of mixed lithologies.
				0.90	36.60		Light brown gravelly SAND (SUBSOIL) with moderate cobble content. Sand is fine to medium. Gravel is subrounded to rounded fine to coarse of mixed lithologies. Cobbles are subrounded to rounded of mixed lithologies up to 110mm across.
				2.10	35.40		Orangish light brown very gravelly SAND with moderate to high cobble content. Sand is fine. Gravel is subrounded to rounded fine to coarse of mixed lithologies. Cobbles are subrounded to rounded of mixed lithologies up to 110mm across.
							End of Pit at 2.10m

Remarks: Ground observed to be generally loose during excavation by JCB. Terminated to allow for soakaway testing.

Stability: Stable      Weather: Clear

# Trial Pit Photos

TP14

Manor Farm, Carburton

P21-00134



Photograph 42: TP14. Trial Pit.



Photograph 43: TP14. Arisings.



Met Consultancy Group Ltd  
 Southgate House  
 Pontefract Road  
 Leeds  
 LS10 1SW  
 Email: admin@metconsultancygroup.com  
 Phone: 0113 200 8900

# Trial Pit Log

TrialPit No  
 TP15  
 Sheet 1 of 1


Project Name: Manor Farm, Carburton

Project No.  
 P21-00134

Co-ords: 461175.00 - 373255.00  
 Level: 35.50

Date  
 22/10/2021

Location: Manor Farm, Piper Lane, Carburton, S80 3BT



Scale  
 1:25

Client: Wellbeck Estates Company Ltd

Logged  
 YK

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
▼				0.20	35.30		Grass overlying medium brown silty gravelly SAND (TOPSOIL) with frequent rootlets. Sand is fine. Gravel is subangular to rounded fine to coarse of mixed lithologies.
				0.50	35.00		Medium brown gravelly SAND (SUBSOIL) with moderate cobble content. Sand is fine to medium. Gravel is subangular to rounded fine to coarse of mixed lithologies. Cobbles are subrounded to rounded of mixed lithologies up to 90mm across.
				2.00	33.50		MADE GROUND: Wet soft dark brown silty very sandy very gravelly CLAY with pockets of sand and gravel. Sand is fine to medium. Gravel is subangular to rounded fine to coarse of mixed lithologies including brick. Occasional whole bricks noted. Frequent fragments of clay pipe, ceramic and brick noted. Water strike noted at 2.0mbgl in south of trial pit.
							End of Pit at 2.00m

Remarks: Ground observed to be generally loose during excavation by JCB. Terminated due to water strike at 2.0mbgl and collapse of trial pit sides.

Stability: Unstable      Weather: Clear

# Trial Pit Photos

TP15

Manor Farm, Carburton

P21-00134



Photograph 44: TP15. Trial Pit.



Photograph 45: TP15. Arisings.



Met Consultancy Group Ltd  
 Southgate House  
 Pontefract Road  
 Leeds  
 LS10 1SW  
 Email: admin@metconsultancygroup.com  
 Phone: 0113 200 8900

# Trial Pit Log

Trial Pit No  
 TP16  
 Sheet 1 of 1


Project Name: Manor Farm, Carburton

Project No.  
 P21-00134

Co-ords: 461227.00 - 373327.00  
 Level: 36.80

Date  
 22/10/2021

Location: Manor Farm, Piper Lane, Carburton, S80 3BT



Scale  
 1:25

Client: Wellbeck Estates Company Ltd

Logged  
 YK

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
				0.10	36.70		Grass overlying medium brown silty SAND (TOPSOIL) with frequent rootlets. Sand is fine.
				0.30	36.50		Light brown gravelly SAND (SUBSOIL) with moderate cobble content. Sand is fine. Gravel is subrounded to rounded fine to coarse of mixed lithologies. Cobbles are subrounded to rounded of mixed lithologies up to 90mm across.
				1.80	35.00		Orange gravelly SAND with moderate to high cobble content. Sand is fine to medium grained. Gravel is subrounded to rounded fine to coarse of mixed lithologies. Cobbles are subrounded to rounded of mixed lithologies up to 110mm across.
							End of Pit at 1.80m

Remarks: Ground observed to be generally loose during excavation by JCB. Terminated to allow for soakaway testing.

Stability: Unstable      Weather: Clear