


FULL PANEL PLAN




STW TYPE B FENCE ELEVATION

SCALE 1:20

POST PROFILE

SCALE 1:20

	MESH SIZE VERTICAL mm		MESH SIZE HORIZONTAL mm		BAR SIZE mm		SOLIDITY %	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX
STW TYPE B	195	215	40	60	4.75	5.25	11%	16%



ISOMETRIC
NOT TO SCALE

CONCRETE FOUNDATIONS TO BS1722-14

MILD STEEL POSTS HOT DIPPED GALVANISED TO BS EN ISO 1461,
POWDER COATED IN HOLY GREEN TO BS 4800 14-C-39

MILD STEEL PANELS GALVANISED TO BS EN 10244-2:2009,
POWDER COATED IN HOLY GREEN TO BS 4800 14-C-39


DO NOT SCALE
USE WRITTEN DIMENSIONS ONLY

HEALTH & SAFETY

SITE HAZARDS

NOTES:

1. THIS DRAWING IS ILLUSTRATIVE FOR STANDARD INSTALLATIONS.
2. FOUNDATIONS SHOWN ARE ILLUSTRATIVE ONLY.
3. ALL DIMENSIONS SHOWN ARE SUBJECT TO MANUFACTURING TOLERANCES.
4. PANELS CAN BE STEPPED AS REQUIRED WHEN INSTALLING FENCES ON SLOPING GROUND. WHERE GRADIENTS EXCEED 1:16, IT IS RECOMMENDED THAT TALLER PANELS ARE EITHER PART BURIED OR ADDITIONAL POSTS ARE USED. TOP EDGE OF PANEL MINIMUM 1.8m ABOVE GROUND, BOTTOM EDGE OF PANEL MAXIMUM 50mm ABOVE GROUND TO UNSECURED SIDE.



Pell Frischmann

PENINSULA PARK RYDON LANE EXETER EX2 7NT

Tel: +44(0) 1392 444345 Fax: +44(0) 1392 444880

Email: pfexeter@pellfrischmann.com

www.pellfrischmann.com



severn dee

PROJECT TITLE

CHURCH STOKE STW
AMP 7 Q WFD - OUTLINE DESIGN

DRAWING TITLE

PROPOSED PERIMETER FENCE DETAIL

DRAWING NO:

H7S00101-PFC-XX-ZZ-DR-T-0007

SCALE:

1:20

SHEET SIZE

A1

QR CODE
PLACEMENT

THIS DRAWING IS CONFIDENTIAL AND THE
PROPERTY OF SEVERN TRENT AND MUST NOT BE
REPRODUCED WITHOUT WRITTEN PERMISSION