

Forest of Dean District Council

Council Offices, High Street, Coleford, Glos. GL16 8HG Tel. No. 01594 810000

email: planning @fdean.gov.uk

Application for Planning Permission

Town and Country Planning Act 1990 (as amended)

Publication of applications on planning authority websites

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website. If you require any further clarification, please contact the Authority's planning department.

Site Location	
Disclaimer: We can only make recom	mendations based on the answers given in the questions.
If you cannot provide a postcode, the object help locate the site - for example "field	description of site location must be completed. Please provide the most accurate site description you can, to to the North of the Post Office".
Number	
Suffix	
Property Name	
Windy Ridge	
Address Line 1	
High Street	
Address Line 2	
Address Line 3	
Gloucestershire	
Town/city	
Drybrook	
Postcode	
GL17 9EU	
	n must be completed if postcode is not known:
Easting (x)	Northing (y)
364797	217750

Planning Portal Reference: PP-11756562

Applicant Details
Name/Company
Title
First name
Surname
Mr Wadley & Ms Puddle
Company Name
Address
Address line 1
Windy Ridge High Street
Address line 2
Address line 3
Town/City
Drybrook
County
Gloucestershire
Country
Postcode
GL17 9EU
Are you an agent acting on behalf of the applicant?
✓ Yes○ No
Contact Details
Primary number

Secondary number	
Fax number	
Email address	
**** REDACTED *****	
	l
	=
Agent Details	
Name/Company	
Title	
First name	ı
Apex	
Surname	ı
Architecture	
Company Name	1
Apex Architecture Ltd	
	"
Address	
Address line 1	1
Oak House	
Address line 2	
Aylburton Business Park	
Address line 3	
Stockwell Lane, Aylburton	
Town/City	
Lydney	
County	
Country	
Postcode	1
GL15 6ST	
	1

Contact Details	
Primary number	
**** REDACTED *****	
Secondary number	
Fax number	
Email address	
***** REDACTED ******	
Site Area	
What is the measurement of the site area? (numeric characters only).	
302.00	
Unit	
Sq. metres	
Description of the Proposal	
Description of the Proposal Please note in regard to:	
Please note in regard to: • Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing mor dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government	
 Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing mor dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. <u>View governme guidance on fire statements</u> or <u>access the fire statement template and guidance</u>. Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle. 	ent planning
 Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. <u>View governments guidance on fire statements</u> or <u>access the fire statement template and guidance</u>. Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle the relevant details in the description below. 	ent planning inciple, please
 Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing mor dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. <u>View governmeguidance on fire statements</u> or <u>access the fire statement template and guidance</u>. Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle. 	ent planning inciple, please be eligible for
 Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government guidance on fire statements or access the fire statement template and guidance. Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle the relevant details in the description below. Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be 	ent planning inciple, please be eligible for
 Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government guidance on fire statements or access the fire statement template and guidance. Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle the relevant details in the description below. Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be faster determination timeframes. See help for further details or view government planning guidance on determination periods. 	ent planning inciple, please be eligible for
Please note in regard to: • Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government guidance on fire statements or access the fire statement template and guidance. • Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle the relevant details in the description below. • Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be faster determination timeframes. See help for further details or view government planning guidance on determination periods. Description	ent planning inciple, please be eligible for
Please note in regard to: • Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View governme guidance on fire statements or access the fire statement template and guidance. • Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle the relevant details in the description below. • Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be faster determination timeframes. See help for further details or view government planning guidance on determination periods. Description Please describe details of the proposed development or works including any change of use	ent planning inciple, please be eligible for
Please note in regard to: • Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing mor dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View governme guidance on fire statements or access the fire statement template and guidance. • Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle the relevant details in the description below. • Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be faster determination timeframes. See help for further details or view government planning guidance on determination periods. Description Please describe details of the proposed development or works including any change of use Construction of new 3 bedroom detached dwelling with associated landscaping Has the work or change of use already started? Yes	ent planning inciple, please be eligible for
Please note in regard to: • Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing mor dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View governme guidance on fire statements or access the fire statement template and guidance. • Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle the relevant details in the description below. • Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be faster determination timeframes. See help for further details or view government planning guidance on determination periods. Description Please describe details of the proposed development or works including any change of use Construction of new 3 bedroom detached dwelling with associated landscaping Has the work or change of use already started?	ent planning inciple, please be eligible for
Please note in regard to: • Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing mor dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View governme guidance on fire statements or access the fire statement template and guidance. • Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle the relevant details in the description below. • Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be faster determination timeframes. See help for further details or view government planning guidance on determination periods. Description Please describe details of the proposed development or works including any change of use Construction of new 3 bedroom detached dwelling with associated landscaping Has the work or change of use already started? Yes	ent planning inciple, please be eligible for
Please note in regard to: • Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing mor dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View governme guidance on fire statements or access the fire statement template and guidance. • Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle the relevant details in the description below. • Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be faster determination timeframes. See help for further details or view government planning guidance on determination periods. Description Please describe details of the proposed development or works including any change of use Construction of new 3 bedroom detached dwelling with associated landscaping Has the work or change of use already started? Yes	ent planning inciple, please be eligible for
Please note in regard to: • Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing mor dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View governme guidance on fire statements or access the fire statement template and guidance. • Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle the relevant details in the description below. • Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be faster determination timeframes. See help for further details or view government planning guidance on determination periods. Description Please describe details of the proposed development or works including any change of use Construction of new 3 bedroom detached dwelling with associated landscaping Has the work or change of use already started? ○ Yes ○ No	ent planning inciple, please be eligible for

Is the site currently vacant?
○ Yes⊘ No
Does the proposal involve any of the following? If Yes, you will need to submit an appropriate contamination assessment with your application.
Land which is known to be contaminated
○ Yes② No
Land where contamination is suspected for all or part of the site
○ Yes② No
A proposed use that would be particularly vulnerable to the presence of contamination
○ Yes※ No
Materials
Does the proposed development require any materials to be used externally?
✓ Yes○ No

naterial)
Type:
Walls
Existing materials and finishes:
N/A
Proposed materials and finishes:
Blockwork walls finished with render and stone quoin detailing
Type:
Roof
Existing materials and finishes:
N/A
Proposed materials and finishes:
Artificial slate
Type:
Windows
Existing materials and finishes: N/A
Proposed materials and finishes:
Anthracite grey double glazed UPVC
T
Type: Doors
Existing materials and finishes: N/A
Proposed materials and finishes: Anthracite double glazed UPVC
, mandate deale glazed of ve
Are you supplying additional information on submitted plans, drawings or a design and access statement?
⊙ Yes
O No
f Yes, please state references for the plans, drawings and/or design and access statement
1000 - Existing Location and Block Plan
1001 - Existing Site Plan
2000 - Proposed Floor Plans, Elevations and Street Scene
2001 - Proposed Site Plan 2002 - Proposed Block Plan
Design, Access and Planning Statement
Pedestrian and Vehicle Access, Roads and Rights of Way
s a new or altered vehicular access proposed to or from the public highway?
⊙ Yes
O No

Please provide a description of existing and proposed materials and finishes to be used externally (including type, colour and name for each

Is a new or altered pedestrian access proposed to or from the public highway? Yes
No Are there any new public roads to be provided within the site?
Yes ⊗ No
Are there any new public rights of way to be provided within or adjacent to the site? ○ Yes ⊙ No
Do the proposals require any diversions/extinguishments and/or creation of rights of way? ○ Yes ⊙ No
If you answered Yes to any of the above questions, please show details on your plans/drawings and state their reference numbers
Please see 1001 - Existing Site Plan and 2001 - Proposed Site Plan
Vehicle Parking
Does the site have any existing vehicle/cycle parking spaces or will the proposed development add/remove any parking spaces? ⊘ Yes ○ No
Please provide information on the existing and proposed number of on-site parking spaces
Vehicle Type: Cars
Existing number of spaces: 3
Total proposed (including spaces retained): 5
Difference in spaces:
Trees and Hedges
Are there trees or hedges on the proposed development site?
And/or: Are there trees or hedges on land adjacent to the proposed development site that could influence the development or might be important as part of the local landscape character? Yes
No So to either as both of the character was used to provide a full transcriptory of the discretion of the local planning outhority. If a transcriptory is the character of the local planning outhority. If a transcriptory is the character of the local planning outhority. If a transcriptory is the character of the local planning outhority. If a transcriptory is the character of the local planning outhority. If a transcriptory is the character of the local planning outhority. If a transcriptory is the character of the characte
If Yes to either or both of the above, you may need to provide a full tree survey, at the discretion of the local planning authority. If a tree survey is required, this and the accompanying plan should be submitted alongside the application. The local planning authority should make clear on its website what the survey should contain, in accordance with the current 'BS5837: Trees in relation to design, demolition and construction - Recommendations'.

Assessment of Flood Risk
Is the site within an area at risk of flooding? (Check the location on the Government's Flood map for planning. You should also refer to national standing advice and your local planning authority requirements for information as necessary.) Yes No
Is your proposal within 20 metres of a watercourse (e.g. river, stream or beck)? Yes No
Will the proposal increase the flood risk elsewhere? ○ Yes ⊙ No
How will surface water be disposed of?
☐ Sustainable drainage system
✓ Existing water course
Soakaway
☐ Main sewer
☐ Pond/lake
Biodiversity and Geological Conservation
Is there a reasonable likelihood of the following being affected adversely or conserved and enhanced within the application site, or on land adjacent to or near the application site?
land adjacent to or near the application site? To assist in answering this question correctly, please refer to the help text which provides guidance on determining if any important
land adjacent to or near the application site? To assist in answering this question correctly, please refer to the help text which provides guidance on determining if any important biodiversity or geological conservation features may be present or nearby; and whether they are likely to be affected by the proposals.
land adjacent to or near the application site? To assist in answering this question correctly, please refer to the help text which provides guidance on determining if any important biodiversity or geological conservation features may be present or nearby; and whether they are likely to be affected by the proposals. a) Protected and priority species Yes, on the development site Yes, on land adjacent to or near the proposed development
land adjacent to or near the application site? To assist in answering this question correctly, please refer to the help text which provides guidance on determining if any important biodiversity or geological conservation features may be present or nearby; and whether they are likely to be affected by the proposals. a) Protected and priority species Yes, on the development site Yes, on land adjacent to or near the proposed development No
land adjacent to or near the application site? To assist in answering this question correctly, please refer to the help text which provides guidance on determining if any important biodiversity or geological conservation features may be present or nearby; and whether they are likely to be affected by the proposals. a) Protected and priority species Yes, on the development site Yes, on land adjacent to or near the proposed development No b) Designated sites, important habitats or other biodiversity features Yes, on land adjacent to or near the proposed development
land adjacent to or near the application site? To assist in answering this question correctly, please refer to the help text which provides guidance on determining if any important biodiversity or geological conservation features may be present or nearby; and whether they are likely to be affected by the proposals. a) Protected and priority species Yes, on the development site Yes, on land adjacent to or near the proposed development No b) Designated sites, important habitats or other biodiversity features Yes, on the development site Yes, on land adjacent to or near the proposed development No
land adjacent to or near the application site? To assist in answering this question correctly, please refer to the help text which provides guidance on determining if any important biodiversity or geological conservation features may be present or nearby; and whether they are likely to be affected by the proposals. a) Protected and priority species Yes, on the development site Yes, on land adjacent to or near the proposed development No b) Designated sites, important habitats or other biodiversity features Yes, on the development site Yes, on land adjacent to or near the proposed development No c) Features of geological conservation importance Yes, on the development site Yes, on the development site Yes, on the development to or near the proposed development
land adjacent to or near the application site? To assist in answering this question correctly, please refer to the help text which provides guidance on determining if any important biodiversity or geological conservation features may be present or nearby; and whether they are likely to be affected by the proposals. a) Protected and priority species ○ Yes, on the development site ○ Yes, on land adjacent to or near the proposed development ○ No b) Designated sites, important habitats or other biodiversity features ○ Yes, on the development site ○ Yes, on land adjacent to or near the proposed development ○ No c) Features of geological conservation importance ○ Yes, on the development site ○ Yes, on land adjacent to or near the proposed development ○ No No
land adjacent to or near the application site? To assist in answering this question correctly, please refer to the help text which provides guidance on determining if any important biodiversity or geological conservation features may be present or nearby; and whether they are likely to be affected by the proposals. a) Protected and priority species Yes, on the development site Yes, on land adjacent to or near the proposed development No b) Designated sites, important habitats or other biodiversity features Yes, on the development site Yes, on land adjacent to or near the proposed development No c) Features of geological conservation importance Yes, on the development site Yes, on land adjacent to or near the proposed development No Supporting information requirements Where a development proposal is likely to affect features of biodiversity or geological conservation interest, you will need to submit, with the

Foul Sewage
Please state how foul sewage is to be disposed of:
✓ Mains sewer ☐ Septic tank
Package treatment plant
☐ Cess pit ☐ Other
Unknown
Are you proposing to connect to the existing drainage system?
○ Yes ○ No
✓ No✓ Unknown
Waste Storage and Collection
Do the plans incorporate areas to store and aid the collection of waste? Yes
○ Yes○ No
Have arrangements been made for the separate storage and collection of recyclable waste?
○ Yes
⊙ No
Trade Effluent
Does the proposal involve the need to dispose of trade effluents or trade waste?
○Yes
⊘ No
Posidential/Dwelling Units
Residential/Dwelling Units December 1 proposed include the gain, less or change of use of residential units?
Does your proposal include the gain, loss or change of use of residential units?
○ No
Please note: This question is based on the current housing categories and types specified by government.
If your application was started before 23 May 2020, the categories and types shown in this question will now have changed. We recommend that
you review any information provided to ensure it is correct before the application is submitted.
Proposed
Please select the housing categories that are relevant to the proposed units
✓ Market Housing ☐ Social, Affordable or Intermediate Rent
Affordable Home Ownership
☐ Starter Homes ☐ Self-build and Custom Build
Con baild and Sustain Baild

Market Housing						
Please specify each type of hou	using and number of	of units proposed				
Housing Type:						
Houses						
1 Bedroom:						
0						
2 Bedroom: 0						
3 Bedroom:						
1						
4+ Bedroom:						
0						
Unknown Bedroom: 0						
Total:						
1						
Proposed Market Housing	1 Bedroom Total	2 Bedroom Total	3 Bedroom Total	4 Bedroom Total	Unknown	Bedroom Total
Category Totals					Bedroom Total	
	0	0	1	0	0	1
☐ Market Housing☐ Social, Affordable or Interme☐ Affordable Home Ownership☐ Starter Homes☐ Self-build and Custom Build						
Totals						
Total proposed residential units	Г					
Total proposed residential units		1				
Total existing residential units Total net gain or loss of residential units		0				
		1				
All Types of Develo	pment: Non	-Residential	Floorspace			
Does your proposal involve the	loss, gain or chang	ge of use of non-res	sidential floorspace?			
Note that 'non-residential' in this Yes	s context covers all	I uses except Use C	Class C3 Dwellingho	uses.		
⊘ No						
Employment						

Are there any existing employees on the site or will the proposed development ○ Yes ⊙ No	increase or decrease the number of employees?
Hours of Opening Are Hours of Opening relevant to this proposal? ○ Yes ⊙ No	
Industrial or Commercial Processes and Machine Does this proposal involve the carrying out of industrial or commercial activitie ○ Yes ⊙ No Is the proposal for a waste management development? ○ Yes ⊙ No	
Hazardous Substances Does the proposal involve the use or storage of Hazardous Substances? ○ Yes ⊙ No	
Site Visit Can the site be seen from a public road, public footpath, bridleway or other pu	
Pre-application Advice Has assistance or prior advice been sought from the local authority about this ○ Yes ⊙ No	application?

Authority Employee/Member
With respect to the Authority, is the applicant and/or agent one of the following: (a) a member of staff (b) an elected member (c) related to a member of staff (d) related to an elected member
It is an important principle of decision-making that the process is open and transparent.
For the purposes of this question, "related to" means related, by birth or otherwise, closely enough that a fair-minded and informed observer, having considered the facts, would conclude that there was bias on the part of the decision-maker in the Local Planning Authority.
Do any of the above statements apply?
○ Yes⊙ No
Ownership Certificates and Agricultural Land Declaration
Certificates under Article 14 - Town and Country Planning (Development Management Procedure) (England) Order 2015 (as amended)
Please answer the following questions to determine which Certificate of Ownership you need to complete: A, B, C or D.
Is the applicant the sole owner of all the land to which this application relates; and has the applicant been the sole owner for more than 21 days? Yes No
Is any of the land to which the application relates part of an Agricultural Holding? ○ Yes ⊙ No
Certificate Of Ownership - Certificate A
I certify/The applicant certifies that on the day 21 days before the date of this application nobody except myself/ the applicant was the owner* of any part of the land or building to which the application relates, and that none of the land to which the application relates is, or is part of, an agricultural holding**
* "owner" is a person with a freehold interest or leasehold interest with at least 7 years left to run.
** "agricultural holding" has the meaning given by reference to the definition of "agricultural tenant" in section 65(8) of the Act.
NOTE: You should sign Certificate B, C or D, as appropriate, if you are the sole owner of the land or building to which the application relates but the land is, or is part of, an agricultural holding.
Person Role
○ The Applicant⊙ The Agent
Title
First Name
Apex
Surname
Architecture

Declaration Date
13/12/2022
✓ Declaration made
Declaration
I / We hereby apply for Full planning permission as described in this form and accompanying plans/drawings and additional information. I / We confirm that, to the best of my/our knowledge, any facts stated are true and accurate and any opinions given are the genuine options of the persons giving them. I / We also accept that: Once submitted, this information will be transmitted to the Local Planning Authority and, once validated by them, be made available as part of a public register and on the authority's website; our system will automatically generate and send you emails in regard to the submission of this application.
✓ I / We agree to the outlined declaration
Signed
Apex Architecture
Date
13/12/2022