

#	Species	Single or Multiple Stem (S or M)	Height (m)	Stem Diameter (mm)					Branch Spread (m)				Existing Height AGL (m)		Life Stage	General Observations (structural / physiological condition)	Preliminary Management Recommendations	Estimated Remaining Contribution (years)	Category Grading	Root Protection Area	
				S1	S2	S3	S4	S5	N	E	S	W	(1)	(2)						(m ²)	(radius in m)
				T1	Crack willow	M(a)	16	780	480				9	9						9	9
T2	Walnut	S	12	300					4	4	4	4	4e	2.5	M	Ivy on lower stem. Minor deadwood in lower canopy	Remove minor deadwood	20+	B1	40.7	3.6
T3	Norway maple	M(a)	13	300	220	230	90		5.5	5.5	5.5	5.5	1.5e	1	M	Mature tree. Eastern small diameter stem dead. Some minor deadwood. Canopy otherwise appears in good condition	Remove minor deadwood	20+	B1	90.2	5.4
G4	Crimson Norway Maple, Spruce, Blackthorn, Lawson cypress, Elder	S	7	250					3	3	3	3	0s	0	SM	Group of mixed species growing to perimeter of site. Young to semi-mature. Average condition. Low amenity value	None	10+	C2	28.3	3.0
H5	Rose, Lilac, Elder, Cotoneaster, Hawthorn, English ash	S	7	75					1	1	1	1	0s	0	M	Wire fence through centre of hedgerow. Sporadic in places and varying height. Young Hawthorn and Ash on road side of hedgerow. Low quality screen	None	10+	C2	2.5	0.9
T6	Norway spruce	S	6	240					2	2	3	3	0s	0	Y	Good form and vitality. Young tree, easily replaced	None	20+	C1	26.1	2.9
T7	Greengage	M(a)	6	160	120				2	2	2	3	1.5s	3	SM	Phellinus on most branches. Large quantity of fallen branches. Some woodpecker holes visible. Ivy on lower stem. Multi-stemmed at 0.5m	Fell to ground level	<10	U	18.1	2.4
T8	Laburnum	M(a)	5	240					2	1	4	3	2w	2	SM	Poor form and damaged limbs	None	10+	C1	26.1	2.9
T9	Field maple	M(a)	5	260					3	3	3	3	2w	2	SM	Missletoe in canopy. Low value	None	20+	C1	30.6	3.1
T10	Walnut	M(a)	10	450	250				8	8	8	8	1s	1	M	Large mature tree growing within bushes to east side of site	None	20+	B2	119.9	6.2
T11	Apple	S	6	270					3.5	4	4	4	1.5e	1.5	M	Reasonable form and vigour. Tip of leader decayed above branch union. Minor cavities in other limbs. Branch tissues decayed at previous removal point on north side	None	10+	C3	33.0	3.2
T12	Sycamore	M(a)	14	290	200	200			6	5	6	2	2.5e	1	M	Growing adjacent to and beneath canopy of T1. Categorized as low value since tree is visually dominated by T1 and it's removal would have minimal impact	None	10+	C1	74.2	4.9
T13	Walnut	S	6	290					4	6	4	3	1.5e	0	EM	Low amenity tree	None	20+	C1	38.1	3.5
T14	Hawthorn	S	6	150	140	120	150	150	3	2	1	3	0n	1	EM	Low amenity tree	None	20+	C1	10.2	1.8
T15	Lime sp.	S	8	550					5	5	5	5	0w	0.5	EM	Good form and condition. Moderate amenity value. Suckers at base	None	20+	B2	136.9	6.6
T16	Horse chestnut	M(a)	7	170	80				3	3	3	3	1e	2.5	Y	Young multi-stemmed Horse chestnut. Low value	None	20+	C1	16.0	2.3
G17	Hawthorn, Plum	S	5	250					3	3	3	3	0s	0	M	Group of three Hawthorn stems surrounded by young Plum stems	None	20+	C1	28.3	3.0

#	Species	Single or Multiple Stem (S or M)	Height (m)	Stem Diameter (mm)					Branch Spread (m)				Existing Height AGL (m)		Life Stage	General Observations (structural / physiological condition)	Preliminary Management Recommendations	Estimated Remaining Contribution (years)	Category Grading	Root Protection Area	
				S1	S2	S3	S4	S5	N	E	S	W	(1)	(2)						(m ²)	(radius in m)
				H18	Hawthorn, English ash	S	2	75					1	1						1	1
T19	Lawson cypress	M(a)	12	220	220	210	250		4	4	4	4	0s	0	M	Large group of stems growing in hedgerow. May be multiple trees.	None	10+	C3	92.0	5.4
T20	Tree of heaven	S	11	330					5	6	5	5	5e	5	M	Good vigour. Minor deadwood throughout. Mechanical damage to stem	None	20+	B1	49.3	4.0
T21	Lawson cypress	S	6	170					2	2	2	2	2s	1	Y	Young tree with prolific ivy growth throughout canopy	None	10+	C1	13.1	2.0
T22	Damson	S	6	170					1	4	2	2	1.5e	3	Y	Low amenity tree	None	10+	C1	13.1	2.0
G23	Ash, Hazel, Damson	S	12	270					4	4	4	4	0s	0	M	Group of unmanaged trees growing towards perimeter of site. Ivy and bramble at base. Low amenity trees	None	10+	C2	33.0	3.2
G24a	Copper beech	S	11	350					4	6	4	5	0.5s	0.5	SM	One of four trees in group. Southernmost tree is Copper beech, others are European beech. Some deadwood in lower canopy	Remove deadwood	20+	B2	55.4	4.2
G24b	European beech	S	11	410					4	6	4	5	0.5s	0.5	SM	One of four trees in group. Southernmost tree is Copper beech, others are European beech. Some deadwood in lower canopy	Remove deadwood	20+	B2	76.1	4.9
G24c	European beech	S	11	360					4	6	4	5	0.5s	0.5	SM	One of four trees in group. Southernmost tree is Copper beech, others are European beech. Some deadwood in lower canopy	Remove deadwood	20+	B2	58.6	4.3
G24d	European beech	M(a)	11	260	180				4	6	4	5	0.5s	0.5	SM	One of four trees in group. Southernmost tree is Copper beech, others are European beech. Some deadwood in lower canopy	Remove deadwood	20+	B2	45.2	3.8
T25	Laburnum	M(a)	11	120	110	130	100	120	2	3	4	4	1s	3	EM	Growing in linear row of trees. Moderate amenity value	None	20+	B2	30.7	3.1
T26	European beech	M(a)	11	170	280	200			2	4	4	4	1w	2.5	SM	Growing in linear row of trees. Moderate amenity value	None	20+	B2	66.6	4.6
T27	Hawthorn	S	5	310					3	4	3	3	2w	2	M	Growing in linear row of trees. Moderate amenity value	None	20+	B2	43.5	3.7
T28	English ash	M(a)	16	420	530				9	9	9	9	2s	1.5	M	Large mature tree. Multi-stemmed at approximately 1m height. High amenity value	None	20+	A2	206.9	8.1
T29	Field maple	M(a)	7	90	90				2	3	2.5	1.5	0e	0	Y	Young tree with good vitality. Suckers at base	None	20+	B2	7.3	1.5
T30	English ash	S	9	440					4	8	4	7	2.5e	0.5	M	Growing in linear row of trees. Moderate amenity value	None	20+	B2	87.6	5.3
T31	Horse chestnut	S	12	300					3	4	3	2	1.5n	0.5	EM	Growing in linear row of trees. Moderate amenity value	None	20+	B2	40.7	3.6
T32	Scots pine	S	6	220					2	3	3	2	1e	0	SM	Growing in linear row of trees. Low value due to small size	None	20+	C1	21.9	2.6
T33	Scots pine	S	6	170					1	2	3	2	1e	0	SM	Growing in linear row of trees. Low value due to small size	None	20+	C1	13.1	2.0

#	Species	Single or Multiple Stem	Height (m)	Stem Diameter					Branch Spread				Existing Height AGL		Life Stage	General Observations (structural / physiological condition)	Preliminary Management Recommendations	Estimated Remaining Contribution (years)	Category Grading	Root Protection Area	
				(mm)					(m)				(m)							(m ²)	(radius in m)
				(S or M)	S1	S2	S3	S4	S5	N	E	S	W	(1)							
G34	English ash	S	14	550	360	550			10	10	10	10	2s	1.5	M	Group of three Ash trees. Spoil heap directly adjacent to two westernmost trees. Ivy covered stems	None	20+	B2	136.9	6.6
H35	Hawthorn, English ash, Lawson cypress	S	5	150					4	4	4	4	0.5n	1	SM	Boundary hedgerow with mixed broadleaves and conifers growing to west of site. Trees in varying condition and varying heights. Mostly dense growth with taller trees to north end. Provides effective screening	None	20+	B2	10.2	1.8