



**ONE BEDROOM  
WHEELCHAIR ACCESSIBLE**




**ALTERNATIVE SOUTH WING  
LAYOUT TO THAT SHOWN ON  
PLAN BELOW**

**TWO BEDROOM  
WHEELCHAIR ACCESSIBLE**




**ALTERNATIVE SOUTH WING  
LAYOUT TO THAT SHOWN ON  
PLAN BELOW**

**TWO BEDROOM  
WHEELCHAIR ACCESSIBLE**



**ALTERNATIVE SOUTH WING  
LAYOUT TO THAT SHOWN BELOW**

NOTE: HOPEFULLY UNDERFLOOR HEATING THROUGHOUT GROUND FLOOR



**ONE BEDROOM  
WHEELCHAIR ACCESSIBLE**

**PROPOSED GROUND FLOOR**


**NOTE THAT ARRANGEMENT ON THIS FLOOR IS STILL RELIANT ON TEST PITS AND FIRE ESCAPE ROUTE**

all external walls of this apartment to be insulated - insulation to external walls could be as deep as suggested general detail, using woodfibre

original internal walls are mainly likely to remain exposed, but surface mounted electrics, etc. would be ok subject to detail

radiators in this apartment likely to be modern - tall would be good if possible (dropping from ceiling?) to save on wall space for furniture

no window shutters




**PROPOSED FIRST FLOOR**

external walls of this apartment will not be insulated as most plasterwork and skirtings are still in place

radiators in this apartment likely to be modern - tall would be good if possible to save on wall space for furniture

window shutters to two large south facing and two large east facing windows could be made workable




**PROPOSED SECOND FLOOR**

external walls of this apartment will not be insulated as most plasterwork and skirtings are still in place

radiators in this apartment likely to be modern - tall would be good if possible to save on wall space for furniture

assume all window 'shutters' in this apartment are all blind and not useable



**SUGGESTED SVP LOCATION  
ON WEST ELEVATION OF  
SOUTH APARTMENTS**

- all existing pipework to be removed
- existing location of vertical SVP shown dashed
- proposed location of SVP serving upper floor shower rooms
- at ground floor cranks to use existing drainage route?

**BARMOOR CASTLE**

**PROPOSED SOUTH WING FLOOR PLANS DISCUSSION ON SERVICES ARRANGEMENTS**

Scale  
1:00 at A1

Date  
NOVEMBER 2022 TG

SPENCE & DOWER  
Chartered Architects  
Arch 6  
Stepney Bank  
Newcastle upon Tyne, NE1 2NP  
Tel: (01661) 820071  
architects@spenceanddower.co.uk

Rev. A: December 2022  
Yellow highlighted comments added by TGA

M681 / P-A 10 A