

Welbury House

Path

T01

T02

T03

T04

T05

T06

A167

WELBURY GROVE

53

40

51

43

18

NEW

LAYOUT
1/250

NOTES:

1. All extents to be agreed on site with Engineer.
2. All dimensions in metres unless stated otherwise.
3. Do not scale from drawings.
4. Proposed layout shown in background for reference only.

KEY

Txx — Location of test hole. To include for
- CBR test.
- WAC test
- Earthworks Classification test

Earthworks Classification test;
Material samples to be tested to 'Manual of Contract Documents for Highway Works Volume 1 Specification for Highway Works - Series 600, Earthworks
Testing for acceptability to re-use as dug material for use as general fill to 'Table 6/1: (02/16) Acceptable Earthworks Materials: Classification and Compaction Requirements'

Rev/ Amdt	Date	Initial	Chk'd	Details

INFORMATION

Project
A167 CENTRAL AVENUE
NEWTON AYCLIFFE

Drawing
CBR AND WAC TEST

FOR INFORMATION

Drawn :	Date:
Designed :	Date:
Checked :	Date:
Approved :	Date:
Drawing No.	Revision
Location: Newton Aycliffe	
Drawing Scale: SHOWN	Original Sheet Size A0
DO NOT SCALE FROM DRAWING	

Frame 01/19

Drawing file path & name K:\GTL Coded Projects\1383228 Central Avenue_A167 Central Avenue\5. CAD\1. DR\1383228_DOC_ME_SI_01 GI Locations.dwg
Plotted by & date Stewart Naylor 04/08/2020