

KEY

FENCES

- 15m offset from perimeter / zonal fence line
- HMP Elmley existing perimeter fence line retained
- Existing internal zonal fence retained
- Proposed internal zonal fence, 5.2m high (unless specified otherwise)
- Proposed Sports Pitch fencing, 2.4m high (unless stated otherwise)

HARD LANDSCAPE

- Existing asphalt concrete roadway / vehicular hardstanding retained
- Proposed asphalt footpath / pedestrian only area + occasional vehicle overrun *
- Proposed asphalt roadway / vehicular hardstanding *
- Existing concrete roadway / vehicular hardstanding retained
- Proposed concrete roadway / vehicular hardstanding *
- Proposed PCC permeable block paving car parking space, suitable for vehicular use *
- Proposed EV charging bays (paving to match adjacent bays / with permeable block*)
- Proposed PCC block paving footpath *
- Proposed Type 4 polymetric MUGA court surface. (Q26)
- Proposed Synthetic grass 3G football pitch. (Q26)
- Proposed grasscrete. See civils specification for product*, and refer to landscape spec (Q31) for topsoil and grass seeding.
- Proposed 450mm high timber knee rail
- Proposed tactile blister paving to pedestrian crossings. Colour: buff

SOFT LANDSCAPE

- Existing tree to be retained and protected. Root protection area identified in Purple. Refer to Arboricultural information.
- Existing tree / vegetation to be removed
- Proposed native shrub/scrub planting **
- Proposed species rich lawn turf **
- Proposed neutral grassland **
- Proposed wildlife friendly shrub and perennial planting **
- Proposed rain garden planting **
- Proposed bulb planting & species rich lawn turf **
- Proposed grasscrete seeded by high quality amenity grass seed **
- Proposed native hedgerow **
- Proposed Extra Heavy Standard tree planting. Refer to Soft Landscape Strategy **

© Crown copyright 2022
 Do not scale from drawings. Verify all dimensions on site prior to construction. This drawing is to be read in conjunction with all relevant documents and drawings. Report all discrepancies to MoJ immediately.
 No unauthorised use, disclosure, storage or copying.

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION
 In addition to the hazards/risks normally associated with the types of work detailed on this drawing, note the following:

CONSTRUCTION
 FOR PROJECT AND BUILDING RISKS PLEASE REFER TO RISK REGISTER


MAINTENANCE/CLEANING
 FOR PROJECT AND BUILDING RISKS PLEASE REFER TO RISK REGISTER

DECOMMISSIONING/DEMOLITION
 FOR PROJECT AND BUILDING RISKS PLEASE REFER TO RISK REGISTER

It is assumed that all works will be carried out by a competent contractor working, where appropriate, to an approved method statement

- Note:
- *Refer to Civils Engineer's Specification for further details in relation to hard landscape elements, including paving types and edgings, document number: 705674_2201-BHK-000-XX-T-S-0002
 - **Refer to Planting Plans drawings number 705674_2201-ATK-000-XX-D-L-1400-705674_2201-ATK-000-XX-D-L-1409
 - Fire route to be designed to accommodate a minimum of 12.5 ton load in accordance with approved 'Building Regulation Part B'. The capacity of the existing vehicle route to be checked to ensure they are suitable to support the fire tender loading
 - Drawing to be read in conjunction with Landscape Specification.
 - Refer to MoJ Design Guide 'Physical & Special Security' document number STD-Z-DG-068
 - Refer to MoJ Design Guide 'Design guide perimeter security' document number STD-Z-DG-062

Rev	Issued by	Issued to	Date	Description
P02	JW	MoJ	17/03/2022	FOR PLANNING
P01	LM	MoJ	31/10/2022	ISSUED FOR REVIEW AND AUTHORIZATION



Project Status
 FOR INFORMATION

Client
 Ministry of Justice

Project
 HMP ELMLEY EXPANSION PROJECT

Ministry of Justice, 102 Petty France, London, SW1H 9AJ

Project Description / Site
 HMP ELMLEY EXPANSION PROJECT

Project Address
 ELMLEY CHURCH ROAD,
 EASTCHURCH,
 SHEERNESS
 ME12 4DZ

Building Type
 SITE WIDE

Drawing Title
 NORTH EAST
 LANDSCAPE GENERAL
 ARRANGEMENT
 LEVEL 00


Drawn By: LM	Date: 31/10/22
Checked By: NA	Date: 31/10/22
Approved By: JH	Date: 31/10/23

Drawing Number
 705674_2201-ATK-000-XX-D-L-0415

Sheet No.	Scale	Orig. Sheet Size	Rev.
1 of 1	1:500	@ A1	P02

Data Security Classification
 OFFICIAL

Suitability
 S2



Temporary Contractor's Compound area
 Refer to drawing number 705674_2201-ATK-000-XX-D-L-1009

Existing bollard to be relocated

2.5m concrete apron from existing internal perimeter

T60 HOUSE BLOCK EXTERNAL ENCLOSED QUADRANT Exercise yard with gated vehicular access

Secondary fire tender resting space

T60 HOUSE BLOCK EXTERNAL OPEN QUADRANT not directly accessible from T60

T60 HOUSE BLOCK EXTERNAL ENCLOSED QUADRANT with fire escape access from T60. Gated access to roadway

Secondary fire tender resting space

T60 HOUSE BLOCK ARRIVAL QUADRANT allows for fire tender access in / out via 4m gates and parking close to building entrance

Fire route to accommodate a minimum of 12.5 tonne load in accordance with approved 'Building Regulation Part B'. The capacity of the existing vehicle routes to be checked to ensure they are suitable to support the fire tender loading

Tree T21 to be removed

Turning head for fire appliance