



Note: Red highlighted areas show recently completed works where retrospective listed building consent is required. Large sections of the original walls had been undermined by trees & dense ivy and a lack of suitable foundation; some walls were leaning at 15+ degrees.

In addition, the section of wall marked 'X' on the Location Plan, was struck by a lorry in 2022, creating localised areas of irreparable damage.

The walls at Elevation A have been rebuilt as shown, entirely of bricks reclaimed from the original walls and off a new footing. Gaps have been left for existing mature trees.

The walls at Elevation B are built up from an existing plinth wall and footing that was uncovered, parallel to the road, when ivy was cleared (Photo 7 shows the original plinth, which is believed to have been built as part of the 1961 works). Photo 10 shows that these walls are obscured from public view by an established Yew hedge. These walls are also constructed using reclaimed bricks from the original damaged walls. The walls incorporate rendered panels (inward facing) with tile-crease copings, to account for the finite number of reclaimed bricks available. The walls have been constructed to a very high quality by local craftsmen.



Contractor is responsible for all setting out and must check dimensions on site before work is put in hand. Written dimensions only to be taken, this drawing must not be scaled. JAP Architects to be immediately notified of suspected omissions or discrepancies ©

| Revisions | |
|-----------|--|
| | |
| | |
| | |
| | |
| | |

| Revisions | |
|-----------|--|
| | |
| | |
| | |
| | |
| | |

J.A.P. Architects
 Market Hill, Clare, Suffolk CO10 8NN
 T: 01787 279490
 E: enquiries@japarchitects.co.uk
 W: www.japarchitects.co.uk

J.A.P. Architects

 RIBA

| | | | |
|-------------|-------------------------------------|------|----------|
| Project | Moor Hall, Stoke by Clare, CO10 8HJ | | |
| Title | External Wall Plan & Elevations | | |
| Scale | 1 : 50 @ A1 | Date | May 2023 |
| Drawing No. | 23023 - 02 | | |
| Revision | | | |