


CUSTOMER	BROOMY LODGES	WORKS SHEET			Q0007186
REFERENCE	F3 BROOMY LODGES				
CONTRACT NO		ITEM : 1 of 6	GLAZED	SUPPLY & FIT	
PROD. DATE	30/12/1899	BATCH NO : 0			COMMENT:

Group	Int EL70 Welded PAS24 White
Manufactured Size	666mm x 989mm
Quantity	1
Design	Style 7
Location A	BATHROOM GROUND
Location B	
Outside/Inside Colour	White
Profile Type	Bev Multi Chambered 6Ch F&S
Base Colour	
Reinforcing Rule	PAS24 PVC Inserts
Cill	85mm Stub Cill
Drainage	Concealed
Bead type	28mm Ovolo Bead White
Ventilator (Sash)	Link Vent 5000 Wht/Wht
Handle	White Lock Blk But
Locking	FMT Security Espag
Friction stay	DGS Stay >TH & Tristay >SH
Glazing Detail	Glass Supplied



LOCATION	DESCRIPTION	QTY	LENGTH1	LENGTH2	E-P	VNOTCH	REINFORCING	LENGTH
Frame (Top)	EWS7006WH 75mm Bev Frame White	1	701	701	\-/		75mm Frame Thermal Insert	590
Frame (Bottom)	EWS7011WH 60mm Bev Frame 6MC White	1	671	671	\-/			
Frame (Left)	EWS7011WH 60mm Bev Frame 6MC White	1	979	979	\-/			
Frame (Right)	EWS7011WH 60mm Bev Frame 6MC White	1	979	979	\-/			
Sash (Top)	EWS7008WH 75mm Int Bev Sash 6MC White	1	607	607	\-/			
Sash (Bottom)	EWS7008WH 75mm Int Bev Sash 6MC White	1	607	607	\-/			
Sash (Left)	EWS7008WH 75mm Int Bev Sash 6MC White	1	915	915	\-/			
Sash (Right)	EWS7008WH 75mm Int Bev Sash 6MC White	1	915	915	\-/			
Multiple	EWS7312WH 28mm Ovolo Bead White		2592					
FExt (Top)	EWS116WH 15mm Frame Ext White	1	666		-			
Cill	AS85WH 85mm Stub Cill White	1	766		-			


DESCRIPTION	QTY	LENGTH				LOCATION: FRAME
ERLABPAS24 PAS24 CE Label	1					
EWS7255 Glazing Packer	4					
SC1 Screws	1					

DESCRIPTION	LOCATION:SASH A1	QTY	LENGTH
HINGTP GT StayGuard		4	
WLRHBB3 Wht Locking RH BLK But		1	
HG601L DGS Tri Stay 16" SH Single LH		1	
HG611R DGS EC Egress Stay 16" SH Single RH		1	
209FMT0850 850mm FMT Espag		1	
AH00145-LH FMT Espag Keep L/H		4	
VT070 Link Vent 5000 Wht/Wht		1	

REF	DESCRIPTION	QTY	SIZE
A1	6.8 Lami KS /18/4 Obs TUFF Cotswold Blk SupSpacer + Arg 25mm Geo.Bar White - #10	1	482 x 790

CUSTOMER	BROOMY LODGES	WORKS SHEET			Q0007186
REFERENCE	F3 BROOMY LODGES				
CONTRACT NO		ITEM : 2 of 6	GLAZED	SUPPLY & FIT	
PROD. DATE	30/12/1899	BATCH NO : 0			COMMENT:

Group	Int EL70 Welded PAS24 White
Manufactured Size	1230mm x 989mm
Quantity	1
Design	Style 21
Location A	KITCHEN G
Location B	
Outside/Inside Colour	White
Profile Type	Bev Multi Chambered 6Ch F&S
Base Colour	
Reinforcing Rule	PAS24 PVC Inserts
Cill	85mm Stub Cill
Drainage	Concealed
Bead type	28mm Ovolo Bead White
Ventilator (Sash)	Link Vent 5000 Wht/Wht
Handle	White Lock Blk But
Locking	FMT Security Espag
Friction stay	DGS Stay >TH & Tristay >SH
Glazing Detail	Glass Supplied



LOCATION	DESCRIPTION	QTY	LENGTH1	LENGTH2	E-P	VNOTCH	REINFORCING	LENGTH
Frame (Top)	EWS7006WH 75mm Bev Frame White	1	635	635	-/	35 632.5/	75mm Frame Thermal Insert	1154
Frame (Top)	EWS7006WH 75mm Bev Frame White	1	635	635	-/	35 632.5~/		
Frame (Bottom)	EWS7011WH 60mm Bev Frame 6MC White	1	620	620	\-	\617.5 35		
Frame (Bottom)	EWS7011WH 60mm Bev Frame 6MC White	1	620	620	\-	\617.5~/35		
Frame (Left)	EWS7011WH 60mm Bev Frame 6MC White	1	979	979	\-/			
Frame (Right)	EWS7011WH 60mm Bev Frame 6MC White	1	979	979	\-/			
Z Mullion	EWS7003WH 70mm Z Bev Tran/Mull White	1	999	929	<->		Z Trans Thermal Insert	898
Sash (Top)	EWS7008WH 75mm Int Bev Sash 6MC White	1	581	581	\-/			
Sash (Bottom)	EWS7008WH 75mm Int Bev Sash 6MC White	1	581	581	\-/			
Sash (Left)	EWS7008WH 75mm Int Bev Sash 6MC White	1	915	915	\-/			
Sash (Right)	EWS7008WH 75mm Int Bev Sash 6MC White	1	915	915	\-/			
Multiple	EWS7312WH 28mm Ovolo Bead White		5458					
FExt (Top)	EWS116WH 15mm Frame Ext White	1	1230		-			
Cill	AS85WH 85mm Stub Cill White	1	1330		-			


DESCRIPTION	QTY	LENGTH				LOCATION: FRAME
ERLABPAS24 PAS24 CE Label	1					
EWS7255 Glazing Packer	8					
SC1 Screws	1					

DESCRIPTION	LOCATION:SASH A2	QTY	LENGTH
HINGTP GT StayGuard		4	
WLLHBB3 Wht Locking LH BLK But		1	
HG601R DGS Tri Stay 16" SH Single RH		1	
HG611L DGS EC Egress Stay 16" SH Single LH		1	
209FMT0850 850mm FMT Espag		1	
AH00145-RH FMT Espag Keep R/H		4	
VT070 Link Vent 5000 Wht/Wht		1	

REF	DESCRIPTION	QTY	SIZE
A1	4mm KS / 20 / 4 Clear Blk SupSpacer + Arg 25mm Geo.Bar White - #8	1	551 x 884
A2	4mm KS / 20 / 4 Clear Blk SupSpacer + Arg 25mm Geo.Bar White - #8	1	456 x 790

CUSTOMER	BROOMY LODGES	WORKS SHEET			Q0007186
REFERENCE	F3 BROOMY LODGES				
CONTRACT NO		ITEM : 3 of 6	GLAZED	SUPPLY & FIT	
PROD. DATE	30/12/1899	BATCH NO : 0			COMMENT:

Group	Int EL70 Welded PAS24 White
Manufactured Size	1230mm x 989mm
Quantity	1
Design	Style 20
Location A	KITCHEN REAR G
Location B	
Outside/Inside Colour	White
Profile Type	Bev Multi Chambered 6Ch F&S
Base Colour	
Reinforcing Rule	PAS24 PVC Inserts
Cill	85mm Stub Cill
Drainage	Concealed
Bead type	28mm Ovolo Bead White
Ventilator (Sash)	Link Vent 5000 Wht/Wht
Handle	White Lock Blk But
Locking	FMT Security Espag
Friction stay	DGS Stay >TH & Tristay >SH
Glazing Detail	Glass Supplied



LOCATION	DESCRIPTION	QTY	LENGTH1	LENGTH2	E-P	VNOTCH	REINFORCING	LENGTH
Frame (Top)	EWS7006WH 75mm Bev Frame White	1	635	635	\-	\632.5~ 35	75mm Frame Thermal Insert	1154
Frame (Top)	EWS7006WH 75mm Bev Frame White	1	635	635	\-	\632.5 35		
Frame (Bottom)	EWS7011WH 60mm Bev Frame 6MC White	1	620	620	-\	35 617.5~/		
Frame (Bottom)	EWS7011WH 60mm Bev Frame 6MC White	1	620	620	-\	35 617.5/		
Frame (Left)	EWS7011WH 60mm Bev Frame 6MC White	1	979	979	\-			
Frame (Right)	EWS7011WH 60mm Bev Frame 6MC White	1	979	979	\-			
Z Mullion	EWS7003WH 70mm Z Bev Tran/Mull White	1	999	929	<->		Z Trans Thermal Insert	898
Sash (Top)	EWS7008WH 75mm Int Bev Sash 6MC White	1	581	581	\-			
Sash (Bottom)	EWS7008WH 75mm Int Bev Sash 6MC White	1	581	581	\-			
Sash (Left)	EWS7008WH 75mm Int Bev Sash 6MC White	1	915	915	\-			
Sash (Right)	EWS7008WH 75mm Int Bev Sash 6MC White	1	915	915	\-			
Multiple	EWS7312WH 28mm Ovolo Bead White		5458					
FExt (Top)	EWS116WH 15mm Frame Ext White	1	1230		-\			
Cill	AS85WH 85mm Stub Cill White	1	1330		-\			


DESCRIPTION	QTY	LENGTH				LOCATION: FRAME
ERLABPAS24 PAS24 CE Label	1					
EWS7255 Glazing Packer	8					
SC1 Screws	1					

DESCRIPTION	LOCATION:SASH A1	QTY	LENGTH
HINGTP GT StayGuard		4	
WLRHBB3 Wht Locking RH BLK But		1	
HG601L DGS Tri Stay 16" SH Single LH		1	
HG611R DGS EC Egress Stay 16" SH Single RH		1	
209FMT0850 850mm FMT Espag		1	
AH00145-LH FMT Espag Keep L/H		4	
VT070 Link Vent 5000 Wht/Wht		1	

REF	DESCRIPTION	QTY	SIZE
A1	4mm KS / 20 / 4 Clear Blk SupSpacer + Arg 25mm Geo.Bar White - #8	1	456 x 790
A2	4mm KS / 20 / 4 Clear Blk SupSpacer + Arg 25mm Geo.Bar White - #8	1	551 x 884

CUSTOMER	BROOMY LODGES	WORKS SHEET			Q0007186
REFERENCE	F3 BROOMY LODGES				
CONTRACT NO		ITEM : 4 of 6	GLAZED	SUPPLY & FIT	
PROD. DATE	30/12/1899	BATCH NO : 0			COMMENT:

Group	Int EL70 Welded PAS24 White
Manufactured Size	1230mm x 1281mm
Quantity	1
Design	Style 21
Location A	LOUNGE 1
Location B	
Outside/Inside Colour	White
Profile Type	Bev Multi Chambered 6Ch F&S
Base Colour	
Reinforcing Rule	PAS24 PVC Inserts
Cill	85mm Stub Cill
Drainage	Concealed
Bead type	28mm Ovolo Bead White
Ventilator (Sash)	Link Vent 5000 Wht/Wht
Handle	White Lock Blk But
Locking	FMT Security Espag
Friction stay	DGS Stay >TH & Tristay >SH
Glazing Detail	Glass Supplied



LOCATION	DESCRIPTION	QTY	LENGTH1	LENGTH2	E-P	VNOTCH	REINFORCING	LENGTH
Frame (Top)	EWS7006WH 75mm Bev Frame White	1	635	635	-/	35 632.5/	75mm Frame Thermal Insert	1154
Frame (Top)	EWS7006WH 75mm Bev Frame White	1	635	635	-/	35 632.5~/		
Frame (Bottom)	EWS7011WH 60mm Bev Frame 6MC White	1	620	620	\-	\617.5 35		
Frame (Bottom)	EWS7011WH 60mm Bev Frame 6MC White	1	620	620	\-	\617.5~/35		
Frame (Left)	EWS7011WH 60mm Bev Frame 6MC White	1	1271	1271	\-/			
Frame (Right)	EWS7011WH 60mm Bev Frame 6MC White	1	1271	1271	\-/			
Z Mullion	EWS7003WH 70mm Z Bev Tran/Mull White	1	1291	1221	<->		Z Trans Thermal Insert	1190
Sash (Top)	EWS7008WH 75mm Int Bev Sash 6MC White	1	581	581	\-/			
Sash (Bottom)	EWS7008WH 75mm Int Bev Sash 6MC White	1	581	581	\-/			
Sash (Left)	EWS7008WH 75mm Int Bev Sash 6MC White	1	1207	1207	\-/			
Sash (Right)	EWS7008WH 75mm Int Bev Sash 6MC White	1	1207	1207	\-/			
Multiple	EWS7312WH 28mm Ovolo Bead White		6626					
FExt (Top)	EWS116WH 15mm Frame Ext White	1	1230		-			
Cill	AS85WH 85mm Stub Cill White	1	1330		-			


DESCRIPTION	QTY	LENGTH				LOCATION: FRAME
ERLABPAS24 PAS24 CE Label	1					
EWS7255 Glazing Packer	8					
SC1 Screws	1					

DESCRIPTION	LOCATION:SASH A2	QTY	LENGTH
HINGTP GT StayGuard		4	
WLLHBB3 Wht Locking LH BLK But		1	
HG601R DGS Tri Stay 16" SH Single RH		1	
HG611L DGS EC Egress Stay 16" SH Single LH		1	
209FMT1150 1150mm FMT Espag		1	
AH00145-RH FMT Espag Keep R/H		4	
VT070 Link Vent 5000 Wht/Wht		1	

REF	DESCRIPTION	QTY	SIZE
A1	4mm KS / 20 / 4 Clear Blk SupSpacer + Arg 25mm Geo.Bar White - #8	1	551 x 1176
A2	4mm KS / 20 / 4 Clear Blk SupSpacer + Arg 25mm Geo.Bar White - #8	1	456 x 1082

CUSTOMER	BROOMY LODGES	WORKS SHEET			Q0007186
REFERENCE	F3 BROOMY LODGES				
CONTRACT NO		ITEM : 5 of 6	GLAZED	SUPPLY & FIT	
PROD. DATE	30/12/1899	BATCH NO : 0			COMMENT:

Group	Int EL70 Welded PAS24 White
Manufactured Size	1564mm x 1135mm
Quantity	1
Design	Style 53
Location A	BED 1 G
Location B	
Outside/Inside Colour	White
Profile Type	Bev Multi Chambered 6Ch F&S
Base Colour	
Reinforcing Rule	PAS24 PVC Inserts
Cill	85mm Stub Cill
Drainage	Concealed
Bead type	28mm Ovolo Bead White
Ventilator (Frame)	Link Vent 2500 Wht/Wht (13mm)
Handle	White NonLock Grn But
Locking	FMT Security Espag
Friction stay	DGS Stay >TH & Tristay >SH
Glazing Detail	Glass Supplied



LOCATION	DESCRIPTION	QTY	LENGTH1	LENGTH2	E-P	VNOTCH	REINFORCING	LENGTH
Frame (Top)	EWS7006WH 75mm Bev Frame White	1	560	560	\-	\557.5~ 35	75mm Frame Thermal Insert	1488
Frame (Top)	EWS7006WH 75mm Bev Frame White	1	489	489	-	35 484 35		
Frame (Top)	EWS7006WH 75mm Bev Frame White	1	560	560	-	35 557.5~		
Frame (Bottom)	EWS7011WH 60mm Bev Frame 6MC White	1	545	545	-	35 542.5~		
Frame (Bottom)	EWS7011WH 60mm Bev Frame 6MC White	1	489	489	-	35 484 35		
Frame (Bottom)	EWS7011WH 60mm Bev Frame 6MC White	1	545	545	\-	\542.5~ 35		
Frame (Left)	EWS7011WH 60mm Bev Frame 6MC White	1	1125	1125	\-			
Frame (Right)	EWS7011WH 60mm Bev Frame 6MC White	1	1125	1125	\-			
Z Mullion	EWS7003WH 70mm Z Bev Tran/Mull White	1	1145	1075	<->		Z Trans Thermal Insert	1044
Z Mullion	EWS7003WH 70mm Z Bev Tran/Mull White	1	1145	1075	<->		Z Trans Thermal Insert	1044
Sash (Top)	EWS7008WH 75mm Int Bev Sash 6MC White	1	506	506	\-			
Sash (Bottom)	EWS7008WH 75mm Int Bev Sash 6MC White	1	506	506	\-			
Sash (Left)	EWS7008WH 75mm Int Bev Sash 6MC White	1	1061	1061	\-			
Sash (Right)	EWS7008WH 75mm Int Bev Sash 6MC White	1	1061	1061	\-			
Sash (Top)	EWS7008WH 75mm Int Bev Sash 6MC White	1	506	506	\-			
Sash (Bottom)	EWS7008WH 75mm Int Bev Sash 6MC White	1	506	506	\-			
Sash (Left)	EWS7008WH 75mm Int Bev Sash 6MC White	1	1061	1061	\-			
Sash (Right)	EWS7008WH 75mm Int Bev Sash 6MC White	1	1061	1061	\-			
Multiple	EWS7312WH 28mm Ovolo Bead White		8364					
FExt (Top)	EWS116WH 15mm Frame Ext White	1	1564		-			
Cill	AS85WH 85mm Stub Cill White	1	1664		-			


DESCRIPTION	QTY	LENGTH	LOCATION: FRAME
ERLABPAS24 PAS24 CE Label	1		
EWS7255 Glazing Packer	12		
SC1 Screws	1		
VT160 Link Vent 2500 Wht/Wht (13mm)	2		

DESCRIPTION	LOCATION:SASH A1	QTY	LENGTH	DESCRIPTION	LOCATION:SASH A3	QTY	LENGTH
HINGTP GT StayGuard		4		HINGTP GT StayGuard		4	
WNLRHGB3 Wht NonLk RH Green But		1		WNLLHGB3 Wht NonLk LH Green But		1	
HG600L DGS Tri Stay 12" SH Single LH		1		HG600R DGS Tri Stay 12" SH Single RH		1	
HG610R DGS EC Egress Stay 12" SH Single RH		1		HG610L DGS EC Egress Stay 12" SH Single LH		1	
209FMT0950 950mm FMT Espag		1		209FMT0950 950mm FMT Espag		1	
AH00145-LH FMT Espag Keep L/H		4		AH00145-RH FMT Espag Keep R/H		4	
VT060 Link Vent 2500 Wht/Wht		1		VT060 Link Vent 2500 Wht/Wht		1	

REF	DESCRIPTION	QTY	SIZE
A1	4mm KS / 20 / 4 Clear Blk SupSpacer + Arg 25mm Geo.Bar White - #8	1	381 x 936
A2	4mm KS / 20 / 4 Clear Blk SupSpacer + Arg 25mm Geo.Bar White - #8	1	446 x 1030
A3	4mm KS / 20 / 4 Clear Blk SupSpacer + Arg 25mm Geo.Bar White - #8	1	381 x 936

CUSTOMER	BROOMY LODGES	WORKS SHEET			Q0007186
REFERENCE	F3 BROOMY LODGES				
CONTRACT NO		ITEM : 6 of 6	GLAZED	SUPPLY & FIT	
PROD. DATE	30/12/1899	BATCH NO : 0			COMMENT:

Group	Int EL70 Welded PAS24 White
Manufactured Size	1564mm x 1135mm
Quantity	1
Design	Style 53
Location A	BED 2 G
Location B	
Outside/Inside Colour	White
Profile Type	Bev Multi Chambered 6Ch F&S
Base Colour	
Reinforcing Rule	PAS24 PVC Inserts
Cill	85mm Stub Cill
Drainage	Concealed
Bead type	28mm Ovolo Bead White
Ventilator (Frame)	Link Vent 2500 Wht/Wht (13mm)
Handle	White NonLock Grn But
Locking	FMT Security Espag
Friction stay	DGS Stay >TH & Tristay >SH
Glazing Detail	Glass Supplied



LOCATION	DESCRIPTION	QTY	LENGTH1	LENGTH2	E-P	VNOTCH	REINFORCING	LENGTH
Frame (Top)	EWS7006WH 75mm Bev Frame White	1	560	560	\-	\557.5~ 35	75mm Frame Thermal Insert	1488
Frame (Top)	EWS7006WH 75mm Bev Frame White	1	489	489	-	35 484 35		
Frame (Top)	EWS7006WH 75mm Bev Frame White	1	560	560	-	35 557.5~		
Frame (Bottom)	EWS7011WH 60mm Bev Frame 6MC White	1	545	545	-	35 542.5~		
Frame (Bottom)	EWS7011WH 60mm Bev Frame 6MC White	1	489	489	-	35 484 35		
Frame (Bottom)	EWS7011WH 60mm Bev Frame 6MC White	1	545	545	\-	\542.5~ 35		
Frame (Left)	EWS7011WH 60mm Bev Frame 6MC White	1	1125	1125	\-			
Frame (Right)	EWS7011WH 60mm Bev Frame 6MC White	1	1125	1125	\-			
Z Mullion	EWS7003WH 70mm Z Bev Tran/Mull White	1	1145	1075	<->		Z Trans Thermal Insert	1044
Z Mullion	EWS7003WH 70mm Z Bev Tran/Mull White	1	1145	1075	<->		Z Trans Thermal Insert	1044
Sash (Top)	EWS7008WH 75mm Int Bev Sash 6MC White	1	506	506	\-			
Sash (Bottom)	EWS7008WH 75mm Int Bev Sash 6MC White	1	506	506	\-			
Sash (Left)	EWS7008WH 75mm Int Bev Sash 6MC White	1	1061	1061	\-			
Sash (Right)	EWS7008WH 75mm Int Bev Sash 6MC White	1	1061	1061	\-			
Sash (Top)	EWS7008WH 75mm Int Bev Sash 6MC White	1	506	506	\-			
Sash (Bottom)	EWS7008WH 75mm Int Bev Sash 6MC White	1	506	506	\-			
Sash (Left)	EWS7008WH 75mm Int Bev Sash 6MC White	1	1061	1061	\-			
Sash (Right)	EWS7008WH 75mm Int Bev Sash 6MC White	1	1061	1061	\-			
Multiple	EWS7312WH 28mm Ovolo Bead White		8364					
FExt (Top)	EWS116WH 15mm Frame Ext White	1	1564		-			
Cill	AS85WH 85mm Stub Cill White	1	1664		-			

DESCRIPTION	QTY	LENGTH	LOCATION: FRAME
ERLABPAS24 PAS24 CE Label	1		
EWS7255 Glazing Packer	12		
SC1 Screws	1		
VT160 Link Vent 2500 Wht/Wht (13mm)	2		

DESCRIPTION	LOCATION:SASH A1	QTY	LENGTH	DESCRIPTION	LOCATION:SASH A3	QTY	LENGTH
HINGTP GT StayGuard		4		HINGTP GT StayGuard		4	
WNLRHGB3 Wht NonLk RH Green But		1		WNLLHGB3 Wht NonLk LH Green But		1	
HG600L DGS Tri Stay 12" SH Single LH		1		HG600R DGS Tri Stay 12" SH Single RH		1	
HG610R DGS EC Egress Stay 12" SH Single RH		1		HG610L DGS EC Egress Stay 12" SH Single LH		1	
209FMT0950 950mm FMT Espag		1		209FMT0950 950mm FMT Espag		1	
AH00145-LH FMT Espag Keep L/H		4		AH00145-RH FMT Espag Keep R/H		4	
VT060 Link Vent 2500 Wht/Wht		1		VT060 Link Vent 2500 Wht/Wht		1	

REF	DESCRIPTION	QTY	SIZE
A1	4mm KS / 20 / 4 Clear Blk SupSpacer + Arg 25mm Geo.Bar White - #8	1	381 x 936
A2	4mm KS / 20 / 4 Clear Blk SupSpacer + Arg 25mm Geo.Bar White - #8	1	446 x 1030
A3	4mm KS / 20 / 4 Clear Blk SupSpacer + Arg 25mm Geo.Bar White - #8	1	381 x 936