




PRODUCT SPECIFICATION

VIEWED FROM INSIDE

Page 1 of 10





Customer	VINCENT		Order No	3038-3992		Surveyor	[REDACTED]	
Location/Item No.	KITCHEN		1	KITCHEN	2	Family Room	3	
Customer Note!	<p>It may not be possible to provide precise transom & mullion break dimensions on site for Georgian or Lead Patterns.</p> 							
Manufacturing sizes	960 x 1210		1620 x 1832		794 x 1105			
Input Sizes	W 1020 H 1332		W 1620 H 1867		W 854 H 1140			
Material Type	UPVC		UPVC		UPVC			
Product Type	UH		UN		UH			
Fire Rated Door	/		/		/			
Cill Type & Colour	84x110 ACW		85x35 ACW		85x35 ACW			
Cill Horn	150		150		150			
Internal Sizes	W 960 H 1182		W 1600 H 1838		W 770 H 1085			
Buried Depths	L R B T		L R B T		L 40 R 40 B T			
Ground Height	900 DL DR		0 DL DR		780 DL DR			
Coupling Mullions	L R B T		L R B T		L R B T			
Frame Extensions	L (30) R (30) B (15) T (12)		L R B T		L (30) R (30) B T			
Frame Colour	Out ANTR GREY In WHITE		Out ANTR GREY In WHITE		Out ANTR GREY In WHITE			
Ventilators	4400C x2		4400C IN OUTER FRAME		4400C x2			
Handle Details	WHITE		CHROME THUMB TURN		WHITE			
Window Hinge Type	E/C		/		E/C x2			
Door Threshold	/		STD 53mm		/			
Door Opening	/		IN HINGE POINT 1ST.		/			
Letterplate	/		/		/			
DD Leaf Colours	Out In		Out In		Out In			
SD Leaf Colours	Out In		Out In		Out In			
Door Hinge Colour	/		CHROME		/			
Door Extras	Knocker Spyhole Chain		Knocker Spyhole Chain		Knocker Spyhole Chain			
Glass Pattern	CLEAR		CLEAR		CLEAR			
Double/Trip Glazing	D		D		D			
Glass Effect/ADG	/		/		/			
Panel Type	/		/		/			
WER	A++ <input type="checkbox"/> A+ <input type="checkbox"/> A <input checked="" type="checkbox"/> B <input type="checkbox"/> B/Reg Compliant <input type="checkbox"/>		A++ <input type="checkbox"/> A+ <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> B/Reg Compliant <input checked="" type="checkbox"/>		A++ <input type="checkbox"/> A+ <input type="checkbox"/> A <input checked="" type="checkbox"/> B <input type="checkbox"/> B/Reg Compliant <input type="checkbox"/>			
Geo/Lead Patterns	W / H /		W / H /		W / H /			
Notes	100% 210 (97) 11 315 - 5 946 112 (97) 11 315 - 5 (91) 15 74		100% (360) 11 75 TRF - 5 1566 58 1036 (22) 62 90 1881		100% (18) 182 11 200 TRF - 5 (35) 35 1770 (1138)			
Aperture Sizes	W 1010 + H 1340 - 5		W 1610 + 10 H 1872 - 5		W 850 H 1145			

Customer's Authorised signature: [REDACTED]

Date: 30/6/23

PRODUCT SPECIFICATION

VIEWED FROM INSIDE




Customer	VIBESANT			Order No	3038-3992			Surveyor	[REDACTED]			
Location/Item No.	FAMILY ROOM			4	SPARE LANDING			5	LOUNGE			
Customer Note!	<p>It may not be possible to provide precise transom & mullion break dimensions on site for Georgian or Lead Patterns.</p> 						<p>* THUMB TURN *</p> 					
Manufacturing sizes	1200 x 1885			780 x 1180			1646 x 1960					
Input Sizes	w 1230		H 1920		w 840		H 1215		w 1676		H 1995	
Material Type	UPVC			UPVC			UPVC					
Product Type	UH			UH			UN					
Fire Rated Door	/			/			/					
Cill Type & Colour	85x35 ACW			85x35 ACW			85x35 ACW					
Cill Horn	150			150			150					
Internal Sizes	w 1184		H 1872		w 750		H 1180		w 1635		H 1955 TA	
Buried Depths	L 39	R 39	B	T	L 50	R 50	B	T	L	R	B	T
Ground Height	0		DL	DR	860		DL	DR	0		DL	DR
Coupling Mullions	L	R	B	T	L	R	B	T	L	R	B	T
Frame Extensions	L (15)	R (15)	B	T	L (30)	R (30)	B	T	L (15)	R (15)	B	T
Frame Colour	Out ARCH GREY In WHITE			Out ARCH GREY In WHITE			Out ARCH GREY In WHITE					
Ventilators	/			4400C x2			4400C x1 FRAME					
Handle Details	/			WHITE			CHROME THUMB TURN					
Window Hinge Type	/			EK x2			/					
Door Threshold	/			/			370 53					
Door Opening	/			/			RIGHT HAND 1ST.					
Letterplate	/			/			/					
DD Leaf Colours	Out		In	Out		In	Out		In			
SD Leaf Colours	Out		In	Out		In	Out		In			
Door Hinge Colour	/			/			CHROME					
Door Extras	Knocker	Spynole	Chain	Knocker	Spynole	Chain	Knocker	Spynole	Chain			
Glass Pattern	CLEAR			CLEAR			CLEAR					
Double/Triple Glazing	DG			DG			DG					
Glass Effect/ADG	/			/			/					
Panel Type	/			/			/					
WER	A++ <input type="checkbox"/>	A+ <input type="checkbox"/>	A <input checked="" type="checkbox"/>	A++ <input type="checkbox"/>	A+ <input type="checkbox"/>	A <input checked="" type="checkbox"/>	A++ <input type="checkbox"/>	A+ <input type="checkbox"/>	A <input type="checkbox"/>			
	B <input type="checkbox"/>	B/Reg Compliant <input type="checkbox"/>		B <input type="checkbox"/>	B/Reg Compliant <input type="checkbox"/>		B <input type="checkbox"/>	B/Reg Compliant <input checked="" type="checkbox"/>				
Geo/Lead Patterns	W		H	W		H	W		H			
Notes	<p>1580  11525K 12350 TA 32 178 (15)</p>			<p>= 325 L + 325 S (42) 28 1770</p>			<p>16900 TA 16000K 50 (36) TA → 86</p>					
Aperture Sizes	w 1220		H 1925-S		w 850-10		H 1220-S		w 1670		H 2000 o/a	

Customer's Authorised signature: [REDACTED]

Date: 30/6/23

PRODUCT SPECIFICATION

VIEWED FROM INSIDE

Customer	VINCENT		Order No	3038-3992		Survey	[REDACTED]	
Location/Item No.	LOUNGE SWS		7	STAIRS LEVEL		8	MAIN FLD	
Customer Note!	 <p>It may not be possible to provide precise transom & mullion break dimensions on site for Georgian or Lead Patterns.</p>							
Manufacturing sizes	840 x 1153		780 x 1165		930 x 1067			
Input Sizes	W 840	H 1188	W 810	H 1200	W 990	H 1102		
Material Type	UPVC		UPVC		UPVC			
Product Type	UH		UH		UH			
Fire Rated Door	/		/		/			
Cill Type & Colour	85x35 AGW		85x35 AGW		85x35 AGW			
Cill Horn	150		150		150			
Internal Sizes	W 810	H 1135	W 745	H 1155	W 900	H 1065		
Buried Depths	L 15	R 15	B	T	L 33	R 33	B	T
Ground Height	800		200		620			
Coupling Mullions	L	R	B	T	L	R	B	T
Frame Extensions	L	R	B	T	L (15)	R (15)	B	T
Frame Colour	Out ANTR GREY In WHITE		Out ANTR GREY In WHITE		Out ANTR GREY In WHITE			
Ventilators	PHOCC x2		/		HUCO x2			
Handle Details	WHITE		/		WHITE			
Window Hinge Type	BIL x2		/		BIL x2			
Door Threshold	/		/		/			
Door Opening	/		/		/			
Letterplate	/		/		/			
DD Leaf Colours	Out	In	Out	In	Out	In		
SD Leaf Colours	Out	In	Out	In	Out	In		
Door Hinge Colour	/		/		/			
Door Extras	Knocker	Spyhole	Chain	Knocker	Spyhole	Chain	Knocker	Spyhole
Glass Pattern	CLEAR		CLEAR		CLEAR			
Double/Triple Glazing	DA		DA		DA			
Glass Effect/ADG	/		/		/			
Panel Type	/		/		/			
WER	A++ <input type="checkbox"/>	A+ <input type="checkbox"/>	A <input checked="" type="checkbox"/>	A++ <input type="checkbox"/>	A+ <input type="checkbox"/>	A <input checked="" type="checkbox"/>	A++ <input type="checkbox"/>	A+ <input type="checkbox"/>
	B <input type="checkbox"/>	B/Reg Compliant <input type="checkbox"/>		B <input type="checkbox"/>	B/Reg Compliant <input type="checkbox"/>		B <input type="checkbox"/>	B/Reg Compliant <input type="checkbox"/>
Geo/Lead Patterns	W	H	W	H	W	H		
Notes	⑤ 325 H 330 T62		⑤ 125 H 1130 T62		⑥ 24 H 35 VHS. 15			
	⑤ 15 H 70		⑤ 30 H 75		⑤ 40 H 70			
Aperture Sizes	W 850-10	H 1195 F	W 812 F	H 1205-5	W 985-5	H 1105		

Customer's Authorised signature: [REDACTED]

Date: 30/6/23

PRODUCT SPECIFICATION

VIEWED FROM INSIDE

Customer	VINCENT				Order No	2000-3992				Surveyor	[REDACTED]					
Location/Item No.	615078				10	STUDY				11	BATHROOM					
Customer Note!	It may not be possible to provide precise Transom & mullion break dimensions on site for Georgian or Lead Patterns.															
Manufacturing sizes	685 x 960				1010 x 925				1180 x 887							
Input Sizes	W 745		H 1025		W 1040		H 960		W 1210		H 937					
Material Type	UPVC				UPVC				UPVC							
Product Type	UH				UH				UH							
Fire Rated Door	/				/				/							
Cill Type & Colour	85x35 ACW				85x35 ACW				85x35 ACW							
Cill Horn	150				150				150							
Internal Sizes	W 660		H 942		W 980		H 925 TYP		W 1160		H 870					
Buried Depths	L 43	R 43	B	T	L 30	R 30	B	T	L 23	R 23	B	T				
Ground Height	600		DL	DR	570		DL	DR	600		DL	DR				
Coupling Mullions	L	R	B	T	L	R	B	T	L	R	B	T				
Frame Extensions	L (30)	R (30)	B	T (30)	L (15)	R (15)	B	T	L (15)	R (15)	B	T (15)				
Frame Colour	Out ANTH GREY In WHITE				Out ANTH GREY In WHITE				Out ANTH GREY In WHITE							
Ventilators	4400L x1				4400L x2				4400L x2							
Handle Details	WHITE				WHITE				WHITE							
Window Hinge Type	ECL x1				ECL x2				ECL x2							
Door Threshold	/				/				/							
Door Opening	/				/				/							
Letterplate	/				/				/							
DD Leaf Colours	Out		In		Out		In		Out		In					
SD Leaf Colours	Out		In		Out		In		Out		In					
Door Hinge Colour	/				/				/							
Door Extras	Knocker Spyhole Chain				Knocker Spyhole Chain				Knocker Spyhole Chain							
Glass Pattern	CREWOLD *				CLEAN				CREWOLD *							
Double/Triple Glazing	DG				DG				DG							
Glass Effect/ADG	/				/				/							
Panel Type	/				/				/							
WER	A++ <input type="checkbox"/>		A+ <input type="checkbox"/>		A <input checked="" type="checkbox"/>		B <input type="checkbox"/>		B/Reg Compliant <input type="checkbox"/>		A++ <input type="checkbox"/>					
	A+ <input type="checkbox"/>		A <input type="checkbox"/>		A <input type="checkbox"/>		A <input type="checkbox"/>		A <input type="checkbox"/>		A <input type="checkbox"/>					
	B <input type="checkbox"/>		B/Reg Compliant <input type="checkbox"/>		B <input type="checkbox"/>		B/Reg Compliant <input type="checkbox"/>		B <input type="checkbox"/>		B/Reg Compliant <input type="checkbox"/>					
Geo/Lead Patterns	W /		H /		W /		H /		W /		H /					
Notes	(30) 110 x 174 TYP S.				TYP 60 x 50				(31) 15 H-52 45 30							
	(30) 94 x 170				(30) 40 x 170				(40) 30 x 170							
Aperture Sizes	W 745		H 1035-5		W 1040		H 950		W 1205		H 945-5					

Customer's Authorised signature: [REDACTED]

Date: 30/6/23

PRODUCT SPECIFICATION

VIEWED FROM INSIDE

Page 5 of 10

Customer	VINCENT				Order No	3038-3992				Surveyor	[REDACTED]			
Location/Item No.	BED CLO FOR LEM				13	MATERIAL BED UPPER				14	LIBRARY			
Customer Note!	<p>It may not be possible to provide precise transom & mullion break dimensions on site for Georgian or Lead Patterns.</p>													
Manufacturing sizes	930 x 1145				840 x 775				1110 x 965					
Input Sizes	W 990		H 1210		W 870		H 845		W 1140		H 1000			
Material Type	UPVC				UPVC				UPVC					
Product Type	UH				UH				UH					
Fire Rated Door	/				/				/					
Cill Type & Colour	85x35 AGW				85x35 AGW				85x35					
Cill Horn	150				150				150					
Internal Sizes	W 905		H 1136		W 815		H 787		W 1080		H 965			
Buried Depths	L 40	R 40	B	T	L 28	R 28	B	T	L 35	R 35	B	T		
Ground Height	680		DL	DR	2000		DL	DR	600		DL	DR		
Coupling Mullions	L	R	B	T	L	R	B	T	L	R	B	T		
Frame Extensions	L (30)	R (30)	B	T (30)	L (15)	R (15)	B	T (15)	L (15)	R (15)	B	T		
Frame Colour	Out ANTRACITE In WHITE				Out ANTRACITE In WHITE				Out ANTRACITE In WHITE					
Ventilators	4400C x2				/				4400C x2					
Handle Details	WHITE				/				WHITE					
Window Hinge Type	ECL x2				/				ECL x2					
Door Threshold	/				/				/					
Door Opening	/				/				/					
Letterplate	/				/				/					
DD Leaf Colours	Out		In		Out		In		Out		In			
SD Leaf Colours	Out		In		Out		In		Out		In			
Door Hinge Colour	/				/				/					
Door Extras	Knocker Spyhole Chain				Knocker Spyhole Chain				Knocker Spyhole Chain					
Glass Pattern	CUSTOM				CUSTOM				CUSTOM					
Double/Tiple Glazing	DG				DG				DG					
Glass Effect/ADG	/				/				/					
Panel Type	/				/				/					
WER	A++ <input type="checkbox"/>		A+ <input type="checkbox"/>		A <input checked="" type="checkbox"/>		A++ <input type="checkbox"/>		A+ <input type="checkbox"/>		A <input checked="" type="checkbox"/>			
	B <input type="checkbox"/>		B/Reg Compliant <input type="checkbox"/>		B <input type="checkbox"/>		B/Reg Compliant <input type="checkbox"/>		B <input type="checkbox"/>		B/Reg Compliant <input type="checkbox"/>			
Geo/Lead Patterns	W /		H /		W /		H /		W /		H /			
Notes	(30) 22 L 75-5 TRF				(25) 75 L 780				(17) 98 L 115 TRF-5					
	(30) 40 L 70				(40) 35 L 75				(25) 45 L 140					
Aperture Sizes	W 985		H 1215-5		W 880-10		H 850-5		W 1150-10		H 1005F			

Customer's Authorised signature: [REDACTED]

Date: 30/6/23


BAY/MULLED SURVEY DETAILS




(VIEWED FROM INSIDE) Page 6 of 10

Customer VINCENT	Order No. 3038-3992	Surveyor [REDACTED]
Location FRONT DOOR COMB	Product Type UH+SD+UH	Date 30-6-23

ELEVATION



Bay head to remain <input type="checkbox"/> Y <input checked="" type="checkbox"/> N	Structural Bay <input type="checkbox"/> Y <input checked="" type="checkbox"/> N	Input Width 1745	Input Height 2070	Cill Thickness 35	Head Packer ---	Manufacture Height 2035
PLAN DETAILS - Item No.		Input Width ---	Input Height ---	Cill Thickness ---	Head Packer ---	Manufacture Height ---



Window Product		Glass/Panel Details		Door Product	
Cill type/colour	ISOx35 AGW	SD AMBIBUSION TONGUE + GRASS CLEAN. CLEAR GLASS #	Cill type/colour	ISOx35 AGW	
Cill horns	ISO		Cill horns	ISO	
Colour outside	ANTHRACITE GRAY		Frame Colour outside	ANTHRACITE GRAY	
Colour inside	WHITE		Frame Colour inside	WHITE	
Internal width	---		Internal width	---	
Internal height	---		Internal height	---	
Ground height	0		DC leaf colour outside	ANTHRACITE GRAY	
Door distance	DLS DRS		DC leaf colour inside	WHITE	
Ventilators	---		Letterplate	CHROME	
Handle details	---		Handle Details	CHROME LEVER	
Window Hinge type	---	Door opening	IN	HUNG RIGHT	
Double Glazing	DG	Door threshold	AU	NO LEAD SILVER	
Buried Depths	B R	Ex-walk through	SPIT		
		Hinge colour	CHROME		
		Knocker	<input type="checkbox"/> Spyhole	<input type="checkbox"/> Chert	

Notes: **N 1665 32-32** **SWING BACK (2) 55 H 75-10**
OUT 1730 1765 o/a **865 2000 2100-10**
SK 1638 **100P (5) 30** **(2090)**

Customer's/Authorised signature **[REDACTED]** Date **30-6-23** ML0972 V4 November '16


BAY/MULLED SURVEY DETAILS




(VIEWED FROM INSIDE) Page 7 of 10

Customer <u>VINCENT.</u>	Order No. <u>3038-3992</u>	Surveyor <u>[REDACTED]</u>
Location <u>STUDY COMB</u>	Product Type <u>UH + UN + UH</u>	Date <u>30-6-23</u>

ELEVATION



Bay head to remain Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	Structural Bay Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	Input Width —	Input Height 1850	Cill Thickness 35	Head Packer —	Manufacture Height 1815
PLAN DETAILS - Item No.		Input Width —	Input Height —	Cill Thickness —	Head Packer —	Manufacture Height —



Window Product		Glass/Panel Details		Door Product			
Cill type/colour	150x35 AGW	CLEAR GLASS *		Cill type/colour	150x35 AGW		
Cill horns	150			Cill horns	150		
Colour outside	ANTHRACITE GREY			Frame Colour outside	ANTHRACITE GREY		
Colour inside	WHITE			Frame Colour inside	WHITE		
Internal width	/			Internal width	/		
Internal height	/			Internal height	/		
Ground height	0			Leaf colour outside	/		
Door distance	DL5 DRS			Leaf colour inside	/		
Ventilators	/			Letterplate	/		
Handle details	/			Handle Details	CHROMIUM LEVEL		
Window Hinge type	/	Door opening	INTERNAL RIGHT				
Double/Triple Glazing	DG	Door threshold	53mm STD				
Buried Depths	X R	Ex-walk through	815				
	B X	Hinge colour	CHROMIUM				
		Knocker	Spys hole	Chaff	/		
		Aperture Width	/				
		Aperture Height	/				

Notes: IN 2100 100F (22) 50 Lx 72 - 5 TOP
 OUT 2130 21700/A 1830 1855 - 5
 SK 2000 (25) 80 Lx 85 (1800)


BAY/MULLED SURVEY DETAILS




(VIEWED FROM INSIDE) Page 8 of 10

Customer VINCENT	Order No. 3038-8992	Surveyor [REDACTED]
Location REAR DOOR COLUMB	Product Type UN + UJ	Date 30-6-23

ELEVATION



Bay head to remain <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES	Structural Bay <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES	Input Width 1210	Input Height 2000	Cill Thickness 35	Head Packer 15	Manufacture Height 1950
PLAN DETAILS - Item No.		Input Width	Input Height	Cill Thickness	Head Packer	Manufacture Height



Window Product		Glass/Panel Details	Door Product	
Cill type/colour	225x35 AGW		CLEAR TOP ANTHRACITE GREY + WHITE PANELS LOWER	Cill type/colour
Cill horns	150	Cill horns		150
Colour outside	ANTHRACITE GREY	Frame Colour outside		ANTHRACITE GREY
Colour inside	WHITE	Frame Colour inside		WHITE
Internal width	/	Internal width		/
Internal height	/	Internal height		/
Ground height	0	DC leaf colour outside		/
Door distance	DL 5 DR	DC leaf colour inside		/
Ventilators	/	Letterplate		/
Handle details	/	Handle Details		CHARTRAY LEVEL
Window Hinge type	/	Door opening	IN HURD LEFT	
Double/Triple Glazing	DL	Door threshold	53 STD	
Buried Depths	8	Ex-walk through	735	
		Hinge colour	OFF WHITE	
		Knocker	Sheriff	
		Spyhole	Sheriff	
		Chern	/	

Notes: IN 1130 40 | 40 1140 (40) 30 4 70 -10
 OUT 1210 f. 1950 2005-310
 SK 1100 (8) 70 78

Customer's/Authorised signature **[REDACTED]** Date **30-6-23** ML0972 V4 November '16


BAY/MULLED SURVEY DETAILS



(VIEWED FROM INSIDE) Page 9 of 10

Customer VINCENT	Order No. 3038-2592	Surveyor [REDACTED]
Location CROSS BED MASTER	Product Type UN + UH	Date 30-6-13


ELEVATION



Frame Packer Top Left Right

Bay head to remain Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	Structural Bay Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	Input Width	Input Height 1995	Cill Thickness 35	Head Packer —	Manufacture Height 1960
PLAN DETAILS - Item No.		Input Width	Input Height	Cill Thickness	Head Packer	Manufacture Height

HD = HEAVY DUTY



Window Product		Glass/Panel Details		Door Product	
Cill type/colour	150x35 AGW	CLEAR TOP * ANTHRACITE GRAY + WHITE PANELS LOWER.		Cill type/colour	150x35 AGW
Cill horns	150			Cill horns	150
Colour outside	ANTHRACITE GRAY			Frame Colour outside	ANTHRACITE GRAY
Colour inside	WHITE			Frame Colour inside	WHITE
Internal width	/			Internal width	/
Internal height	/			Internal height	/
Ground height	0			DC leaf colour outside	/
Door distance	DL <input checked="" type="checkbox"/> DR			DC leaf colour inside	/
Ventilators	4FOOL			Letterplate	/
Handle details	WHITE			Handle Details	WHITE CAROLUS USUAL
Window Hinge type	EVK	Door opening	IN HINGE LEFT		
Double/Triple Glazing	2	Door threshold	ANTI NO RAMP SILVER		
Buried Depths	5	Ex-walk through	735		
		Hinge colour	CHROME		
		Knocker			
		Spyhole			
		Chain			

Notes: IN 2140 (2160) TA 50 14 70 TFF-5
 47/47 OUT 2225 1960 2000-5
 SK 2115 62 78
 2004

Customer's/Authorised signature

Date **30-6-13**


BAY/MULLED SURVEY DETAILS




(VIEWED FROM INSIDE) Page 10 of 10

Customer VINCENT	Order No. 3058-3992	Surveyor
Location QUEST BED KING SITE	Product Type UN + UH	Date 30-6-23

ELEVATION



Bay head to remain <input type="checkbox"/> Y <input checked="" type="checkbox"/> N	Structural Bay <input type="checkbox"/> Y <input checked="" type="checkbox"/> N	Input Width 2105	Input Height 1875	Cill Thickness 35	Head Packer —	Manufacture Height 1840
PLAN DETAILS - Item No.		Input Width —	Input Height —	Cill Thickness —	Head Packer —	Manufacture Height —



Window Product		Glass/Panel Details		Door Product	
Cill type/colour	225x35 ACW	CLEAR TOP + ANTHRACITE GRAY FINISHED PANELS LOWER	Cill type/colour	225x25 PRW	
Cill horns	150		Cill horns	150	
Colour outside	ANTHRACITE GRAY		Frame Colour outside	ANTHRACITE GRAY	
Colour inside	WHITE		Frame Colour inside	WHITE	
Internal width	—		Internal width	—	
Internal height	—		Internal height	—	
Ground height	0		DC leaf colour outside	—	
Door distance	DLS DR		DC leaf colour inside	—	
Ventilators	4400C		Letterplate	—	
Handle details	WHITE		Handle Details	WHITE	CHARLES LEVIN
Window Hinge type	EC	Door opening	IN	HUNG LEFT	
Double/Triple Glazing	DB	Door threshold	ACI	NO RAIN'S SINK	
Buried Depths	R ✓	Ex-walk through	735		
	T ✓	Hinge colour	CHARLES		
		Knocker	Spynole	Chain	—

Notes: IN 2010 1807 = TFA 70 H-70 TFA-5
 (2040) OUT 2095 2105 (A- 1846 1880-5
 SK 1995 (40) 35 75

Customer's/Authorised signature

Date **30-6-23**

ML0972 V4 November '16

Product Specification


Item 1 - Front Door

Template SD Elite



Viewed Internally

Door - page 6



Overall Size	W	965	H	2070	Buried Depths	LO	RO	TO	BO
Frame Size	W	945	H	2035	Ground Distance				
Internal Sizes	W	0	H	0					
Frame Top Extension:	N/A				Frame Bottom Extensions:	N/A			
Frame Left Extension:	10mm Powerbar Coupling				Frame Right Extensions:	10mm Powerbar Coupling			
Cill:	9050 150x35 Grey/White				Cill Length:	2045		Horns:	540
Door Hang\Open	Right Hung Open In				Threshold	SD Low Ali Silver O/I			
Installation Type	FaceBrick				Energy Rating	Building Regs Compliant			
Energy Rating	Building Regs Compliant				Frame Colour	Grey / White			
Furniture Colour	Chrome				R/H Handle (Door)	Comp Straight Handle (FAF)			
Hinge (Door)	Comp Hinge Chrome				Cylinder Type	Ultion Thumbturn Cylinder			
Panel Full	SD Ambleside				Panel Int Colour	White			
Letterplate LP1 Panel	Letterplate LP1 Comp (FAF)				Wind Load Factor	C High Risk			
Door Number	Door Number N/A								
Panel Ext Colour	Anthracite Grey				Panel Int Colour	White			