Temporary Roadway | Working Pads | Turf & Ground Protection

# TuffTrak

GRASSFORM PRODUCT GUIDELINE






# TuffTrak® - the ultimate heavy duty panel



- >>> Special manufacturing process delivering maximum strength
- >> Unique chevron traction surface and low theft risk
- >> Lower transport costs than aluminium and wooden mats
- >> Tough durable working areas and roads for very heavy plant and machinery
- >> Avoids severe rutting and eco damage to ground and heritage
- >> Highly efficient weight disposal on very soft or boggy ground





Internationally proven TuffTrak® delivers heavy duty temporary access for all weather and ground conditions.

>> Civil Engineering

>>> Transmission

>> Construction

>> Infrastructure

» Oil & Gas

>>> Military Sites

>>> Utilities Maintenance >>> Events

## Technical Specifications

Material: 100% recycled HDPE / UHMWPE

**Dimensions** 

Length: 9'10" 3000mm

Width: 2500mm 8'2.5"

38mm 1.5" Depth:

295kg Weight: 650.4lbs

 $7.5m^{2}$ Surface Area: 81.812

Transportation: 80 x TuffTrak® per EU standard

curtain sided 13.6m trailer

#### **Features**

Unbreakable to over 150\* tonnes. TuffTrak® is the ultimate heavy duty road panel, providing temporary roadways and work areas for very heavy plant, machinery and multiple vehicles.

At a tough 40mm's thick and made from high density polyethylene (HDPE), TuffTrak® are virtually indestructible. Unlike aluminium road mats, TuffTrak<sup>®</sup> can be deployed in areas of high theft risk and are lighter to transport. The panel is chemically inert which makes it ideal for eco sensitive and heritage sites.

### **Dual Traction Surface**

The engineered chevron surface design delivers ultimate grip and dispels mud whilst vehicles traverse. The unique chevron nub design reduces sideways movement / slippage and delivers optimal forward traction for heavy plant, machinery and vehicles.



Grassform Group

Little Woodbarns Farm Yard, Green Street, Fryerning, Ingatestone, Essex, CM4 0NT UK www.grassform.co.uk - email: sales@grassform.co.uk Tel: +44 (0) 1277 353 686 Fax: +44 (0) 1277 356890



www.grassform.co.uk

