









Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W S E	Scaled Tree Diagram (m) 	Notes	Recommendations		Vigour		Amenity Value	
										Physiological Condition		Life Expectancy (yrs)	
								Priority	Inspect Freq (yrs)	Structural Condition		Safety Class	
T1	Semi-Mature Goat Willow Salix caprea.	11	3	32	4 4.5 4.5		Position: 00728. Form: Twin-stemmed at ground level with a balanced crown. History: No evidence of significant pruning. Defects: Major included bark at base.	Remove.		Moderate	Low		
								Moderate	N/A	Fair	Poor	<10	3
T2	Early-Mature Silver Birch Betula pendula.	21	5	35	5 5 5		Position: 00723. Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed. Other: Ivy smothered, ivy prevented detailed inspection.	Remove ivy and inspect stem for defects.		Moderate	Low		
								Moderate	3	Good	Fair	20-40	2
G3	Semi-Mature Goat Willow Salix caprea.	av 9	av 4	av 28	av 5 4 3 each		Position: 00730. Form: Three close growing specimens in a row. History: No evidence of significant pruning. Defects: Minor dead wood and hanging branch over road. Other: All three specimens are ivy smothered. Ivy prevented detailed inspection.	Remove dead wood and ivy and inspect stem for defects.		Moderate	Low		
								Moderate	3	Fair	Fair	20-40	2
T4	Early-Mature Silver Birch Betula pendula.	21	4	30	4 4 4		Position: 00729. Form: Single stemmed with a slight lean and a weeping habit. History: No evidence of significant pruning. Defects: No significant defects observed. Other: Ivy smothered, ivy prevented detailed inspection.	Remove ivy and inspect stem for defects.		Moderate	Low		
								Moderate	3	Fair	Fair	20-40	2
T5	Mature Sycamore Acer pseudoplatanus.	13	5	40	7 7 7		Position: Not tagged. Form: Multi-stemmed at ground level with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed. Other: Ivy smothered, ivy prevented detailed inspection.	Remove ivy and inspect stem for defects.		Moderate	Moderate		
								Moderate	3	Good	Fair	40+	2
G6	Semi-Mature Ash Fraxinus excelsior.	av 10	av 2	av 27	av 1.5 3 3 each		Position: Behind hedge. Form: Two close growing specimens, both multi-stemmed at 1m with a poorly formed crown. History: No evidence of significant pruning. Defects: One specimen has multiple wounds with decay. Both specimens have ash dieback with 70% of canopy dead.	Remove.		Low	Low		
								Moderate	N/A	Poor	Poor	<10	3
T7	Mature Poplar Populus sp.	26	7	50	8 8 7		Position: Situated on third party land. Form: Single stemmed and leaning with an unbalanced crown. History: No evidence of significant pruning. Defects: Dead wood to 7cm diameter over car park. Multiple included bark unions between scaffold limbs. Other: Access & vegetation prevented detailed inspection.	Reduce crown by 2 - 3m.		Moderate	High		
								High	1.5	Good	Poor	20-40	3

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
												Structural Condition		Safety Class	
T8	Semi-Mature Ash Fraxinus excelsior.	13	5	28	4.5	4.5	4.5		Position: Roadside tree. Form: Twin-stemmed at ground level with a balanced crown. History: No evidence of significant pruning. Defects: Infected with ash dieback - approximately 20% of canopy is dead. Minor dead wood over road. Included bark at base.	Remove before ash dieback causes larger diameter dead wood over road. Very High N/A	Low Poor Fair	Moderate <10 2			
T9	Early-Mature Ash Fraxinus excelsior.	18	4.5	51	5.5	5.5	5.5		Position: 00743. Form: Twin-stemmed at 4m with a balanced crown. History: No evidence of significant pruning. Defects: Heavily infected with ash dieback approximately 40% of crown is dead. Significant dead wood over seating area.	Remove. Very High N/A	Low Poor Fair	Moderate <10 3			
T10	Early-Mature Sycamore Acer pseudoplatanus.	17	4	73 @ Base	5.5	4	6.5		Position: 00745. Form: Multi-stemmed at 0.5m with a balanced crown. History: Occasional pruning wounds due to crown lifting. Defects: Significant included bark at base between stems.	Monitor Moderate 1.5	Moderate Good Poor	High 40+ 2			
T11	Semi-Mature Sycamore Acer pseudoplatanus.	17	4	30	3	7	6.5		Position: 00744. Form: Twin-stemmed at 1m with an unbalanced crown. History: Multiple pruning wounds due to crown lifting. Defects: Old pruning wound with decay on lowest southeast branch 5m above ground level. Squirrel damage in upper crown. Significant deadwood to 9cm diameter in middle of crown 9.5m above ground level.	Remove dead wood and monitor. High 1.5	Moderate Good Fair	Moderate 40+ 2			
G12	Semi-Mature Dead Tree	av 4	av 2	av 15	1	1	1 each		Position: Carpark boundary. Defects: Dead tree.	Remove. Moderate N/A	Dead Dead Dead	Dead Dead 4			
T13	Semi-Mature Dead Tree	5	3	15	1	1	1		Position: Carpark boundary. Defects: Dead tree.	Remove. Moderate N/A	Dead Dead Dead	Dead Dead 4			