

# Quotation KLO92772



**Customer:** Mr Ben McClurkin  
**Company:** Skylark  
**Site address:** Feld House  
The Street  
Norton  
**Postcode:** IP31 3NA

**PLEASE NOTE: ALL FRAMES ARE VIEWED EXTERNALLY UNLESS OTHERWISE STATED**

## Quotation Summary Page


| Product                           | ItemID | Short comment | Qty | Price ea. nett | Page |
|-----------------------------------|--------|---------------|-----|----------------|------|
| Aluminium Kustomfold              | 905407 | ED01          | 1   |                | 2    |
| Alu-Clad Flush Casement Window v1 | 903373 | EW01          | 1   |                | 2    |
| Alu-Clad Flush Casement Window v1 | 903369 | EW02          | 1   |                | 2    |
| Alu-Clad Fixed Panel v1           | 903705 | EW02          | 1   |                | 3    |
| Alu-Clad Flush Casement Window v1 | 903374 | EW03          | 1   |                | 3    |
| Aluminium Bespoke Pressings       | 903376 |               | 1   |                | 3    |
| Aluminium Bespoke Pressings       | 903377 |               | 1   |                | 4    |
| Alu-Clad Flush Casement Window v1 | 905470 | EW01          | 1   |                | 4    |
| Fitting                           | N/A    |               | 1   |                | 4    |

Item ID KLO92772/905407

A001 Aluminium Kustomfold

Surveyed item: No

ED01



Heaviest element: glass pane 827x1867, approx. weight: 31kg  
 Overall weight of this item is approx.: 144kg  
 Frame supplied separate for site assembly

Configuration

O/A Frame width: 2915  
 O/A Frame height: 2100  
 Configuration: KLO3L  
 Opening direction: Outward opening  
 Panel width: 907  
 Type of track: Standard rebated track  
 Cill type: 150mm sub-cill (projection of 77mm)

Drainage: Face drained  
 Frame Depth: 70

Hardware

Handle position: Handle inside and outside  
 Cylinder type: Key/Key  
 Trickle vents: 2  
 Trickle vents type: 5000mm EA

Glazing options

Hole in glass: No  
 Glass type: 4mm Double TGH Low Iron  
 Glass opacity: Transparent  
 Glass spacer: 20mm Black Warm Edge

Finish options

Handle colour: Satin Silver  
 Interm. handle colour: Satin Silver  
 Hinge/D handle colour: Satin Silver

Hinge colour:

Satin Silver  
 Trickle vents colour: Anthracite  
 Pass door catch colour: Chrome  
 Int & Ext Finish: RAL 7016 Anthracite grey - Matt

Misc options

Frame removal: No

Price nett: £5675.00

No of items: 1


Total: £5675.00 +VAT@ 20%

Item ID KLO92772/903373

K008 Alu-Clad Flush Casement Window v1

Surveyed item: No

EW01



Overall weight of this item is approx.: 50kg  
 You have not specified any trickle vents. Please check your background ventilation requirement.

Configuration

O/A Frame width: 1250  
 O/A Frame height: 1450  
 Window Configuration: FC-202  
 O/A frame thickness: 100.5mm (Timber + Aluminium)

Cill type: 108mm projection extruded cill  
 Reveal type: Render/Clad  
 Top frame ext.: No  
 Frame Depth: 100.5

Hardware

Trickle vent quantity: 0  
 Side hung hinge type: Egress Easy Clean Friction Hinge  
 Opening restrictors: No

Glazing options

Glass type: Double, 4mm tough  
 Glass opacity: Transparent  
 Glass spacer: 20mm Black Warm Edge

Finish options

Type of timber: Engineered softwood  
 Cill colour: RAL 7016 Anthracite grey - Matt

Handle colour: Light satin silver  
 Seal colour: Black  
 Silicone colour: Clear

Existing frame removal: No  
 Timber: RAL 9010 Pure white  
 Aluminium cladding: RAL 7016 Anthracite grey - Matt

Misc options

Egress: No

Price nett: £1055.00

No of items: 1


Total: £1055.00 +VAT@ 20%

Item ID KLO92772/903369

K008 Alu-Clad Flush Casement Window v1

Surveyed item: No

EW02



Overall weight of this item is approx.: 67kg

Configuration

O/A Frame width: 1813  
 O/A Frame height: 1400  
 Window Configuration: FC-205  
 O/A frame thickness: 100.5mm (Timber + Aluminium)

Cill type: 108mm projection extruded cill  
 Reveal type: Render/Clad  
 Top hung window type: Standard

Top frame ext.: No  
 Frame Depth: 100.5

Hardware

Trickle vent quantity: 1  
 Trickle vents type: 2500mm EA  
 Top hung hinge type: Standard Friction Hinge  
 Opening restrictors: No

Glazing options

Glass type: Double, 4mm tough  
 Glass opacity: Transparent  
 Glass spacer: 20mm Black Warm Edge

Finish options

Type of timber: Engineered softwood  
 Cill colour: RAL 7016 Anthracite grey - Matt

Handle colour: Light satin silver  
 Trickle vents colour int.: White

Trickle vents colour ext.: Anthracite  
 Seal colour: Black  
 Silicone colour: Clear

Existing frame removal: No  
 Timber: RAL 9010 Pure white  
 Aluminium cladding: RAL 7016 Anthracite grey - Matt

Misc options

Egress: No

Price nett: £1330.00

No of items: 1


Total: £1330.00 +VAT@ 20%

Item ID KLO92772/903705

K010 Alu-Clad Fixed Panel v1

EW02

Surveyed item: No



**Configuration**  
 O/A Frame width: 1813  
 O/A Frame height: 900  
 Panel Configuration: KLOP2TL  
 Cill type: 88mm projection extruded cill  
 Reveal type: Render/Clad  
 Top frame ext.: No

**Glazing options**  
 Glass type: Double, 4mm tough  
 Glass opacity: Transparent  
 Glass spacer: 20mm Black Warm Edge

**Finish options**  
 Type of timber: Engineered softwood  
 Cill colour: RAL 7016 Anthracite grey - Matt  
 Seal colour: Black  
 Silicone colour: Clear  
 Timber: RAL 9010 Pure white  
 Aluminium cladding: RAL 7016 Anthracite grey - Matt

**Hardware**  
 Trickle vent quantity: 0

**Misc options**  
 Existing frame removal: No

Overall weight of this item is approx.: 24kg  
 You have not specified any trickle vents. Please check your background ventilation requirement.


Price nett: £1530.00  
 No of items: 1  
 Total: £1530.00 +VAT@ 20%

Item ID KLO92772/903374

K008 Alu-Clad Flush Casement Window v1

EW03

Surveyed item: No



**Configuration**  
 O/A Frame width: 500  
 O/A Frame height: 1600  
 Window Configuration: FC-101  
 O/A frame thickness: 100.5mm (Timber + Aluminium)  
 Cill type: 108mm projection extruded cill  
 Reveal type: Render/Clad  
 Top frame ext.: No  
 Frame Depth: 100.5

**Glazing options**  
 Glass type: Double, 4mm tough  
 Glass opacity: Transparent  
 Glass spacer: 20mm Black Warm Edge

**Finish options**  
 Type of timber: Engineered softwood  
 Cill colour: RAL 7016 Anthracite grey - Matt  
 Silicone colour: Clear  
 Existing frame removal: No  
 Timber: RAL 9010 Pure white  
 Aluminium cladding: RAL 7016 Anthracite grey - Matt

**Hardware**  
 Trickle vent quantity: 0

**Misc options**  
 Egress: No


Overall weight of this item is approx.: 21kg  
 You have not specified any trickle vents. Please check your background ventilation requirement.

Price nett: £475.00  
 No of items: 1  
 Total: £475.00 +VAT@ 20%

Item ID KLO92772/903376

A015 Aluminium Bespoke Pressings

Surveyed item: No



**Configuration**  
 Type: Type 1  
 Length (mm): 2100

**Finish options**  
 Colour matched sealant tubes: 2  
 Int & Ext Finish: RAL 7016 Anthracite grey - Matt  
 Finish to faces: A


Pressing is 3mm thick  
 Please note: all corner folds will result a minimal radius along their length

Price nett: £295.00  
 No of items: 1  
 Total: £295.00 +VAT@ 20%

Item ID KLO92772/903377

A015 Aluminium Bespoke Pressings

Surveyed item: No



Configuration

Type: Type 3  
Length (mm): 2100

Finish options

Colour matched: 2  
sealant tubes: RAL 7016 Anthracite grey - Matt  
Int & Ext Finish: A  
Finish to faces: A

Pressing is 3mm thick  
Please note: all corner folds will result a minimal radius along their length


Price nett: £250.00  
No of items: 1  
Total: £250.00 +VAT@ 20%

Item ID KLO92772/905470

K008 Alu-Clad Flush Casement Window v1

Surveyed item: No

EW01



Configuration

O/A Frame width: 1250  
O/A Frame height: 1450  
Window Configuration: FC-202  
O/A frame thickness: 100.5mm (Timber + Aluminium)  
Cill type: 108mm projection extruded cill Render/Clad  
Reveal type: No  
Top frame ext.: No  
Frame Depth: 100.5

Glazing options

Glass type: Double, 4mm tough  
Glass opacity: Transparent  
Glass spacer: 20mm Black Warm Edge

Finish options

Type of timber: Engineered softwood  
Cill colour: RAL 7016 Anthracite grey - Matt  
Handle colour: Light satin silver  
Seal colour: Black  
Silicone colour: Clear  
Existing frame removal: No  
Timber: RAL 9010 Pure white  
Aluminium cladding: RAL 7016 Anthracite grey - Matt

Hardware

Trickle vent quantity: 0  
Side hung hinge type: Egress Easy Clean Friction Hinge  
Opening restrictors: No

Misc options

Egress: No

Overall weight of this item is approx.: 50kg  
You have not specified any trickle vents. Please check your background ventilation requirement.

Price nett: £1055.00  
No of items: 1  
Total: £1055.00 +VAT@ 20%



Fitting

Our installation cost is based upon fitting the items specified below and carried out by experienced, trained fitters in one visit and covered under our warranty. For more info on this service please discuss with a sales advisor.

- 905407 A001 Aluminium Kustomfold - 1 item
- 903373 K008 Alu-Clad Flush Casement Window v1 - 1 item
- 903369 K008 Alu-Clad Flush Casement Window v1 - 1 item
- 903705 K010 Alu-Clad Fixed Panel v1 - 1 item
- 903374 K008 Alu-Clad Flush Casement Window v1 - 1 item
- 903376 A015 Aluminium Bespoke Pressings - 1 item
- 903377 A015 Aluminium Bespoke Pressings - 1 item
- 905470 K008 Alu-Clad Flush Casement Window v1 - 1 item

Delivery cost: £100.00 +VAT@ 20%

---

Sub-Total inc. Fitting £14536.99  
VAT: £2907.40  
Total: £17444.39

If there's anything you'd like to query in the above quotation then we'd welcome your call.

Why not view the products in one of our showrooms? We have a showroom at our head office in Huntingdon, Cambridgeshire, one in Sunbury-on-Thames, London, another in Washington, near Brighton in Sussex and one in Grendon Underwood near Bicester in Buckinghamshire. We would love to book an appointment for you to see our products and discuss your requirements in person, so please give us a call.

All our products come with toughened or laminated glass as standard, even though the Building Regulations states not all glass needs to be 'safety' glass.

Our products (which have up to 10 year guarantees) are installed by our own trained, professional installation staff with the help of industry specialists where appropriate.

Some points for you to consider:

- If there are windows on this quotation, they may not necessarily conform to UK Building Regulations requirements for your particular project. Please notify us of your Local Authority Building Control (LABC) requirements relevant to your property and we can easily change any details.
- Our delivery times range from between 4 to 12 weeks depending upon the size and specification of your order. We can give you more information on the delivery time for your order as your requirements are confirmed so please talk to us about this.
- Delivery and fitting is extra if it hasn't been listed on this quotation, please note we do not install rooflights
- Please note that we do not carry out building work as we fit to pre-prepared apertures. We are however, very experienced in working with builders, architects and project managers, so please let us know if you'd like us to talk with your nominated trades.
- Please note that drawings on the quotation do not resemble the actual look, size or proportions of the product; they are merely a graphical representation of the products and their configurations. We have hundreds of accurate product drawings should you need them so just ask and we'll send them through.
- Unless we have quoted specifically for it, colour-matched silicone sealant (to be used between the frame and your building) is not included. Our standard colours are white, black, brown, anthracite grey and clear. Please let us know if you want us to quote for colour-matched silicone and we'll be happy to add it to your quotation.

We would be very happy to revise this quotation to suit your developing requirements. Please do not hesitate to contact us as we can alter sizes, specification and product choices very swiftly.

We very much look forward to working for you on your project.

This quotation is valid for 28 days.