



Report date:	21 November 2017
Customer ref:	2402_EPO1
Property address:	Drewtons, Kettlethorpe Farm, Kettlethorpe Hill, SOUTH CAVE, HU15 2AG
Report Commissioned by:	TD Jagger Ltd
On behalf of:	Mr C Taylor
Purpose of report:	Providing a valuation of the property
Freehold or Leasehold:	Freehold
Redevelopment Yes or No:	Yes - It is understood that there are redevelopment plans for the site in the form of Redevelopment of greenfield site, from Other to Other.

Argyll Environmental's professional opinion describes the level of risk associated with the information disclosed in the associated Enviroscreen data, as the following:

Property Assessment **PASSED**

In view of the development proposals in the form of Redevelopment of greenfield site from Other to Other, it is likely that the local planning authority will require a risk based assessment as to the ground conditions with conclusions as to whether any remedial measures are necessary.

Property Value

Unlikely to have an adverse effect on the value of the property.

Contaminated Land

The property is unlikely to be designated "contaminated land" within the meaning of Part 2A of the Environmental Protection Act 1990.

Environmental Factors for consideration

In this case the following environmental factors have been identified (1) An area of Ground Water Vulnerability

Based on valuation guidance from the RICS Red Book this report complies with UK GN1.1 - Appendix 2.2(E) Contamination and hazardous substances and valuation guidance from the RICS Red Book - Appendix 2.2(F) Environmental Matters.


Approved by:

Argyll Environmental Ltd





Site Address: Drewtons, Kettlethorpe Farm, Kettlethorpe Hill, SOUTH CAVE, HU15 2AG







Site Boundary: Total Area

0.11 Ha

Prepared For

TD Jagger Ltd 3 Richmond House Caldene Business Park Mythomroyd Hebden Bridge West Yorkshire HX7 5QJ

Client Ref

2402_EPO1

Purchase Order No.

N/A

Client Name Mr C Taylor



Factors affecting the site

Historical Land Uses Image: Section of the sectin of the section of the section of the section	-			0-2311	
General quarying, Date of mapping: 1855 1 1 1 1 Quarying of sand & clay, operation of sand & gravel pits, Date of mapping: 125 2 1 1 Quarying of sand & clay, operation of sand & gravel pits, Date of mapping: 125 2 1 1 Landfill & Mineral Sites 1 1 1 1 1 Local Authority Landfill Coverage 1 1 1 1 1 East Riding of Yorkshire Unitary Authority, - Has no landfill data to supply* N/A 1 <	Historical Land Uses				
Quarrying of sand & clay, operation of sand & gravel pits, Date of mapping: 1910-19582111Landfill & Mineral Sites	Potentially Contaminative Industrial Uses (Past Land Use)				
1910-1958444Landfill & Mineral SitesIIILocal Authority Landfill CoverageIIIEast Riding of Yorkshire Unitary Authority, - Has no landfill data to supply*N/AIBGS Recorded Mineral SitesIIIKettlefhorpe, Drewton, South Cave, Kingston Upon Hull, East Riding Of Yorkshire; Status: Ceased, Reference: 123223, Positional Accuracy: Located by supplier to within 10m3IPotentially Infiled Land (Non-Water)IIIUnknown Filled Ground (Pit, quarry etc), Date of Mapping: 19844IIStatutory AuthorisationsN/AIINo features identified within this categoryN/AIINo features identified within this categoryN/AIINoN/AIIIRetares Flooding from Rivers or Sea without DefencesN/AIINoN/AIIIIFloodater Storage AreasN/AIIINoN/AIIIIIFlood DefencesN/AIIIINoN/AIIIIIGeological Classification: Mior Aquifer (Highly permeable) - These care highly permeable formations usually with a known or probable presence pastractions for public water supply and other purposes. Soil of Intermetard te Leaching Potential (I)IIGeological Classification: Mior Aquifer (Warlaby permeable) - These care highly permeable formations o	General quarrying, Date of mapping: 1855	1			\checkmark
Local Authority Landfill Coverage East Riding of Yorkshire Unitary Authority, - Has no landfill data to supply * N/A BGS Recorded Mineral Sites Kettlethorpe, Drevinon, South Cave, Kingston Upon Hull, East Riding Of Yorkshire, Status: Ceased, Reference: 123223, Positional Accuracy: Located by suppler to within 10m Potentially Infilled Land (Non-Water) Unknown Filled Ground (Prit, quary etc), Date of Mapping: 1984 4 Statutory Authorisations No features identified within this category N/A Contraventions No features identified within this category N/A Contraventions No features identified within this category N/A Contraventions No Contraventions No Filod Ground (Prit, quary etc), Date of Mapping: 1984 Contraventions No Contraventions No Contraventions No Contraventions No N/A Contraventions N/A Contraventions No N/A Contraventio		2			~
East Riding of Yorkshire Unitary Authority, - Has no landfill data to supply*N/AImage: Construction of the supplication of the suppl	Landfill & Mineral Sites				
BCS Recorded Mineral Sites Image: Constraint of the second s	Local Authority Landfill Coverage				
Kettlethorpe, Drewton, South Cave, Kingston Upon Hull, East Riding Of Yorkshire, Status: Ceased, Reference: 123223, Positional Accuracy: Located by supplier to within 10m33\$Potentially Infilled Land (Non-Water)Unknown Filled Ground (Pit, quarry etc), Date of Mapping: 19844Statutory Authorisations No features identified within this categoryN/AContraventions No features identified within this categoryN/ANatural Features Feoding from Rivers or Sea without Defences NoN/ANoN/ANoN/A <td< td=""><td>East Riding of Yorkshire Unitary Authority, - Has no landfill data to supply *</td><td>N/A</td><td></td><td></td><td></td></td<>	East Riding of Yorkshire Unitary Authority, - Has no landfill data to supply *	N/A			
Yorkshire, Status: Ceased, Reference: 12323, Positional Accuracy: Located by supplier to within 10m34✓Potentially Infilled Land (Non-Water)IIIIUnknown Filled Ground (Pit, quarry etc), Date of Mapping: 19844I✓Statutory Authorisations No features identified within this categoryN/AIIIContraventions No features identified within this categoryN/AIIINatural Features Extreme Flooding from Rivers or Sea without Defences NoN/AIIINoN/AIIIIRease Benefiting from Rivers or Sea without Defences NoN/AIIINoN/AIIIIIRease Benefiting from Flood Defences NoN/AIIIINoN/AIIIIIIRod Ubater Storage AreasIIIIIINoN/AIIIIIIRod Defences NoN/AIIIIINoN/AIIIIIIRod Defences NoIIIIIIINoN/AIIIIIIRod DefencesIIIIIINoN/AIIIIIIRod DefencesII <td>BGS Recorded Mineral Sites</td> <td></td> <td></td> <td></td> <td></td>	BGS Recorded Mineral Sites				
Unknown Filled Ground (Pit, quarry etc), Date of Mapping: 198444✓Statutory AuthorisationsNNo features identified within this categoryN/AContraventionsN/ANo features identified within this categoryN/ANatural FeaturesExtreme Flooding from Rivers or Sea without DefencesNoN/A	Yorkshire, Status: Ceased, Reference: 123223, Positional Accuracy:	3			~
Statutory AuthorisationsN/AImage: statutory AuthorisationsNo features identified within this categoryN/AImage: statutory AuthorisationsNo features identified within this categoryN/AImage: statutory AuthorisationsNo features identified within this categoryN/AImage: statutory AuthorisationsNatural FeaturesImage: statutory AuthorisationsImage: statutory AuthorisationsNatural FeaturesImage: statutory AuthorisationsImage: statutory AuthorisationsNoN/AImage: statutory AuthorisationsImage: statutory AuthorisationsGeological Classification: Major Aquifer (Highly permeable) - These are highly permeable formations usually with a known or probable presence of bighifcant fractured or took authory permeable formations usually with a known or probable presence of postential type authory and able to support and permeable formations usually with a known or probable presence of bighifcant fractured or took authory and able to support and ab	Potentially Infilled Land (Non-Water)				
No features identified within this categoryN/AImage: Section of the section o	Unknown Filled Ground (Pit, quarry etc), Date of Mapping: 1984	4			\checkmark
No features identified within this categoryN/AImage: Section of the section o	Statutory Authorisations				
ContraventionsN/AImage: Contravention in the instant of the in	-	N/A			
No features identified within this categoryN/AIINatural FeaturesIIIExtreme Flooding from Rivers or Sea without DefencesIINoN/AIIFlooding from Rivers or Sea without DefencesIINoN/AIIAreas Benefiting from Flood DefencesN/AINoN/AIIFlood Water Storage AreasN/AINoN/AIIFlood DefencesN/AINoN/AIIFlood DefencesN/AINoN/AIIGeological Classification: Major Aquifer (Highly permeable) - These are fighly permeable formations usually with a known or probable presence of significant fracturing. They may be highly productive and able to supportN/AGeological Classification: Solis of Intermediate Leaching Potential (11) - Solis which can possibly transmit a wide range of pollutants, Map Scale: 1:100.000N/AGeological Classification: Solis of Intermediate permeabile) - These can be fractured or potentially fractured rocks, which do not have a high primary permeability, or other formations of variable permeabile) - These can be fractured or potentially fractured rocks, which do not have a high primary permeability. Or other formations of variable permeability including unconsolidated deposits. Although not producing large quantities of water for abstraction, they are important for local supplies and in supplying base flow to rivers, Soli Classification: Solis of High Leaching Potential (H3)-Coarse textured or moderately shallow solis which readily transmit non-absorbed pollutants because of their la					
Natural FeaturesImage: Sea without DefencesImage: Sea without DefencesNoN/AImage: Sea without DefencesNoImage: Sea without DefencesNoImage: Sea without De		N/A			
Extreme Flooding from Rivers or Sea without DefencesImage: Constraint of the second secon					
NoN/AImage: Set of the set of th					
Flooding from Rivers or Sea without DefencesImage: Constraint of the second					
NoN/AImage: set of the set of th		N/A			
Areas Benefiting from Flood DefencesImage: Constraint of the second	-				
NoN/AImage: NoFlood Water Storage AreasN/AImage: NoNoN/AImage: NoFlood DefencesN/ANoN/AImage: NoON/AImage: NoGroundwater VulnerabilityN/AGeological Classification: Major Aquifer (Highly permeable) - These are highly permeable formations usually with a known or probable presence of significant fracturing. They may be highly productive and able to support large abstractions for public water supply and other purposes, Soil Classification: Soils of Intermediate Leaching Potential (11) - Soils which can possibly transmit a wide range of pollutants, Map Scale: 1:100,000N/AImage: N/AGeological Classification: Minor Aquifer (Variably permeable) - These can be fractured or potentially fractured rocks, which do not have a high primary permeability, or other formations of variable permeability including unconsolidated deposits. Although not producing large quantities of water for abstraction, they are important for local supplies and in supplying base flow to rivers, Soil Classification: Soils of High Leaching Potential (H3)- Coarse textured or moderately shallow soils which have some ability to attenuate absorbed pollutants and liquid discharges but which have some ability to attenuate absorbed pollutants because of their large clay or organic matter contents, Map Scale: 1:100,000M/AImage: Minoreal Mathematical		N/A			
Flood Water Storage AreasNoN/AImage: Content of the state of the s	Areas Benefiting from Flood Defences				
NoN/AImage: N/AFlood DefencesN/AImage: N/ANoN/AImage: N/AGroundwater VulnerabilityN/AImage: N/AGeological Classification: Major Aquifer (Highly permeable) - These are highly permeable formations usually with a known or probable presence of significant fracturing. They may be highly productive and able to support large abstractions for public water supply and other purposes, Soil Classification: Soils of Intermediate Leaching Potential (11) - Soils which can possibly transmit a wide range of pollutants, Map Scale: 1:100,000N/AImage: N/AGeological Classification: Minor Aquifer (Variably permeabile) - These can be fractured or potentially fractured rocks, which do not have a high primary permeability, or other formations of variable permeability including unconsolidated deposits. Although not producing large quantities of water for abstraction, they are important for local supplies and in supplying base flow to rivers, Soil Classification: Soils of High Leaching Potential (H3)- Coarse textured or moderately shallow soils which readily transmit non- absorbed pollutants and liquid discharges but which have some ability to attenuate absorbed pollutants because of their large clay or organic matter contents, Map Scale: 1:100,000Image: N/AImage: Image:		N/A			
Flood DefencesImage: N/AImage: N/ANoN/AN/AImage: N/AGroundwater VulnerabilityImage: N/AImage: N/AGeological Classification: Major Aquifer (Highly permeable) - These are highly permeable formations usually with a known or probable presence of significant fracturing. They may be highly productive and able to support large abstractions for public water supply and other purposes, Soil Classification: Soils of Intermediate Leaching Potential (11) - Soils which can possibly transmit a wide range of pollutants, Map Scale: 1:100,000N/A✓Geological Classification: Minor Aquifer (Variably permeable) - These can be fractured or potentially fractured rocks, which do not have a high primary permeability, or other formations of variable permeability including unconsolidated deposits. Although not producing large quantities of water for abstraction, they are important for local supplies and in supplying base flow to rivers, Soil Classification: Soils of High Leaching Potential (H3)- Coarse textured or moderately shallow soils which readily transmit non- absorbed pollutants because of their large clay or organic matter contents, Map Scale: 1:100,000N/A✓Drift DepositsImage: Deposite DepositeImage: Deposite Deposite DepositeImage: Deposite Deposite					
NoN/AGroundwater VulnerabilityImage: Construct of the second		N/A			
Groundwater VulnerabilityImage: Constraint of the second seco					
Geological Classification: Major Aquifer (Highly permeable) - These are highly permeable formations usually with a known or probable presence of significant fracturing. They may be highly productive and able to support large abstractions for public water supply and other purposes, Soil Classification: Soils of Intermediate Leaching Potential (I1) - Soils which can possibly transmit a wide range of pollutants, Map Scale: 1:100,000N/AN/AGeological Classification: Minor Aquifer (Variably permeable) - These can be fractured or potentially fractured rocks, which do not have a high primary permeability, or other formations of variable permeability including unconsolidated deposits. Although not producing large quantities of water for abstraction, they are important for local supplies and in supplying base flow to rivers, Soil Classification: Soils of High Leaching Potential (H3)- Coarse textured or moderately shallow soils which readily transmit non- absorbed pollutants and liquid discharges but which have some ability to attenuate absorbed pollutants because of their large clay or organic matter contents, Map Scale: 1:100,000N/ADrift DepositsDrift Deposits		N/A			
highly permeable formations usually with a known or probable presence of significant fracturing. They may be highly productive and able to support large abstractions for public water supply and other purposes, Soil Classification: Soils of Intermediate Leaching Potential (11) - Soils which can possibly transmit a wide range of pollutants, Map Scale: 1:100,000 Geological Classification: Minor Aquifer (Variably permeable) - These can be fractured or potentially fractured rocks, which do not have a high primary permeability, or other formations of variable permeability including unconsolidated deposits. Although not producing large quantities of water for abstraction, they are important for local supplies and in supplying base flow to rivers, Soil Classification: Soils of High Leaching Potential (H3)-Coarse textured or moderately shallow soils which readily transmit non-absorbed pollutants because of their large clay or organic matter contents, Map Scale: 1:100,000 Drift Deposits	-				
be fractured or potentially fractured rocks, which do not have a high primary permeability, or other formations of variable permeability including unconsolidated deposits. Although not producing large quantities of water for abstraction, they are important for local supplies and in supplying base flow to rivers, Soil Classification: Soils of High Leaching Potential (H3)-Coarse textured or moderately shallow soils which readily transmit non-absorbed pollutants and liquid discharges but which have some ability to attenuate absorbed pollutants because of their large clay or organic matter contents, Map Scale: 1:100,000 Drift Deposits	highly permeable formations usually with a known or probable presence of significant fracturing. They may be highly productive and able to support large abstractions for public water supply and other purposes, Soil Classification: Soils of Intermediate Leaching Potential (I1) - Soils which can		~		
· · · · · · · · · · · · · · · · · · ·	be fractured or potentially fractured rocks, which do not have a high primary permeability, or other formations of variable permeability including unconsolidated deposits. Although not producing large quantities of water for abstraction, they are important for local supplies and in supplying base flow to rivers, Soil Classification: Soils of High Leaching Potential (H3)- Coarse textured or moderately shallow soils which readily transmit non- absorbed pollutants and liquid discharges but which have some ability to attenuate absorbed pollutants because of their large clay or organic matter	N/A		~	
No N/A	Drift Deposits				
	No	N/A			

On Site 0 - 25m 25 - 100m

Map ID



Factors affecting the site

Map ID On Site 0 - 25m 25 - 100m

		1	
Radon Potential			
The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level).	N/A	\checkmark	
Radon Protection Measures			
None	N/A	\checkmark	
Coal Mining Affected Areas			
In an area which may not be affected by coal mining	N/A		
Brine Compensation Area			
No	N/A		

Local Authority Landfill Coverage * if applicable. It has not been possible to obtain Landfill data from this authority therefore the fact that no local authority landfills are disclosed in this report does not necessarily confirm that no local authority landfills exist. We recommend that if you are concerned about landfill you should contact the relevant local authority. "-" denotes the nearest Local Authority Landfill Coverage.



Useful Contact Information

East Riding of Yorkshire Council Public Protection Division Council Offices, Church Street, GOOLE, East Riding Of Yorks, DN14 5BG Telephone 08457 887700, Fax 01482 396104 www.eastriding.gov.uk/

Environment Agency National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY Telephone 03708 506 506 enquiries@environment-agency.gov.uk

British Geological Survey Enquiry Service British Geological Survey, Kingsley Dunham Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG Telephone 0115 936 3143, Fax 0115 936 3276 enquiries@bgs.ac.uk www.bgs.ac.uk

Argyll Environmental Ltd 1st Floor,98-99 Queens Road,Brighton,BN1 3XF Telephone 0845 458 5250, Fax 0845 458 5260 info@argyllenviro.com www.argyllenvironmental.com

Landmark Information Group Limited Imperium,Imperial Way,Reading,Berkshire,RG2 0TD Telephone 0844 844 9960, Fax 0844 844 9951 customerservice@promap.co.uk www.landmarkinfo.co.uk











British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL



Additional Information

In completing this report Argyll Environmental has undertaken a review of the Enviroscreen data made available to it. No site inspection, further enquiries or investigation of surface or ground conditions has been carried out by Argyll Environmental. No information as to the age, value and type of property has been made available.

Surveyors are reminded to refer to the RICS guidance note 'Contamination, the environment and sustainability -Implications for chartered surveyors and their clients', published April 2010, and consider using the property observation checklists developed by the RICS for identifying apparent potential for contamination and recording observations made during the normal course of inspection. The checklists are contained at Appendices A-C of the above guidance note. Completion of these checklists does not constitute an environmental assessment for the purposes of Professional Indemnity Insurance where many surveyors are unlikely to have appropriate indemnity cover.

The information in this Enviroscreen® Certificate is derived from a number of statutory and non-statutory sources (refer to the user guide). Whilst every effort is made to ensure accuracy, Landmark cannot guarantee the accuracy or completeness of such information or data, nor to identify all the factors that may be relevant. If you are a private individual using this Certificate Landmark recommend that you discuss its contents in full with your professional advisor. It is essential to read this Certificate in conjunction with the User Guide and your attention is drawn to the scope of the Certificate section within the User Guide.

©Landmark Information Group Limited 2017. All Rights Reserved. The copyright on the information and data and its format as contained in this Enviroscreen® Certificate is the property of Landmark Information Group Limited and several other data providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The report is supplied under Landmark's Terms and Conditions accepted by the customer. Additional copies may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or Data Providers, whose Copyright material has been included in this report.



Commercial Premises Environmental Insurance

Landmark information Group provides a link to Arlington Insurance Services Limited which is able to offer environmental insurance underwritten by ACE Insurance Group Limited for Drewtons, Kettlethorpe Farm, Kettlethorpe Hill, SOUTH CAVE, HU15 2AG. The insurance is subject to an Enviroscreen certificate report having been commissioned and a quote obtained from Arlington Insurance Services Limited.

Key policy Benefits:

- n Coverage for sudden and gradual pollution
- n Coverage for on-site and off-site first party cleanup
- n Automatic coverage for biodiversity damage
- n Damage to third party property, including dimunition in value
- n Policy periods up to 5 years coverage
- n Limit of indemnity up to £5m
- n Self Insured Retentions from £2,500 per loss
- n Proactive claims support to minimise losses and their financial and reputational impacts on the business
- n Legal Defence Expenses

This statement does not contain the full terms and conditions of the coverage provided, which can be found in the policy document. The Environmental Impairment Liability (EIL) Policy is a claims-made policy offering a range of cover for gradual, sudden and accidental pollution resulting from the ownership, control and/or operation of premises.

Sample Premiums

Indicative premiums below are based on Commercial mixed use/offices with a £2500 excess where the Report Status is shown as PASSED and are for example use only.

Historic use only

	£1m cover	£5m cover
3 Year term	£2,955	£5,910
5 Year term	£4,199	£8,398

Historic and Operational Coverage

	£1m cover	£5m cover
3 Year term	£3,477	£6,895
5 Year term	£4,889	£9,788

To obtain a quote please go to www.arlingtoninsuranceservices.com/environmental and enter your Enviroscreen report details or alternatively please telephone 020 7734 3346 to discuss your individual position with an environmental specialist.

This insurance is offered by



ace european group



ACE European Group Limited, ACE Building, 100 Leadenhall Street, London EC3A 3BP Arlington Insurance Services Ltd, Goldsmith House, 137 Regent Street, London W1B 4HZ

Authorised and regulated by the Financial Services Authority

LANDMARK STANDARD TERMS & CONDITIONS

Full Terms and Conditions can be found on the following link:

http://www.landmarkinfo.co.uk/Terms/Show/515