


Inside

Outside

- Internal and external face of existing wall to be inspected, and to be clear of all loose and crumbly material as well as any gypsum or cementitious products. Any mortar joints in need of repointing to be done so with suitable NHL lime mortar.
- To inside face of brickwork wall apply minimum 40mm of Wormersleys Insulated Render or equal equivalent to form level surface.
- Insulated lime render to be finished with coat of Lime Green Solo or equal equivalent.
- Existing internal wall to be finished internally with clay-based breathable paint.



1:5 Scale Bar

<p>NOTES:</p> <p>Report all discrepancies, errors and omissions.</p> <p>Verify all dimensions on site before commencing any work on site or preparing shop drawings.</p> <p>All materials, components and workmanship are to comply with the relevant British Standards, Codes of Practice and appropriate manufacturers recommendations.</p> <p>See relevant drawings for all specialist work.</p> <p>This drawing and design are copyright of James Clague Architects Ltd, company registration number 8664802</p>	<table border="1"> <thead> <tr> <th>Rev</th> <th>Date</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>-</td> <td>-</td> <td>-</td> </tr> </tbody> </table>	Rev	Date	Description	-	-	-	<p>Project Title</p> <p>Renovation and Kitchen Extension</p> <p>Ms Kelly and Mr Anderson</p> <p>The Forge</p> <p>Church Street</p> <p>Alresford</p> <p>East Hampshire</p> <p>SO24 0DS</p>	<p>Drawing Description</p> <p>Proposed Detail - External wall</p> <p>Scale</p> <p>1:5 at A3</p> <p>Date</p> <p>July 2023</p> <p>Drawn By</p> <p>EN</p>	<p><b>JAMES CLAGUE</b></p> <p>ARCHITECTS</p>		<p>40 / 41 Castle Row</p> <p>Canterbury, Kent CT1 2QY</p> <p>T: 01227 649 073</p> <p>E: info@jamesclague.co.uk</p> <p>W: jamesclague.co.uk</p>
	Rev	Date	Description									
-	-	-										
<table border="1"> <thead> <tr> <th>Drawing Number</th> <th>Revision</th> </tr> </thead> <tbody> <tr> <td>24390_PL_08</td> <td>-</td> </tr> </tbody> </table>		Drawing Number	Revision	24390_PL_08	-							
Drawing Number	Revision											
24390_PL_08	-											