

- NOTES**
1. This drawing is to be read in conjunction with all relevant architects', engineers', and specialists' drawings, bills of quantities and specifications.
 2. Do not scale of this drawing.
 3. All dimensions are to be confirmed on site by the contractor.
 4. Refer to MHA drawing 130 for all general notes.

KEY

» EXCEEDANCE FLOW PATH



DRAINAGE FIELD
 TOTAL AREA OF 100m². 150mm PERFORATED PIPES, IN 600mm WIDE TRENCHES. PIPES LAID AT GRADIENT 1 IN 300. REFER TO BUILDING REGULATIONS. PART H - SECTION ON DRAINAGE FIELDS. ESTIMATED PERCOLATION RATE - 55.2ac/m² REQUIRED AREA 100m² SERVING: 14 WCs, 1 KITCHENS, 2 SHOWERS. TOTAL USE ESTIMATED AT 1.0m³ PER DAY

INDICATIVE INFILTRATION BASIN ARRANGEMENT. FOOTPRINT TO BE AGREED WITH ARCHITECT SUBJECT TO LANDSCAPE DESIGNER.

Rev.	Date	Made by	Amendments
P01	08.09.23	FJ	ISSUED FOR INFORMATION

Status
PLANNING

MHA STRUCTURAL DESIGN
 London +44 (0)207 375 6340
 Cambridge +44 (0)1223 776340
 mhastructuraldesign.com

Job Title
BEECHES FARM, TRING

Drawing Title
EXCEEDANCE FLOW PATH

Scales: 1:200 @ A1

Drawn	Date	Checked
FJ	08.09.23	
Job No	Drawing No	Revision
21026	513	P01