


ELECTRICAL LEGEND	
A ○	External floor recessed light IP Rated on PIR
B ⊗	External wall mounted downlight IP Rated on timer
C ⊗	External wall mounted downlight IP Rated on PIR
D ○	External floor recessed light IP Rated on timer
PIR	PIR danlers

NOTE:
 AS PER THE RECOMMENDATIONS OF THE ECOLOGY SURVEY. LIGHTING WILL BE LOW IMPACT.
 ALL LIGHTS ARE ON TIMED PIR SENSORS. MINIMAL LIGHTING TO DECKS, WALKWAYS AND STAIRS.
 ADDITIONAL 6 NO DOWNWARD FACING LIGHTS ON TIMED PIR SENSORS TO PATHWAY
 FURTHER DETAILS FOR LIGHTING TYPE ETC ARE INCLUDED IN THE CONSTRUCTION METHOD STATEMENT



DOWNWARD FACING LIGHTS ON TIMED PIR SENSORS TO PATHWAY



Rev	Date	Description
A	191022	Revised Deck Elect. Layout
B	091122	Additional path lights
c	260123	Notes following Ecology report

Client	Stay On The Hill
Project Title	Treehouse
Drawing Title	External Electrical Plan

Drawn by:	MF	Client Number:	1044	Drawing Number:	130
Checked By:	SP	Drawing status:	PL	Revision:	C
Date:	28.10.22	Scale:	1:100	Format:	A3