


Key Plan N.T.S.

LINE OF RPZ FOR TREE T28 LIME TREE

LEGEND:


1. Locally quarried stone infill to gabions. visible faces to be hand dressed. size 100-250c.
2. MACCAFERRI LTD- 2.7 mm zinc galvanised welded-mesh gabion similar and approved. refer to manufacturers & engineers details.
3. Back portion of gabion to be filled with top soil. to be wrapped in an approved geotextile membrane.
4. MACCAFERRI LTD- reno mattress or similar to be free draining
5. 100mm dia pvc drainage pipe laid to fall surrounded in pea gravel or similar sulphate free granular material wrapped in an approved geo-fabric, connected to the surface water drainage system
6. No excavations to level ground. top 50 mm to be cleared of leaf debris and loose impediments
7. Existing ground untouched
8. T23 Existing Lime Tree
9. Proposed Slab Paving
10. Railing

GABION WALLING - ALL WALLING DETAILS & SPECIFICATION ARE SUBJECT TO DETAIL DESIGN & APPROVAL WITH ENGINEER / BUILDING CONTRACTOR & MACCAFERRI LTD.
NOTE: LANDSCAPE ARCHITECT TO BE INVOLVED IN DESIGN DEVELOPMENT AND APPROVAL OF GABION WALLING DESIGN



01 Gabion Retaining Wall Detail
Plan

Scale 1:30

SL / TX	29/09/23	A
FIRST ISSUE FOR COMMENT	Revision Notes	By / Chk
Status: STATUS		
 Park Hood Chartered Landscape Architects		
Hawarden House, 163 Upper Newtownards Road, Belfast, BT4 3HZ T: +44 (0) 28 9029 8020 E: info@parkhood.com parkhood.com		
Client: Private Client		
Project: Montrose House		
Title: Gabion Retaining Wall Detail		
Job No: 7853	Scale@A1 1:30	Date: September 23
Drawing Number		Revision
7853-L-2900		A