

East Herts Council Wallfields, Pegs Lane Hertford, Herts SG13 8EQ Tel: 01279 655261

Application for Approval of Details Reserved by Condition

Town and Country Planning Act 1990 (as amended); Planning (Listed Buildings and Conservation Areas) Act 1990 (as amended)

Publication of applications on planning authority websites

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website. If you require any further clarification, please contact the Authority's planning department.

Site Location		
Disclaimer: We can only make recommendation	ns based on the answers given in the questions.	
If you cannot provide a postcode, the description of site location must be completed. Please provide the most accurate site description you can, to help locate the site - for example "field to the North of the Post Office".		
Number		
Suffix		
Property Name		
Gate House		
Address Line 1		
Hunsdonbury Lane		
Address Line 2		
Address Line 3		
Hertfordshire		
Town/city		
Hunsdon		
Postcode		
SG12 8PW		
Description of site location must	be completed if postcode is not known:	
Easting (x)	Northing (y)	
541378	213054	
Description		

	_
Applicant Details	
Name/Company	
Title	
Mrs	
First name	
Lucie	ĺ
Surname	
cannatella	ĺ
Company Name	
	l
Address	
Address	
Address line 1	ĺ
Gate House Hunsdonbury Lane	
Address line 2	ì
Address line 3	
Town/City	
Hunsdon	ı
County	
Hertfordshire	ı
Country	
United Kingdom	ĺ
Postcode	
SG12 8PW	ĺ
Are you an agent acting on hehalf of the applicant?	
Are you an agent acting on behalf of the applicant? O Yes	
⊙ No	
Contact Details	
Primary number	1
***** REDACTED ******	,

Secondary number
Fax number
Email address
**** REDACTED *****
Description of the Proposal
Please provide a description of the approved development as shown on the decision letter
Conversion of coach house into habitable accommodation
Reference number
3/23/1575/LBC
Date of decision (date must be pre-application submission)
24/10/2023
Please state the condition number(s) to which this application relates
Condition number(s)
3 and 4
Has the development already started?
○ Yes※ No
♥ NO
Part Discharge of Conditions
Are you seeking to discharge only part of a condition?
○ Yes
⊗ No
Dischause of Conditions
Discharge of Conditions
Please provide a full description and/or list of the materials/details that are being submitted for approval

Inickness of doors = 5/mm	
tongue and groove boarding = 18mm thickness	
15mm insulation .	
Keep original hinges	
Window to be glazed with 28mm double glazing and traditional glazing bars to be used.	
Scope of works for repairs	
Fire place :The Fire surround has a diagonal crack through the left side of the header and shelf probably as a result of the brickwork	
movement. This will be repaired using bronze wire dowels let into hand cut rebates and solid pointed with NHL 5 lime mortar. the open crack	
will be lime pointed with a suitably colour matched lime.	
Floor: The floor will be lifted carefully and all boards examined, if they are too damage we will replace damaged boards with like for like	
reclaimed oak boards to match existing.	
Brickwork	
Existing mortar to be removed by hand raking to the depth of 15mm and then to be flushed using lime mortar.	
regarding the cleaning of the brickwork, as it is in such a clean condition it will require no more than soft brushing to clean.	
Site Visit	
Can the site be seen from a public road, public footpath, bridleway or other public land?	
○Yes	
⊙ No	
If the planning authority needs to make an appointment to carry out a site visit, whom should they contact?	
○ The agent	
○ Other person	
Pre-application Advice	
Has assistance or prior advice been sought from the local authority about this application?	
If Yes, please complete the following information about the advice you were given (this will help the authority to deal with this application more efficiently):	
Officer name:	
Title	
	7
***** REDACTED *****	
First Name	_
***** REDACTED *****	
Surname	_
	٦
***** REDACTED *****	

Details of door replacement :

Door to be remade to exactly same style with new Douglas fir timber with frame cill in hardwood.

Reference
Date (must be pre-application submission)
23/10/2023
Details of the pre-application advice received
They had an overview of the details needed to release the conditions and didn't see an issue .
Declaration
I/We hereby apply for Approval of details reserved by a condition (discharge) as described in the questions answered, details provided, and the accompanying plans/drawings and additional information. I/We confirm that, to the best of my/our knowledge, any facts stated are true and accurate and any opinions given are the genuine opinions of the person(s) giving them. I/We also accept that, in accordance with the Planning Portal's terms and conditions: - Once submitted, this information will be made available to the Local Planning Authority and, once validated by them, be published as part of a public register and on the authority's website; - Our system will automatically generate and send you emails in regard to the submission of this application.
✓ I / We agree to the outlined declaration
Signed Lucie cannatella
Date
01/11/2023