tree solutions

arboriculture limited



W: www.treesolutions.org.uk

Date: Wednesday 10th October 2023

Client: Garaint Morris

Site: 5 Whitehouse Gardens, Yateley GU46 7QN

Phone:

Email:

Proposed works to a tree covered by TPO 74/00005/HDC

- Turkish Oak: This tree appears to be in decline. This tree has had deadwood removed periodically now resulting in the removal of major scaffold branches including the main leader with wound in excess of 300mm in diameter. This Oak is not putting out an inner crown as English Oaks do in their last stage of life with the majority of foliage present at the extremities, end weighting the branches. This tree has produced major deadwood throughout the canopy since its last pruning.
 - Reduce in height by 8m.
 - o Changing the overall height from 20m to 12m.
 - Reduce the eastern lateral quadrant by 3m.
 - o Changing the radial spread from 8m to 5m.
 - Reduce the southern lateral quadrant by 6.5m.
 - o Changing the radial spread from 11.5m to 5m.
 - · Reduce the western quadrant by 6m.
 - o Changing the radial spread from 12m to 6m.
 - Reduce then northern quadrant by 5m.
 - o Changing the radial spread from 10m to 5m.

tree solutions

arboriculture limited







Showing proposed reduction line.

tree solutions

arboriculture limited



V: www.treesolutions.org.uk



Centre of the tree with all major branches / stems removed.



Reduction line south eastern quadrant.



Thin foliage northern quadrant.