



231 - G1

Scots Pine(T7) - Sways considerably in high winds, it is near to the road and we feel it is a danger to the property directly opposite as well as Pebble Lodge. We would like to remove this tree to remove the risk to property and life.

Holly(T9) - This is very close to the sycamore, we would like to reduce the crown

Sycamore(T6) - we would like to carry out crown reduction, to the height it was in 2011(approximately 15m)

Maple(T5) - The branches overhang the driveway and pose a danger to property, thus we would like to reduce the crown back to the height it was in 2011(approximately 15m).

232 - G2

Oak(T8) - We would like to reduce the crown of this tree to a height of 10m in line with the works advised in a previous report 6th July 2011. The large crown would then be removed leaving a smaller tree able to withstand strong winds.

Oak(T2) - Near to boundary of neighbouring property to rear of Pebble Lodge this poses a danger to property. It also overshadows Pebble Lodge main garden. We would like to carry out a crown reduction to the height referred to in previous report July 2011(approximately 25m).

Maple(T1) - Overhanging main garden towards Pebble Lodge. We would like to reduce the crown to the levels referred to in July 2011 (approximately 20m)

We have already planted 3no. fruit trees(plum, apple, crab apple) and a blue spruce pine tree to replace those trees proposed to be felled.

Notes

Amendment	Drwn	Chkd	Date	Rev



267 Hotwell Road · Hotwells · Bristol · BS8 4SF · Tel: 0117 9450962 · Fax: 0117 9450963
www.willmoreiles.com

Drawing Status	Planning
Client	Mrs Laverick
Job Title	Pebble Lodge
Drawing Title	Tree Locations and Works

Scale	Size	Drawn	Checked	Date
	A3			OCT 23
Dwg No	346-2023-3-PL-001			Rev