

FINAL ANALYTICAL TEST REPORT SUPPLEMENT TO TEST REPORT 22/09015/1

Amendments: Request for split report


Envirolab Job Number: 22/09015
Issue Number: 2-S4

Date: 05 October, 2022

Client: S.E.D. Services Ltd
Landgate Farm
Landgate Lane
Bryn
Wigan
UK
WN4 0EJ

Project Manager: James Wright
Project Name: Hightown
Project Ref: Not specified
Order No: N/A
Date Samples Received: 31/08/22
Date Instructions Received: 14/09/22
Date Analysis Completed: 26/09/22

Approved by:



Danielle Brierley
Deputy Client Services Supervisor

Envirolab Job Number: 22/09015/4

Client Project Name: Hightown

Client Project Ref: Not specified

Lab Sample ID	22/09015/4							Units	Limit of Detection	Method ref
Client Sample No										
Client Sample ID	BGB Sed Services									
Depth to Top										
Depth To Bottom										
Date Sampled	26-Aug-22									
Sample Type	Soil									
Sample Matrix Code	4A									
% Stones >10mm _A	<0.1							% w/w	0.1	A-T-044
pH _D ^{M#}	8.30							pH	0.01	A-T-031s
Arsenic _D ^{M#}	5							mg/kg	1	A-T-024s
Cadmium _D ^{M#}	0.7							mg/kg	0.5	A-T-024s
Copper _D ^{M#}	33							mg/kg	1	A-T-024s
Chromium _D ^{M#}	13							mg/kg	1	A-T-024s
Lead _D ^{M#}	44							mg/kg	1	A-T-024s
Mercury _D	<0.17							mg/kg	0.17	A-T-024s
Nickel _D ^{M#}	13							mg/kg	1	A-T-024s
Selenium _D ^{M#}	<1							mg/kg	1	A-T-024s
Sodium _D	510							mg/kg	50	A-T-024s
Zinc _D ^{M#}	80							mg/kg	5	A-T-024s

Envirolab Job Number: 22/09015/4

Client Project Name: Hightown

Client Project Ref: Not specified

Lab Sample ID	22/09015/4							Units	Limit of Detection	Method ref
Client Sample No										
Client Sample ID	BGB Sed Services									
Depth to Top										
Depth To Bottom										
Date Sampled	26-Aug-22									
Sample Type	Soil									
Sample Matrix Code	4A									
Asbestos in Soil (inc. matrix) ^										
Asbestos in soil [†]	NAD									A-T-045
Asbestos Matrix (visual) _D	-									A-T-045
Asbestos Matrix (microscope) _D	-									A-T-045
Asbestos ACM - Suitable for Water Absorption Test? _D	N/A									A-T-045

Envirolab Job Number: 22/09015/4

Client Project Name: Hightown

Client Project Ref: Not specified

Lab Sample ID	22/09015/4							Units	Limit of Detection	Method ref
Client Sample No										
Client Sample ID	BGB Sed Services									
Depth to Top										
Depth To Bottom										
Date Sampled	26-Aug-22									
Sample Type	Soil									
Sample Matrix Code	4A									
PAH-16MS										
Acenaphthene _A ^{M#}	0.05						mg/kg	0.01	A-T-019s	
Acenaphthylene _A ^{M#}	<0.01						mg/kg	0.01	A-T-019s	
Anthracene _A ^{M#}	0.06						mg/kg	0.02	A-T-019s	
Benzo(a)anthracene _A ^{M#}	0.07						mg/kg	0.04	A-T-019s	
Benzo(a)pyrene _A ^{M#}	0.06						mg/kg	0.04	A-T-019s	
Benzo(b)fluoranthene _A ^{M#}	<0.05						mg/kg	0.05	A-T-019s	
Benzo(ghi)perylene _A ^{M#}	<0.05						mg/kg	0.05	A-T-019s	
Benzo(k)fluoranthene _A ^{M#}	<0.07						mg/kg	0.07	A-T-019s	
Chrysene _A ^{M#}	0.12						mg/kg	0.06	A-T-019s	
Dibenzo(ah)anthracene _A ^{M#}	<0.04						mg/kg	0.04	A-T-019s	
Fluoranthene _A ^{M#}	0.27						mg/kg	0.08	A-T-019s	
Fluorene _A ^{M#}	0.02						mg/kg	0.01	A-T-019s	
Indeno(123-cd)pyrene _A ^{M#}	0.04						mg/kg	0.03	A-T-019s	
Naphthalene _A ^{M#}	0.07						mg/kg	0.03	A-T-019s	
Phenanthrene _A ^{M#}	0.25						mg/kg	0.03	A-T-019s	
Pyrene _A ^{M#}	0.26						mg/kg	0.07	A-T-019s	
Total PAH-16MS _A ^{M#}	1.27						mg/kg	0.01	A-T-019s	
TPH Banded 2										
>C6-C10 _A ^{M#}	<5						mg/kg	5	A-T-007s	
>C10-C25 _A ^{M#}	136						mg/kg	5	A-T-007s	
>C25-C40 _A ^{M#}	403						mg/kg	5	A-T-007s	
Total TPH Banded 2 _A ^{M#}	539						mg/kg	5	A-T-007s	

REPORT NOTES

General

This report shall not be reproduced, except in full, without written approval from Envirolab.

The results reported herein relate only to the material supplied to the laboratory.

The residue of any samples contained within this report, and any received with the same delivery, will be disposed of six weeks after initial scheduling. For samples tested for Asbestos we will retain a portion of the dried sample for a minimum of six months after the initial Asbestos testing is completed.

Analytical results reflect the quality of the sample at the time of analysis only.

Opinions and interpretations expressed are outside the scope of our accreditation.

If results are in italic font they are associated with an AQC failure, these are not accredited and are unreliable.

A deviating samples report is appended and will indicate if samples or tests have been found to be deviating. Any test results affected may not be an accurate record of the concentration at the time of sampling and, as a result, may be invalid.

The Client Sample No, Client Sample ID, Depth to Top, Depth to Bottom and Date Sampled were all provided by the client.

Soil chemical analysis:

All results are reported as dry weight (<40°C).

For samples with Matrix Codes 1 - 6 natural stones, brick and concrete fragments >10mm and any extraneous material (visible glass, metal or twigs) are removed and excluded from the sample prior to analysis and reported results corrected to a whole sample basis. This is reported as '% stones >10mm'.

For samples with Matrix Code 7 the whole sample is dried and crushed prior to analysis and this supersedes any "A" subscripts

All analysis is performed on the sample as received for soil samples which are positive for asbestos or the client has informed asbestos may be present and/or if they are from outside the European Union and this supersedes any "D" subscripts.

TPH analysis of water by method A-T-007:

Free and visible oils are excluded from the sample used for analysis so that the reported result represents the dissolved phase only.

Electrical Conductivity of water by Method A-T-037:

Results greater than 12900µS/cm @ 25°C / 11550µS/cm @ 20°C fall outside the calibration range and as such are unaccredited.

Asbestos:

Asbestos in soil analysis is performed on a dried aliquot of the submitted sample and cannot guarantee to identify asbestos if only present in small numbers as discrete fibres/fragments in the original sample.

Stones etc. are not removed from the sample prior to analysis.

Quantification of asbestos is a 3 stage process including visual identification, hand picking and weighing and fibre counting by sedimentation/phase contrast optical microscopy if required. If asbestos is identified as being present but is not in a form that is suitable for analysis by hand picking and weighing (normally if the asbestos is present as free fibres) quantification by sedimentation is performed. Where ACMs are found a percentage asbestos is assigned to each with reference to 'HSG264, Asbestos: The survey guide' and the calculated asbestos content is expressed as a percentage of the dried soil sample aliquot used.

Predominant Matrix Codes:

1 = SAND, 2 = LOAM, 3 = CLAY, 4 = LOAM/SAND, 5 = SAND/CLAY, 6 = CLAY/LOAM, 7 = OTHER, 8 = Asbestos bulk ID sample, 9 = INCINERATOR ASH.

Samples with Matrix Code 7 & 8 are not predominantly a SAND/LOAM/CLAY mix and are not covered by our BSEN 17025 or MCERTS accreditations, with the exception of bulk asbestos which are BSEN 17025 accredited.

Secondary Matrix Codes:

A = contains stones, B = contains construction rubble, C = contains visible hydrocarbons, D = contains glass/metal,

E = contains roots/twigs.

Key:

IS indicates Insufficient Sample for analysis.

US indicates Unsuitable Sample for analysis.

NDP indicates No Determination Possible.

NAD indicates No Asbestos Detected.

N/A indicates Not Applicable.

Superscript # indicates method accredited to ISO 17025.

Superscript "M" indicates method accredited to MCERTS.

Subscript "A" indicates analysis performed on the sample as received.

Subscript "D" indicates analysis performed on the dried sample, crushed to pass a 2mm sieve

Subscript "A" indicates analysis has dependant options against results. Testing dependant on results appear in the comments area of your sample receipt.

EPH CWG results have humics mathematically subtracted through instrument calculation

TPH results "with Cleanup" indicates results cleaned up with Silica during extraction

EPH CWG GCxGC ID from TPH CWG

Where we have identified humic substances in any ID's from TPH CWG with Clean Up please note that the concentration of these humic substances is not included in the quantified results and are included in the ID for information.

Please contact us if you need any further information.

Envirolab Deviating Samples Report

Units 7&8 Sandpits Business Park, Mottram Road, Hyde, SK14 3AR
Tel. 0161 368 4921 email. ask@envlab.co.uk

Client:	S.E.D. Services Ltd, Landgate Farm, Landgate Lane, Bryn, Wigan, UK, WN4 0EJ	Project No:	22/09015
Project:	Hightown	Date Received:	14/09/2022 (am)
Clients Project No:		Cool Box Temperatures (°C):	17.6

Lab Sample ID	22/09015/4
Client Sample No	
Client Sample ID/Depth	BGB Sed Services
Date Sampled	26/08/22
Deviation Code	
F	

Key

F *Maximum holding time exceeded between sampling date and analysis for analytes listed below*

HOLDING TIME EXCEEDANCES

Lab Sample ID	22/09015/4
Client Sample No	
Client Sample ID/Depth	BGB Sed Services
Date Sampled	26/08/22
PAH-16MS	
TPH Banded 2	

Note: If, at any point before reaching the laboratory, the temperature of the samples has breached those set in published standards, e.g. BS-EN 5667-3 (for water samples $5 \pm 3^\circ\text{C}$), ISO 18400-105:2017, then the concentration of any affected analytes may differ from that at the time of sampling.

Envirolab Analysis Dates

Lab Sample ID	22/09015/1	22/09015/2	22/09015/3	22/09015/4
Client Sample No				
Client Sample ID/Depth	Hightown	Subsoil (Sed Services)	Sed Services	BGB Sed Services
Date Sampled	26/08/22	26/08/22	26/08/22	26/08/22
A-T-007s	20/09/2022	20/09/2022	20/09/2022	20/09/2022
A-T-019s	21/09/2022	21/09/2022	21/09/2022	21/09/2022
A-T-024s	26/09/2022	26/09/2022	26/09/2022	26/09/2022
A-T-031s	23/09/2022	23/09/2022	23/09/2022	23/09/2022
A-T-044	20/09/2022	20/09/2022	20/09/2022	20/09/2022
A-T-045	15/09/2022	15/09/2022	15/09/2022	15/09/2022

The above dates are the analysis completion dates, please note that these are not necessarily the date that the analysis was weighed/extracted.

End of Report