



PROPOSED GROUND FLOOR PLAN (1:100)



PROPOSED FIRST FLOOR PLAN (1:100)




PROPOSED SITE PLAN (1:200)


Copyright on all drawings prepared by Morton & Hall Consulting Limited is their property. Drawings and designs may not be reproduced in part or in whole without their written permission. Please read, if in doubt ask. Change nothing without consulting the Engineers. Contractor to check all dimensions on site before work starts or materials are ordered. If in doubt ask. All dimensions are in mm unless stated otherwise. Where materials, products and workmanship are not fully specified they are to be of the standard appropriate to the works and suitable for the purpose stated or reasonably to be inferred from the drawings and specification. All work to be in accordance with good building practice and BS 8000 to the extent that the recommendations define the quality of the finished work. Materials products and workmanship to comply with all British Standards and EOTA standards with, where appropriate, BS or EC marks. All products and materials to be handled, stored, prepared and used or fixed in accordance with the manufacturers current recommendations. The contractor is to arrange inspections of the works by the BCO (or NHBC) as required by the Building Regulations and is to obtain completion certificate and forward to the Engineer

LEGEND


- SG = SAFETY GLASS
- EX = EXTRACTOR FAN, DUCTED TO EXTERNAL AIR, FAN TO BE MOUNTED ON EXTERNAL WALL OR 1.5m MAXIMUM DUCT LENGTH, OR INCREASE EXTRACTOR CAPACITY TO COMPENSATE FOR THE AIR FLOW LOSSES
- SA = INTERLINKED SMOKE ALARM
- HD = HEAT DETECTOR
- EEL = ENERGY EFFICIENT LIGHT, NUMBER AND POSITION AND TYPE TO BE TO CLIENTS DETAILS
- SVP = UPVC SOIL AND VENT PIPE
- RWP = UPVC RAINWATER PIPE
- GULLY = RODDABLE GULLY
- SS = STUB STACK
- TV = TILE VENT FOR EXTRACTOR
- EEW = EMERGENCY ESCAPE WINDOW, 800-1100 FROM FLOOR LEVEL, ENSURE CLEAR AREA OF 0.33m², MINIMUM CLEAR DIMENSION OF 450mm
- RE = RODDING EYE
- CMD = CARBON MONOXIDE DETECTOR
- II = INSULATED CAVITY CLOSER
- EJ = EXPANSION JOINT IN MASONRY, SEALED BOTH SIDES, SET TIES AT 225mm VERTICAL CENTRES
- FD30SC = 30 MINUTE FIRE RESISTANT DOOR SELF CLOSING WITH SMOKE AND INTUMESCENT SEALS
- EML = EMERGENCY LIGHTS
- BC = BREAK GLASS FIRE ALARM POINT




PROPOSED FRONT ELEVATION (1:100)




PROPOSED RHS ELEVATION (1:100)




PROPOSED REAR ELEVATION (1:100)



PROPOSED SECTION A-A (1:50)



PROPOSED LHS ELEVATION (1:100)



PROPOSED STREET SCENE (1:200)

REVISIONS	DATE	
H	DRAWING UPDATED	SEP 23
C	CLIENTS COMMENTS	MAR 22
F	CLIENTS COMMENTS	MAR 22
E	SCHEME REVISED	MAR 22
D	SCHEME REVISED	JAN 22
C	SCHEME REVISED	AUG 21
B	UPDATED FOR BUILDING REGULATIONS	FEB 21
A	CLIENTS COMMENTS	FEB 21

MORTON & HALL CONSULTING LIMITED
CONSULTING STRUCTURAL ENGINEERS

1 Gordon Avenue, North, Cambridgeshire, PE15 8AJ
Tel: 01354 655454
Fax: 01354 660467
E-mail: info@mortonandhall.co.uk
Website: www.mortonandhall.co.uk

Member of Fenland District Council Building Design Awards
winner Building Excellence in Fenland

CLIENT
Chatteris Town Council

PROJECT
Chatteris Town Hall
14 Church Lane
Chatteris
PE16 6JA

TITLE
Proposed Arrangement

DRAWN	R.Papworth	DATE OF ISSUE	
CHECKED		DRAWING NUMBER	H7402/02H
DATE	Feb 2021	SCALE	As Shown