

Quote Number: ETF38409

Customer Reference: HAYWOOD **As Standard**

Quote Date: 18/10/2023

Frame No: 1 Qty: 1 Int Foil/Wht Window

Location: Window 1


Frame Specification:

- Win Handle: Inline Handle Chrome
- Win Hinge: Standard Hinges
- Win Lock: Kenrick Espag
- Frame Finish1: Anthracite Grey/White
- Frame Finish2: Chamfered Profile
- Cill: 150mm Cill Foil/Wt
- Beading: 28mm Co Ex Ovolo Bead White
- Drainage: Concealed
- Reinforcing: Std Thermal Foils

Additional Frame Details:

4000 T/Vent White/Grey

Sash



Glazing:

4/20/4 Low Iron/Soft coat Super Sp,

Dimensions:

Overall Size: 2138 x 1265
 Actual Frame Size: 2138 x 1235

Frame No: 2 Qty: 1 Int Foil/Wht Window

Location: Window 2


Frame Specification:

- Win Handle: Inline Handle Chrome
- Win Hinge: Standard Hinges
- Win Lock: Kenrick Espag
- Frame Finish1: Anthracite Grey/White
- Frame Finish2: Chamfered Profile
- Cill: 150mm Cill Foil/Wt
- Beading: 28mm Co Ex Ovolo Bead White
- Drainage: Concealed
- Reinforcing: Std Thermal Foils

Additional Frame Details:

4000 T/Vent White/Grey

Sash



Glazing:

4/20/4 Low Iron/Soft coat Super Sp,

Dimensions:

Overall Size: 1960 x 1170
 Actual Frame Size: 1960 x 1140

Frame No: 3 Qty: 1 Int Foil/Wht Window

Location: Window 3


Frame Specification:

- Win Handle: Inline Handle Chrome
- Win Hinge: Standard Hinges
- Win Lock: Kenrick Espag
- Frame Finish1: Anthracite Grey/White
- Frame Finish2: Chamfered Profile
- Cill: 150mm Cill Foil/Wt
- Beading: 28mm Co Ex Ovolo Bead White
- Drainage: Concealed
- Reinforcing: Std Thermal Foils

Additional Frame Details:

4000 T/Vent White/Grey

Sash



Glazing:

4/20/4 Low Iron/Soft coat Super Sp,
 4/20/4 Low Iron TUF Softcoat Super Sp,

Dimensions:

Overall Size: 1165 x 1995
 Actual Frame Size: 1165 x 1965



All together better

Quotation

EUROCELL LIVINGSTON
BLOCK 1-4/5 HUNTING PARK, HOUSTON
IND EST., LIVINGSTON, EH54 5QS
07875 394815


Quote Number: ETF38409

Customer Reference: HAYWOOD **AD7 As Standard**

Quote Date: 18/10/2023

Frame No: 4 Qty: 1 Int Foil/Wht Window

Location: Window 4



Frame Specification:

Win Handle: Inline Handle Chrome
Win Hinge: Standard Hinges
Win Lock: Kenrick Espag
Frame Finish1: Anthracite Grey/White
Frame Finish2: Chamfered Profile
Cill: 150mm Cill Foil/Wt
Beading: 28mm Co Ex Ovolo Bead White
Drainage: Concealed
Reinforcing: Std Thermal Foils

Additional Frame Details:

4000 T/Vent White/Grey

Sash

Glazing:


4/20/4 Low Iron/Soft coat Super Sp,
4/20/4 Low Iron TUF Softcoat Super Sp,

Dimensions:

Overall Size: 1165 x 2015
Actual Frame Size: 1165 x 1985

Frame No: 5 Qty: 1 Int Foil/Wht Window

Location: Window 5



Frame Specification:

Win Handle: Inline Handle Chrome
Win Hinge: Standard Hinges
Win Lock: Kenrick Espag
Frame Finish1: Anthracite Grey/White
Frame Finish2: Chamfered Profile
Cill: 150mm Cill Foil/Wt
Beading: 28mm Co Ex Ovolo Bead White
Drainage: Concealed
Reinforcing: Std Thermal Foils

Additional Frame Details:

4000 T/Vent White/Grey

Sash

Glazing:


4/20/4 Low Iron/Soft coat Super Sp,
4/20/4 Low Iron TUF Softcoat Super Sp,

Dimensions:

Overall Size: 1225 x 2047
Actual Frame Size: 1225 x 2017

Frame No: 6 Qty: 1 Int Foil/Wht Window

Location: Window 6



Frame Specification:

Win Handle: Inline Handle Chrome
Win Hinge: Standard Hinges
Win Lock: Kenrick Espag
Frame Finish1: Anthracite Grey/White
Frame Finish2: Chamfered Profile
Cill: 150mm Cill Foil/Wt
Beading: 28mm Co Ex Ovolo Bead White
Drainage: Concealed
Reinforcing: Std Thermal Foils

Additional Frame Details:

4000 T/Vent White/Grey

Sash

Glazing:

4/20/4 Low Iron/Soft coat Super Sp,
4/20/4 Low Iron TUF Softcoat Super Sp,

Dimensions:

Overall Size: 1215 x 2040
Actual Frame Size: 1215 x 2010


Quote Number: ETF38409

Customer Reference: HAYWOOD-7 As Standard

Quote Date: 18/10/2023

Frame No: 7 Qty: 1 Int Foil/Wht Window

Location: Window 7



Frame Specification:

- Win Handle: Inline Handle Chrome
- Win Hinge: Standard Hinges
- Win Lock: Kenrick Espag
- Frame Finish1: Anthracite Grey/White
- Frame Finish2: Chamfered Profile
- Cill: 150mm Cill Foil/Wt
- Beading: 28mm Co Ex Ovolo Bead White
- Drainage: Concealed
- Reinforcing: Std Thermal Foils

Additional Frame Details:

4000 T/Vent White/Grey

Sash

Glazing:


- 4/20/4 Low Iron/Soft coat Super Sp,
- 4/20/4 Low Iron TUF Softcoat Super Sp,

Dimensions:

Overall Size: 965 x 2010
 Actual Frame Size: 965 x 1980

Frame No: 8 Qty: 1 Int Foil/Wht Window

Location: OVERSIZED SASH



Frame Specification:

- Win Handle: Inline Handle Chrome
- Win Hinge: Standard Hinges
- Win Lock: Kenrick Espag
- Frame Finish1: Anthracite Grey/White
- Frame Finish2: Chamfered Profile
- Cill: 150mm Cill Foil/Wt
- Beading: 28mm Co Ex Ovolo Bead White
- Drainage: Concealed
- Reinforcing: Std Thermal Foils

Additional Frame Details:

4000 T/Vent White/Grey

Sash

Glazing:


- 4/20/4 Low Iron/Soft coat Super Sp,

Dimensions:

Overall Size: 1300 x 1245
 Actual Frame Size: 1300 x 1215

Frame No: 9 Qty: 1 Int Foil/Wht Window

Location: Window 9



Frame Specification:

- Win Handle: Inline Handle Chrome
- Win Hinge: Standard Hinges
- Win Lock: Kenrick Espag
- Frame Finish1: Anthracite Grey/White
- Frame Finish2: Chamfered Profile
- Cill: 150mm Cill Foil/Wt
- Beading: 28mm Co Ex Ovolo Bead White
- Drainage: Concealed
- Reinforcing: Std Thermal Foils

Additional Frame Details:

4000 T/Vent White/Grey

Sash

Glazing:

- 4/20/4 Low Iron/Soft coat Super Sp,

Dimensions:

Overall Size: 700 x 1250
 Actual Frame Size: 700 x 1220



All together better

Quotation


EUROCELL LIVINGSTON
BLOCK 1-4/5 HUNTING PARK, HOUSTON
IND EST., LIVINGSTON, EH54 5QS
07875 394815

Quote Number: ETF38409

Customer Reference: HAYWOOD 7 As Standard

Quote Date: 18/10/2023

Frame No: 10 Qty: 1 French Door Open In Foil/Wht- Int Glazed Location: FRENCH DOORS



Frame Specification:

- Door Handle: Lever Lever Chrome x2
- Door Hinge: Patriot Flag Hinge White x3
- Door Lock: French Door Lock + Slave
- Frame Finish1: Anthracite Grey/White
- Frame Finish2: Chamfered Profile
- Cill: 150mm Cill Foil/Wt
- Beading: 28mm Co Ex Ovolo Bead White
- Drainage: Concealed
- Reinforcing: Door (Thermal/Steel)

Additional Frame Details:

- 126 Ali F/E Reinforcing
- 50mm Frame Ext Anthracite Grey/White
- 126 Ali F/E Reinforcing
- 50mm Frame Ext Anthracite Grey/White
- 4000 T/Vent White/Grey
- 4000 T/Vent White/Grey

Left
Left
Right
Right
Sash
Sash


Glazing:

4/20/4 Low Iron TUF Softcoat Super Sp,

Dimensions:

Overall Size: 2080 x 2070
Actual Frame Size: 1980 x 2040

Frame No: 11 Qty: 1 Resi Door Open In Foil/Wht - Int Glazed Location: DOOR



Frame Specification:

- Door Handle: Lever Lever Chrome
- Door Hinge: Patriot Flag Hinge White x3
- Door Lock: Resi Door Lock
- Frame Finish1: Anthracite Grey/White
- Frame Finish2: Chamfered Profile
- Cill: 150mm Cill Foil/Wt
- Beading: 28mm Co Ex Ovolo Bead White
- Drainage: Concealed
- Reinforcing: Door (Thermal/Steel)


Additional Frame Details:

Dimensions:

Door Panel Windsor 4 Bevel Cluster (DB) Anthracite Grey/White 4mm MDF Full Panel + Con

Overall Size: 900 x 2170
Actual Frame Size: 900 x 2140

Frame No: 12 Qty: 1 French Door Open In Foil/Wht- Int Glazed Location: FRENCH DOOR



Frame Specification:

- Door Handle: Lever Lever Chrome x2
- Door Hinge: Patriot Flag Hinge White x3
- Door Lock: French Door Lock + Slave
- Frame Finish1: Anthracite Grey/White
- Frame Finish2: Chamfered Profile
- Cill: 150mm Cill Foil/Wt
- Beading: 28mm Co Ex Ovolo Bead White
- Drainage: Concealed
- Reinforcing: Door (Thermal/Steel)

Additional Frame Details:

- 126 Ali F/E Reinforcing
- 50mm Frame Ext Anthracite Grey/White
- 126 Ali F/E Reinforcing
- 50mm Frame Ext Anthracite Grey/White
- 4000 T/Vent White/Grey
- 4000 T/Vent White/Grey

Left
Left
Right
Right
Sash
Sash

Glazing:

4/20/4 Low Iron TUF Softcoat Super Sp,

Dimensions:

Overall Size: 2080 x 2060
Actual Frame Size: 1980 x 2030



All together better

Quotation

EUROCELL LIVINGSTON
BLOCK 1-4/5 HUNTING PARK, HOUSTON
IND EST., LIVINGSTON, EH54 5QS
07875 394815


Quote Number: ETF38409

Customer Reference: HAYWOOD ~~AD7~~ As Standard

Quote Date: 18/10/2023

Frame No: 13 Qty: 1 Resi Door Open In Foil/Wht - Int Glazed

Location: DOOR



Frame Specification:

- Door Handle: Lever Lever Chrome
- Door Hinge: Patriot Flag Hinge White x3
- Door Lock: Resi Door Lock
- Frame Finish1: Anthracite Grey/White
- Frame Finish2: Chamfered Profile
- Cill: 150mm Cill Foil/Wt
- Beading: 28mm Co Ex Ovolo Bead White
- Drainage: Concealed
- Reinforcing: Door (Thermal/Steel)

Additional Frame Details:

Glazing:


Door Panel Windsor 4 Bevel Cluster (DB) Anthracite Grey/White 4mm MDF Full Panel + Con

Dimensions:

Overall Size: 955 x 2000
Actual Frame Size: 955 x 1970

Frame No: 14 Qty: 1 Int Foil/Wht Window

Location: Window 14



Frame Specification:

- Win Handle: Inline Handle Chrome
- Win Hinge: Standard Hinges
- Win Lock: Kenrick Espag
- Frame Finish1: Anthracite Grey/White
- Frame Finish2: Chamfered Profile
- Cill: 150mm Cill Foil/Wt
- Beading: 28mm Co Ex Ovolo Bead White
- Drainage: Concealed
- Reinforcing: Std Thermal Foils

Additional Frame Details:

4000 T/Vent White/Grey

Sash

Glazing:


4/20/4 Obs Softcoat Sandblast Super Sp.

Dimensions:

Overall Size: 735 x 780
Actual Frame Size: 735 x 750

Frame No: 15 Qty: 1 Int Foil/Wht Window

Location: Window 15



Frame Specification:

- Win Handle: Inline Handle Chrome
- Win Hinge: Standard Hinges
- Win Lock: Kenrick Espag
- Frame Finish1: Anthracite Grey/White
- Frame Finish2: Chamfered Profile
- Cill: 150mm Cill Foil/Wt
- Beading: 28mm Co Ex Ovolo Bead White
- Drainage: Concealed
- Reinforcing: Std Thermal Foils

Additional Frame Details:

4000 T/Vent White/Grey

Sash

Glazing:

4/20/4 Obs Softcoat Sandblast Super Sp.

Dimensions:

Overall Size: 970 x 780
Actual Frame Size: 970 x 750



All together better

Quotation

EUROCELL LIVINGSTON
BLOCK 1-4/5 HUNTING PARK, HOUSTON
IND EST., LIVINGSTON, EH54 5QS
07875 394815


Quote Number: ETF38409

Customer Reference: HAYWOOD ~~AD~~ **7 As Standard**

Quote Date: 18/10/2023

Frame No: 16 Qty: 1 Int Foil/Wht Window

Location: Flag 1:1:1



Frame Specification:

Win Handle: Inline Handle Chrome
Win Hinge: Standard Hinges
Win Lock: Kenrick Espag
Frame Finish1: Anthracite Grey/White
Frame Finish2: Chamfered Profile
Cill: 150mm Cill Foil/Wt
Beading: 28mm Co Ex Ovolo Bead White
Drainage: Concealed
Reinforcing: Std Thermal Foils

Additional Frame Details:

4000 T/Vent White/Grey

Sash

Glazing:


4/20/4 Low Iron/Soft coat Super Sp,
4/20/4 Low Iron TUF Softcoat Super Sp,

Dimensions:

Overall Size: 1071 x 2005
Actual Frame Size: 1071 x 1975

Frame No: 17 Qty: 1 Int Foil/Wht Window

Location: Flag 1:2:1



Frame Specification:

Frame Finish1: Anthracite Grey/White
Frame Finish2: Chamfered Profile
Cill: 150mm Cill Foil/Wt
Beading: 28mm Co Ex Ovolo Bead White
Drainage: Concealed
Reinforcing: Std Thermal Foils

Additional Frame Details:

Glazing:


4/20/4 Low Iron TUF Softcoat Super Sp,

Dimensions:

Overall Size: 2143 x 2005
Actual Frame Size: 2143 x 1975

Frame No: 18 Qty: 1 Int Foil/Wht Window

Location: Flag 1:3:1



Frame Specification:

Win Handle: Inline Handle Chrome
Win Hinge: Standard Hinges
Win Lock: Kenrick Espag
Frame Finish1: Anthracite Grey/White
Frame Finish2: Chamfered Profile
Cill: 150mm Cill Foil/Wt
Beading: 28mm Co Ex Ovolo Bead White
Drainage: Concealed
Reinforcing: Std Thermal Foils

Additional Frame Details:

4000 T/Vent White/Grey

Sash

Glazing:

4/20/4 Low Iron/Soft coat Super Sp,
4/20/4 Low Iron TUF Softcoat Super Sp,

Dimensions:

Overall Size: 1071 x 2005
Actual Frame Size: 1071 x 1975



All together better

Quotation

EUROCELL LIVINGSTON
BLOCK 1-4/5 HUNTING PARK, HOUSTON
IND EST., LIVINGSTON, EH54 5QS
07875 394815


Quote Number: ETF38409

Customer Reference: HAYWOOD ~~AD-7~~ As Standard

Quote Date: 18/10/2023

Frame No: 19 Qty: 1 Int Foil/Wht Window

Location: Window 19



Frame Specification:

- Win Handle: Inline Handle Chrome
- Win Hinge: Standard Hinges
- Win Lock: Kenrick Espag
- Frame Finish1: Anthracite Grey/White
- Frame Finish2: Chamfered Profile
- Cill: 150mm Cill Foil/Wt
- Beading: 28mm Co Ex Ovolo Bead White
- Drainage: Concealed
- Reinforcing: Std Thermal Foils

Additional Frame Details:

4000 T/Vent White/Grey

Sash

Glazing:


4/20/4 Low Iron/Soft coat Super Sp,

Dimensions:

Overall Size: 950 x 1240
Actual Frame Size: 950 x 1210

Frame No: 20 Qty: 1 Resi Door Open In Foil/Wht - Int Glazed

Location: DOOR



Frame Specification:

- Door Handle: Lever Lever Chrome
- Door Hinge: Patriot Flag Hinge White x3
- Door Lock: Resi Door Lock
- Frame Finish1: Anthracite Grey/White
- Frame Finish2: Chamfered Profile
- Cill: 150mm Cill Foil/Wt
- Beading: 28mm Co Ex Ovolo Bead White
- Drainage: Concealed
- Reinforcing: Door (Thermal/Steel)

Additional Frame Details:

Glazing:

28mm Flat Panel Grey/White

Dimensions:

Overall Size: 930 x 1985
Actual Frame Size: 930 x 1955

Bays

| Flag 1 | Description | Qty | Length (mm) |
|---------|----------------------------------|-----|-------------|
| Qty : 1 | Structural Coupler | 2 | 1975 |
| | T Capping Wh | 4 | 1975 |
| | 10mm Joint | 2 | 1975 |
| | 150mm Cill Anthracite Grey/White | 1 | 4406 |

Total:



Please Sign.....