



Great Budbridge Manor  
Merstone  
Newport  
Isle of Wight  
PO30 3DH

Friday 1<sup>st</sup> September 2023

FAO: Mr Piers Verey

**Re: Phase II Site Investigation at Merston Valley Nursery, Main Road Merston, PO30 3DE**

A site investigation was undertaken in line with the proposals of Phase I Desk Study (reference 18-09-04 Revision 1). The aim of the investigation was to determine if the adjoining tanks have impacted on site soils. The investigation comprised of the excavation of two trial trenches along the boundary adjacent to the subject tanks.

The fieldwork was undertaken on the 7<sup>th</sup> August 2023, the site investigation layout and detailed trial pit section sheets; along with chemical test certificate is attached. The trial trench on the northern boundary of the boiler house was split two sections (TT102A and TT102B to avoid services in that area).

**General Sequence**

TT101 was undertaken within the glass house on the eastern boundary of the tanks. The sequence encountered was brown/orange/red SAND to termination depth of 0.80mbgl.

TT102A was undertaken on the northern boundary of-the boiler house. The strata encountered were grassed brown sandy TOPSOIL with occasional brick and timber (MADE GROUND) to 0.20mbgl. This was underlain with brown/orange/red SAND to 0.80mbgl.

TT102B was grassed brown TOPSOIL to 0.02mbgl over CONCRETE to 0.25mbgl. Brown silty gravelly SAND (gravel was chalk) was then encountered to termination depth of 0.80mbgl.

TT102 was slightly shorter in length than proposed to avoid damaging services. TT102 is described above as A and B as the western half of the trial pit was surfaced with thin layer of grassed topsoil over concrete. The eastern half of the trench did not contain concrete.

**Chemical Laboratory Testing**

Representative samples recovered during the site investigation were dispatched daily under their 'Chain of Custody' protocols to the Environmental Laboratory Limited (a UKAS and MCERTS accredited laboratory).

**Head Office:**

Ropewalks  
301 Tea Factory  
St Peters Square  
Fleet Street  
Liverpool, L1 4DQ  
Tel: 0151 521 2539  
Fax: 0151 909 3661

**Demeter Environmental Ltd**

Registered in England and Wales: 7010088  
VAT Registration Number: 158 1690 89



**Brighton Office:**

Gemini House  
136-140 Old Shoreham Road  
Brighton  
East Sussex  
BN3 7BD  
Tel: 01273 741 629



Six subsamples of soil were analysed for Hydrocarbons (TPHCWG), VOC's, SVOC's.

### **Assessment of Potential Pollution Linkages**

The chemical test certificate is attached, all TPHCWG fractions were below the limit of detection.

All results from the VOC suite were below the limit of detection and no TIC compounds were detected.

Whilst all results from the SVOC were below the limit of detection a number of TIC compounds were identified at concentrations above the limit of detection, namely:

Sample Location		TT101A	TT101B	TT101C	TT102A	TT102B	TT102C
Sample Depth (m)		0.50	0.40	0.55	0.40	0.40	0.50
2-Propanol, 1,1'-oxybis-	mg/kg	1.35	0.37	-	0.48	-	1.25
1-Propanol, 2-(2-hydroxypropoxy)-	mg/kg	1.92	-	-	0.99	1.06	2.38
Caprolactam	mg/kg	2.93	0.77	-0.62	1.71	1.23	3.12
Acetyl valeryl	mg/kg	-	-	0.09	-	-	-
Pentane, 2-isocyano-2,4,4-trimethyl-	mg/kg	-	-	-	0.35	-	-
Triacetin	mg/kg	-	-	-	-	-	0.13

A literature review of the six chemicals did not identify any connection with them and toxicological data was limited to caprolactam where the Oral TDI of 500ug/kg bw/day was given on the IRIS database.

No fate and transport data could be sourced for caprolactam and based on the relatively high TDI the concentrations the samples are unlikely to represent a risk to human health.

Based on the above the tanks have not impacted site soils and the site is suitable for use, however it is advised that as part of the development once Plot 6 is cleared that additional samples of the exposed soils are taken to ensure that the SVOC's are limited to the western boundary of Plot 6.

If you have any queries, please do not hesitate to contact the undersigned.

Yours sincerely,

**Paul Hadjikyriacou MPhil MPhys MRes(Contaminated Land Management) MInstP**

Demeter Environmental Ltd  
Liverpool Office:  
Hanover House  
Hanover Street  
Liverpool  
L1 3DZ

Tel: 0151 521 2539  
Fax: 0151 909 3661

Brighton Office:  
Gemini House  
136-140 Old Shoreham Road  
Brighton, East Sussex  
BN3 7BD  
Tel: 01273 741 727


Email: [enquiries@demeter-environmental.co.uk](mailto:enquiries@demeter-environmental.co.uk)

Drawing 1

Site Name: Former Merstone  
Valley Nurseries

Site Location

Scale: 1:10,000 at A4







Demeter Environmental Ltd  
Liverpool Office:  
Hanover House  
Hanover Street  
Liverpool  
L1 3DZ

Tel: 0151 521 2539  
Fax: 0151 909 3661

Brighton Office:  
Gemini House  
136-140 Old Shoreham Road  
Brighton, East Sussex  
BN3 7BD  
Tel: 01273 741 727

Email: [enquiries@demeter-environmental.co.uk](mailto:enquiries@demeter-environmental.co.uk)


Drawing: 2

Site Name: Former Merstone  
Valley Nurseries

Aerial Plate

Scale: 1:2,500 at A4





**Demeter Environmental Ltd**  
**Liverpool Office:**  
 Hanover House  
 Hanover Street  
 Liverpool  
 L1 3DZ  
 Tel: 0151 521 2539  
 Fax: 0151 909 3661  
**Brighton Office:**  
 Gemini House  
 136-140 Old Shoreham Road  
 Brighton, East Sussex  
 BN3 7BD  
 Tel: 01273 741 727  
 Email: enquiries@demeter-environmental.co.uk

Drawing 3

Merstone Valley Nursery


Scale: 1:500 at A3

Site Investigation layout - August 2023




NOTES:

1. If in doubt ask
2. Written dimensions to be used only
3. This drawing is confidential and remains the exclusive property of ACORUS.
4. Do not copy unless authorised.



LOCATION PLAN  
Scale 1:1250



BLOCK PLAN  
Scale 1:500

EXISTING VEHICULAR ACCESS WITH MINIMUM 45m VISIBILITY SPLAY IN EACH DIRECTION

NO OBSTRUCTIONS ABOVE 600MM ABOVE ROAD LEVEL WITHIN VISIBILITY SPLAY SHOWN - ANY HEDGES AND SHRUBS TO BE MAINTAINED AND/OR REMOVED AS AGREED WITH LAND OWNER

BARNs TO BE CONVERTED TO RESIDENTIAL DWELLINGS AS APPROVED UNDER SEPARATE APPLICATION

EXISTING STABLES AND OFFICE BUILDINGS TO BE REMOVED


TURNING AREA

6 No PROPOSED DWELLINGS

EXISTING GLASSHOUSES TO BE DEMOLISHED

BARNs TO BE CONVERTED TO RESIDENTIAL DWELLINGS AS APPROVED UNDER SEPARATE APPLICATION

EXISTING BOILER HOUSES, OIL TANKS AND CHIMNEYS TO BE REMOVED



Rev.	Date	Amendment	Drawn	Checked
D	31.05.18	Annotations amended as per client comment	NM	LG
C	30.05.18	Details added as per client comment	NM	LG
B	29.05.18	Details added as per client comment	NM	LG
A	22.05.18	Site layout amended as per consultant comment	NM	LG

PROJECT  
Mr P Verey  
Merstone Valley Nursery, Merstone,  
Isle of Wight, PO30 3DE

TITLE  
Proposed New Dwellings  
Site Location Plan & Block Plan

SCALE: \_\_\_\_\_ DATE: \_\_\_\_\_ DRAWN BY: \_\_\_\_\_ CHECKED BY: \_\_\_\_\_




AS SHOWN @A1 April '18 NM LG



JOB NO. LG/BURY/VEREY DRAWING NO. 200-01 REVISION D

**acorus**  
rural property services





**RICS** www.acorus.co.uk  
© ACORUS Rural Property Services Ltd.

PLANNING ISSUE

				<b>TRIAL PIT LOG</b>	TRIAL PIT NO. TT101 Sheet 1 of 1		
CLIENT Mr Piers Verey				SITE Former Merestone Valley Nurseries			
DATE OF FIELDWORK 07/08/23-07/08/23		SCALE 1:25	LEVEL/POSITION See location plan		LOGGED BY DH	JOB NO. 23-07-06	
PIT DIMENSIONS A/C : 5.00 B/D : 1.00		DEPTH	FACE A	FACE B	FACE C	FACE D	
ORIENTATION							
 <p>Orientation</p>							
FACE AND POSITION LOGGED All							
SAMPLE AND TEST RECORD		DEPTH	DESCRIPTION OF STRATUM (thickness)			STRATUM NO.	WATER DEPTH
DEPTH	TYPE	RESULT					
 0.40 0.50 0.55	JAR JAR JAR		0.80	Brown/orange/red SAND			
				TRIAL TRENCH TERMINATED			
GROUNDWATER INFORMATION			EXCAVATION METHOD AND REMARKS				
DEPTH STRUCK	ELAPSED TIME	WATER LEVEL	REMARKS ON GROUNDWATER				
NS			TRIAL TRECH DRY				
			Tracked excavator				

				<b>TRIAL PIT LOG</b>		TRIAL PIT NO. TT102A	
CLIENT Mr Piers Verey				SITE Former Merestone Valley Nurseries			
DATE OF FIELDWORK 07/08/23-07/08/23		SCALE 1:25	LEVEL/POSITION See location plan			LOGGED BY DH	JOB NO. 23-07-06
PIT DIMENSIONS A/C : 2.00 B/D : 1.00		DEPTH	FACE A	FACE B	FACE C	FACE D	
ORIENTATION		0.20					
 <p>Orientation</p>							
FACE AND POSITION LOGGED All							
SAMPLE AND TEST RECORD			DEPTH	DESCRIPTION OF STRATUM (thickness)	STRATUM NO.	WATER DEPTH	
DEPTH	TYPE	RESULT					
0.40	JAR		0.20	Grassed brown sandy TOPSOIL with occasional timber and brick. (MADE GROUND). (0.20)			
			0.80	Brown/orange/red SAND			
				TRIAL TRENCH TERMINATED			
GROUNDWATER INFORMATION				EXCAVATION METHOD AND REMARKS			
DEPTH STRUCK	ELAPSED TIME	WATER LEVEL	REMARKS ON GROUNDWATER				
NS			TRIAL TRECH DRY				
				Tracked excavator			



				<b>TRIAL PIT LOG</b>	TRIAL PIT NO. TT102B Sheet 1 of 1		
CLIENT Mr Piers Verey				SITE Former Merestone Valley Nurseries			
DATE OF FIELDWORK 07/08/23-07/08/23		SCALE 1:25	LEVEL/POSITION See location plan		LOGGED BY DH	JOB NO. 23-07-06	
PIT DIMENSIONS A/C : 3.00 B/D : 1.00		DEPTH 0.02	FACE A	FACE B	FACE C	FACE D	
ORIENTATION		0.25					
 <p>Orientation</p>							
FACE AND POSITION LOGGED All							
SAMPLE AND TEST RECORD		DEPTH	DESCRIPTION OF STRATUM (thickness)			STRATUM NO.	WATER DEPTH
DEPTH	TYPE						
0.40 0.50	JAR JAR	0.02	Grassed brown sandy TOPSOIL (MADE GROUND). (0.02) CONCRETE (0.23)				
		0.25	Brown/orange/red silty gravelly SAND. Gravels are chalk.				
		0.80	TRIAL TRENCH TERMINATED				
GROUNDWATER INFORMATION			EXCAVATION METHOD AND REMARKS Tracked excavator				
DEPTH STRUCK	ELAPSED TIME	WATER LEVEL					REMARKS ON GROUNDWATER
NS							TRIAL TRECH DRY



Unit A2  
Windmill Road  
Ponswood Industrial Estate  
St Leonards on Sea  
East Sussex  
TN38 9BY  
Telephone: (01424) 718618

[cs@elab-uk.co.uk](mailto:cs@elab-uk.co.uk)  
[info@elab-uk.co.uk](mailto:info@elab-uk.co.uk)

---

THE ENVIRONMENTAL LABORATORY LTD

---

**Analytical Report Number:** 23-49499

**Issue:** 1

**Date of Issue:** 17/08/2023

**Contact:** Paul Hadjikyriacou

**Customer Details:** Demeter Environmental Limited  
301 Tea Factory  
St Peters Square  
Liverpool  
L1 4DQ

**Quotation No:** Q22-03523

**Order No:** 23-07-06-01

**Customer Reference:** 23-07-06

**Date Received:** 10/08/2023

**Date Approved:** 17/08/2023

**Details:** Former Merstone Vallev Nurseries

**Approved by:** 

Graham Knight, Lab Manager

---

Any comments, opinions or interpretations expressed herein are outside the scope of UKAS accreditation (Accreditation Number 2683)

---

This report may only be reproduced in full

---

---





## Sample Summary

Report No.: 23-49499, issue number 1

Elab No.	Client's Ref.	Date Sampled	Date Scheduled	Description	Deviations
334266	TT101A 1 0.50	07/08/2023	10/08/2023	Silty loam	
334267	TT101B 2 0.40	07/08/2023	10/08/2023	Silty loam	
334268	TT101C 3 0.55	07/08/2023	10/08/2023	Silty loam	
334269	TT102A 4 0.40	07/08/2023	10/08/2023	Sandy silty loam	
334270	TT102B 5 0.40	07/08/2023	10/08/2023	Sandy silty loam	
334271	TT102C 6 0.50	07/08/2023	10/08/2023	Sandy silty loam	

## Results Summary

Report No.: 23-49499, issue number 1

				ELAB Reference	334266	334267	334268	334269	334270	334271
				Customer Reference	1	2	3	4	5	6
				Sample ID						
				Sample Type	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
				Sample Location	TT101A	TT101B	TT101C	TT102A	TT102B	TT102C
				Sample Depth (m)	0.50	0.40	0.55	0.40	0.40	0.50
				Sampling Date	07/08/2023	07/08/2023	07/08/2023	07/08/2023	07/08/2023	07/08/2023
Determinand	Codes	Units	LOD							
<b>Soil sample preparation parameters</b>										
Moisture Content	N	%	0.1	12.2	12.6	12.5	12.8	13.2	13.3	
Material removed	N	%	0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Description of Inert material removed	N		0	None	None	None	None	None	None	None
<b>Miscellaneous</b>										
Soil Organic Matter	U	%	0.1	0.7	0.7	0.8	0.7	0.7	0.8	
<b>BTEX</b>										
Benzene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Toluene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Ethylbenzene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Xylenes	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
MTBE	U	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
<b>TPH CWG</b>										
>C5-C6 Aliphatic (HS_1D_MS)	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
>C6-C8 Aliphatic (HS_1D_MS)	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
>C8-C10 Aliphatic (EH_CU_1D_AL)	N	mg/kg	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
>C10-C12 Aliphatic (EH_CU_1D_AL)	N	mg/kg	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
>C12-C16 Aliphatic (EH_CU_1D_AL)	N	mg/kg	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
>C16-C21 Aliphatic (EH_CU_1D_AL)	N	mg/kg	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
>C21-C35 Aliphatic (EH_CU_1D_AL)	N	mg/kg	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
>C35-C40 Aliphatic (EH_CU_1D_AL)	N	mg/kg	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total (>C5-C40) Aliphatic (HS_1D_MS+EH_CU_1D_AL)	N	mg/kg	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
>C5-C7 Aromatic (HS_1D_MS)	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
>C7-C8 Aromatic (HS_1D_MS)	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
>C8-C10 Aromatic (EH_CU_1D_AR)	N	mg/kg	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
>C10-C12 Aromatic (EH_CU_1D_AR)	N	mg/kg	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
>C12-C16 Aromatic (EH_CU_1D_AR)	N	mg/kg	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
>C16-C21 Aromatic (EH_CU_1D_AR)	N	mg/kg	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
>C21-C35 Aromatic (EH_CU_1D_AR)	N	mg/kg	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
>C35-C40 Aromatic (EH_CU_1D_AR)	N	mg/kg	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total (>C5-C40) Aromatic (HS_1D_MS+EH_CU_1D_AR)	N	mg/kg	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total (>C5-C40) Ali/Aro (HS_1D_MS+EH_CU_1D_Total)	N	mg/kg	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0



## Results Summary

Report No.: 23-49499, issue number 1

				ELAB Reference	334266	334267	334268	334269	334270	334271
				Customer Reference	1	2	3	4	5	6
				Sample ID						
				Sample Type	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
				Sample Location	TT101A	TT101B	TT101C	TT102A	TT102B	TT102C
				Sample Depth (m)	0.50	0.40	0.55	0.40	0.40	0.50
				Sampling Date	07/08/2023	07/08/2023	07/08/2023	07/08/2023	07/08/2023	07/08/2023
Determinand	Codes	Units	LOD							
<b>VOC</b>										
Heptane	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Octane	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Nonane	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Benzene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Toluene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Ethylbenzene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
m+p-xylene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
o-xylene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
cis-1,2-dichloroethene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1,1-Dichloroethane	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Chloroform	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Tetrachloromethane	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1,1,1-Trichloroethane	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Trichloroethylene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Tetrachloroethylene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1,1,1,2-Tetrachloroethane	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1-1-2-2-Tetrachloroethane	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Chlorobenzene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Bromobenzene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Bromodichloromethane	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Methylethylbenzene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1,1-Dichloro-1-propene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Trans - 1-2 -dichloroethylene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
2,2-Dichloropropane	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Bromochloromethane	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1,2-Dichloroethane	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Dibromomethane	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1,2-Dichloropropane	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
cis-1,3-Dichloro-1-propene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
trans-1,3-Dichloro-1-propene	M	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1,1,2-Trichloroethane	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Dibromochloromethane	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1,3-Dichloropropane	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1,2-dibromoethane	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Styrene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Propylbenzene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
2-Chlorotoluene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1,2,4-Trimethylbenzene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
4-Chlorotoluene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
t-butylbenzene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1,3,5-Trimethylbenzene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1-methylpropylbenzene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
p-cymene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1,3-Dichlorobenzene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Butylbenzene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1,2-Dibromo-3-chloropropane	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Hexachlorobutadiene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1-2-3 - Trichlorobenzene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Naphthalene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1-2-4 - Trichlorobenzene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1,4-Dichlorobenzene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
1,2-Dichlorobenzene	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
Bromoform	N	ug/kg	10	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0	< 10.0
<b>VOC TIC</b>										
Various	N	ug/kg	10	None Detected	None Detected	None Detected	None Detected	None Detected	None Detected	None Detected
<b>TIC</b>										

## Results Summary

Report No.: 23-49499, issue number 1

				ELAB Reference	334266	334267	334268	334269	334270	334271
				Customer Reference	1	2	3	4	5	6
				Sample ID						
				Sample Type	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
				Sample Location	TT101A	TT101B	TT101C	TT102A	TT102B	TT102C
				Sample Depth (m)	0.50	0.40	0.55	0.40	0.40	0.50
				Sampling Date	07/08/2023	07/08/2023	07/08/2023	07/08/2023	07/08/2023	07/08/2023
Determinand	Codes	Units	LOD							
<b>SVOC</b>										
Phenol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Aniline	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Bis(2-chloroethyl)ether	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2-Chlorophenol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
1,3-Dichlorobenzene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
1,4-Dichlorobenzene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Benzyl Alcohol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
1,2-Dichlorobenzene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2-Methylphenol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Bis(2-chloroisopropyl)ether	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
3 and 4-methylphenol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
N-Nitrosodi-n-propylamine	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Hexachloroethane	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Nitrobenzene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Isophorone	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2-Nitrophenol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2,4-Dimethylphenol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Bis(2-chloroethoxy)methane	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2,4-Dichlorophenol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
1,3,5-Trichlorobenzene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Naphthalene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
3-Chloroaniline	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Hexachloro-1,3-butadiene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
4-Chloro-3-methylphenol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2-Methylnaphthalene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
1-Methylnaphthalene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Hexachlorocyclopentadiene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2,4,6-Trichlorophenol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2,4,5-Trichlorophenol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
1-Chloronaphthalene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2-Nitroaniline	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
1,4-Dinitrobenzene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Dimethyl phthalate	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
1-3-dinitrobenzene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2-6-dinitrotoluene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Acenaphthylene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
1,2-Dinitrobenzene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
3-Nitroaniline	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Acenaphthene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
4-nitrophenol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Dibenzofuran	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2,3,5,6-Tetrachlorophenol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2,3,4,6-Tetrachlorophenol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Diethyl phthalate	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
1-chloro-4-phenoxybenzene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Fluorene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
4-Nitroaniline	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Dinitro-o-cresol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01



# Results Summary

Report No.: 23-49499, issue number 1

ELAB Reference	334266	334267	334268	334269	334270	334271
Customer Reference	1	2	3	4	5	6
Sample ID						
Sample Type	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
Sample Location	TT101A	TT101B	TT101C	TT102A	TT102B	TT102C
Sample Depth (m)	0.50	0.40	0.55	0.40	0.40	0.50
Sampling Date	07/08/2023	07/08/2023	07/08/2023	07/08/2023	07/08/2023	07/08/2023

Determinand	Codes	Units	LOD						
<b>SVOC</b>									
Diphenylamine	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Azobenzene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
1-bromo-4-phenoxybenzene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Hexachlorobenzene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Pentachlorophenol	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Phenanthrene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Anthracene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Carbazole	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Dibutyl phthalate	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Fluoranthene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Pyrene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Butyl benzyl phthalate	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Bis-2-ethylhexyladipate	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Diisooctyl phthalate	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Benzo(a)anthracene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Chrysene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Bis(2-ethylhexyl)phthalate	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Benzo(b)fluoranthene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Benzo(k)fluoranthene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Benzo(a)pyrene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Indeno(1,2,3-cd)pyrene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Dibenzo(a,h)anthracene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Benzo[g,h,i]perylene	N	mg/kg	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
<b>SVOCTIC</b>									
Various	N	mg/kg	0.01	Y	Y	Y	Y	Y	Y
<b>TIC</b>									
2-Propanol, 1,1'-oxybis-	N	mg/kg	0.01	1.35	-	-	-	-	-
1-Propanol, 2-(2-hydroxypropoxy)-	N	mg/kg	0.01	1.92	-	-	-	-	-
Caprolactam	N	mg/kg	0.01	2.93	-	-	-	-	-
2-Propanol, 1,1'-oxybis-	N	mg/kg	0.01	-	0.37	-	-	-	-
1-Propanol, 2-(2-hydroxypropoxy)-	N	mg/kg	0.01	-	0.77	-	-	-	-
Caprolactam	N	mg/kg	0.01	-	0.78	-	-	-	-
Caprolactam	N	mg/kg	0.01	-	-	0.62	-	-	-
Acetyl valeryl	N	mg/kg	0.01	-	-	0.09	-	-	-
2-Propanol, 1,1'-oxybis-	N	mg/kg	0.01	-	-	-	0.48	-	-
1-Propanol, 2-(2-hydroxypropoxy)-	N	mg/kg	0.01	-	-	-	0.99	-	-
Caprolactam	N	mg/kg	0.01	-	-	-	1.71	-	-
Pentane, 2-isocyano-2,4,4-trimethyl-	N	mg/kg	0.01	-	-	-	0.35	-	-
1-Propanol, 2-(2-hydroxypropoxy)-	N	mg/kg	0.01	-	-	-	-	1.06	-
Caprolactam	N	mg/kg	0.01	-	-	-	-	1.23	-
2-Propanol, 1,1'-oxybis-	N	mg/kg	0.01	-	-	-	-	-	1.25
1-Propanol, 2-(2-hydroxypropoxy)-	N	mg/kg	0.01	-	-	-	-	-	2.38
Caprolactam	N	mg/kg	0.01	-	-	-	-	-	3.12
Triacetin	N	mg/kg	0.01	-	-	-	-	-	0.13



## Method Summary

Report No.: 23-49499, issue number 1

Parameter	Codes	Analysis Undertaken On	Date Tested	Method Number	Technique
<b>Soil</b>					
VOC in solids	M	As submitted sample	14/08/2023		GC-MS
SVOC in solids	N	As submitted sample	14/08/2023	167	GC-MS
Low range Aliphatic hydrocarbons soil	N	As submitted sample	14/08/2023	181	GC-MS
Low range Aromatic hydrocarbons soil	N	As submitted sample	14/08/2023	181	GC-MS
VOC in solids	M	As submitted sample	14/08/2023	181	GC-MS
BTEX in solids	M	As submitted sample	14/08/2023	181A	GC-MS
Aliphatic hydrocarbons in soil	N	As submitted sample	14/08/2023	214	GC-FID
Aliphatic/Aromatic hydrocarbons in soil	N	As submitted sample	15/08/2023	214	GC-FID
Aromatic hydrocarbons in soil	N	As submitted sample	15/08/2023	214	GC-FID
Soil organic matter	U	Air dried sample	17/08/2023	BS1377:P3	Titrimetry

Tests marked N are not UKAS accredited



## Report Information

Report No.: 23-49499, issue number 1

### Key

---

U	hold UKAS accreditation
M	hold MCERTS and UKAS accreditation
N	do not currently hold UKAS accreditation
^	MCERTS accreditation not applicable for sample matrix
*	UKAS accreditation not applicable for sample matrix
S	Subcontracted to approved laboratory UKAS Accredited for the test
SM	Subcontracted to approved laboratory MCERTS/UKAS Accredited for the test
NS	Subcontracted to approved laboratory. UKAS accreditation is not applicable.
I/S	Insufficient Sample
U/S	Unsuitable sample
n/t	Not tested
<	means "less than"
>	means "greater than"
LOD	<p>LOD refers to limit of detection, except in the case of pH soils and pH waters where it means limit of discrimination.</p> <p>Soil sample results are expressed on an air dried basis (dried at &lt; 30°C), and are uncorrected for inert material removed.</p> <p>ELAB are unable to provide an interpretation or opinion on the content of this report. The results relate only to the sample received.</p> <p>PCB congener results may include any coeluting PCBs</p> <p>Uncertainty of measurement for the determinands tested are available upon request Unless otherwise stated, sample information has been provided by the client. This may affect the validity of the results.</p>

### Deviation Codes

---

a	No date of sampling supplied
b	No time of sampling supplied (Waters Only)
c	Sample not received in appropriate containers
d	Sample not received in cooled condition
e	The container has been incorrectly filled
f	Sample age exceeds stability time (sampling to receipt)
g	Sample age exceeds stability time (sampling to analysis)

Where a sample has a deviation code, the applicable test result may be invalid.

### Sample Retention and Disposal

---

All soil samples will be retained for a period of one month  
 All water samples will be retained for 7 days following the date of the test report  
 Charges may apply to extended sample storage

### TPH Classification - HWOL Acronym System

---

HS	Headspace analysis
EH	Extractable Hydrocarbons - i.e. everything extracted by the solvent
CU	Clean-up - e.g. by florisil, silica gel
1D	GC - Single coil gas chromatography
Total	Aliphatics & Aromatics
AL	Aliphatics only
AR	Aromatics only
2D	GC-GC - Double coil gas chromatography
#1	EH_Total but with humics mathematically subtracted
#2	EH_Total but with fatty acids mathematically subtracted
_	Operator - underscore to separate acronyms (exception for +)
+	Operator to indicate cumulative e.g. EH+HS_Total or EH_CU+HS_Total
MS	Mass Spectrometry