

NOTE

Do not scale from this drawing - all dimensions should be checked on site by the contractor prior to construction and discrepancies notified to the architect immediately.

This drawing should be read in conjunction with the architect's drawings, specification and schedules, and those provided by the other consultants.

For information on known hazards and general health & safety issues prior to work on site, reference should be made to the Pre-Construction Health & Safety Pack.

 Fit new Conservation Rooflight CR07-2, (W) 463mm x (L) 622r The Rooflight Company. Replace cement haunchings, fi any concealed flashings with le watergate details to ensure futu water tightness. Renew cement pointing to skew lime mortar. All existing chimney pots / caps removed. Form new escape window from existing sash and case window Bedroom 1. Existing window ca removed and augmented to for unit opening internally to provid unobstructed openable area of 0.65m² with cill level set at app 250mm above finished floor. 	llets and ead ure ws with s to be to arefully m single de approx.
4. Note: Reference should be made to the following enclosed document:	
2571 Ballantruan House, Moray - assessment report (May 2023) v.6, Addyman Archaeology	
Minor amendments further to BS 24. Client comments.	.10.23
	.09.23
	.06.23
TITLE Ballantruan Farmhouse, Moray ENT J. Stewart & M. MacGarvin GENERAL ARRANGEMENT NO. A3 SCALE STATUS 71.00 1:100 LBC JECT ORIGIN ZONE LEVEL TYPE ROLE DRG NO. REV	