



Appendix A - Trees Schedule for Ampney Park - Surveyed 7 November 2022 by DP

Tag No.	Species	Crown Spread Radial m.	Dia @ 1.5 m CM	Height	Comments	Recommendations	Est. remaining contribution	Category Age Class	RPA Radial meters
	Tag 2301-2400				Trees location Rear of main house courtyard, towards ménage	North to east shelterbelt and main parkland			
T 23 01	Beech <i>Fagus Sylvatica</i>	17	78	16	Important landscape tree that receives compaction from machinery access on top of its vulnerable Root Protection Area. Has led to excessive flooding and drought from drainage issues on built up layers of compacted gravel. Some tip dieback noted on south eastern upper canopy	Formulate a site specific method statement (AMS) to facilitate future access usage and positively design into any proposed resurfacing or construction, the preservation of a positive rooting environment in keeping with BS 5873:2012 (RPA - Root Protection Area)	40 plus	A2 M	9.4m
T 23 02	Yew <i>Taxus baccata</i>	15	85	14	Excellent landscape tree within a compacted gravel parking bay. Low branches close to the adjacent roof and significant crown spread located over the off site property	Formulate a site specific method statement (AMS) to facilitate future access usage and positively design into any proposed resurfacing or construction	40 plus	A2 M	10.2m
T 23 03	Yew <i>Taxus baccata</i>	16	50	13	Excellent landscape tree within a compacted gravel parking bay. Good basal epicormic growth, naturally protecting main stem Shallow tree roots noted to be lifting tarmac access road within RPA. The trees one sided form has been affected by the close proximity to the dominant T. 2304 Lime	Formulate a site specific method statement (AMS) to facilitate future access usage and positively design into any proposed resurfacing or construction.	40 plus	B2 M	8.3m
T 23 04	European Lime <i>Tilia x Europea</i>	11	59	20	Narrow drawn up tree with light upright branching. Has been pollarded approximately five years ago. Minor deadwood, basal epicormic growth	Formulate a site specific method statement (AMS) to facilitate future access usage and positively design into any proposed resurfacing or construction	40 plus	B2 M	7.1m
T 23 05	Ash <i>Fraxinus excelsior</i>	18	40	16	One sided canopy leaning to the north across the main entrance driveway.	Inspect in summer 2023 for <i>Hymenoscyphus fraxineus</i> . Review its suitability for retention within the main thoroughfare site entrance	<10	C2 EM	4.8m
T 23 06	Sycamore <i>Acer pseudoplatanus</i>	18	40	14	One sided canopy leaning to the north across the main entrance driveway. Shared canopy with 2307	Reduce crown spread by up to 3m as its one sided canopy overhangs the site entrance	20 plus	B2 EM	4.8m
T 23 07	Sycamore <i>Acer pseudoplatanus</i>	18	40	14	One sided canopy leaning to the north across the main entrance driveway. Historic basal cavity has formed, from removal of former stem. <i>Hypholoma fasciculare</i> noted. Good responsive wound wood	Reduce crown spread by up to 3m, to minimise biomechanics forces placed on cavity at basal union. Monitor decay and inspect annually to review management options	20 plus	C3 EM	4.8m
T 23 08	Yew <i>Taxus baccata</i>	7	80	8	Tree has been topped Good basal epicormic growth	Retain basal epicormic growth and protect within the redevelopment of the site	40 plus	B2 M	9.6m
T 23 09	Sycamore <i>Acer pseudoplatanus</i>	17	60	17	Landscape dominant tree of good physiological and structural condition	Retain and monitor	40 plus	A2 M	7.20m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
Ashley | Wiltshire

|SN13 8AN



Tag No.	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 23 10	Norway Spuce <i>Picea abies</i>	6	50	17	Narrow drawn up tree over shadowed by the more dominant T.2309 Sycamore	Evaluate suitability within the future redevelopment of the site	20 plus	C2 M	6m
T 23 11	Holly <i>Ilex aquifolium</i>	9	28	8	Part of the dense group screening planting that shares a unitary canopy with the adjacent canopies, directly located to the eastern side of the menage building	Evaluate suitability within the future redevelopment of the site	20 plus	C2 EM	3.4m
T 23 12	Holly <i>Ilex aquifolium</i>	9	32	8	As above	Evaluate suitability within the future redevelopment of the site	20 plus	C2 EM	4.2m
T 23 13	Ash <i>Fraxinus excelsior</i>	7	35	16	Part of the dense group screening planting that shares a unitary canopy with the adjacent canopies	Evaluate suitability within the future redevelopment of the site	20 plus	C2 EM	4.2m
T 23 14	Holly <i>Ilex aquifolium</i>	9	35	8	Part of the dense group screening planting that shares a unitary canopy with the adjacent canopies	Evaluate suitability within the future redevelopment of the site	20 plus	C3 EM	4.2m
T 23 15	Holly <i>Ilex aquifolium</i>	9	35	8	Part of the dense group screening planting that shares a unitary canopy with the adjacent canopies	Evaluate suitability within the future redevelopment of the site	20 plus	C3 EM	4.2m
T 23 16	Holly <i>Ilex aquifolium</i>	9	18	6	Part of the dense group screening planting that shares a unitary canopy with the adjacent canopies	Evaluate suitability within the future redevelopment of the site	20 plus	C3 SM	2.2m
T 23 17	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	6	30	13	Part of the dense group screening planting that shares a unitary canopy with the adjacent canopies	Remove or retain as required to facilitate the proposed development	20 plus	C3	3.6m
T 23 18	Sycamore <i>Acer pseudoplatanus</i>	8	30	15	Part of the dense group screening planting that shares a unitary canopy with the adjacent canopies	Evaluate suitability within the future redevelopment of the site	20 plus	C3 EM	3.6m
T 23 19	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	6	50	14	Part of the dense group screening planting that shares a unitary canopy with the adjacent canopies	Remove or retain as required to facilitate the proposed development	20 plus	C3 SM	6m
T 23 20	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	6	55	14	Part of the dense group screening planting that shares a unitary canopy with the adjacent canopies	Evaluate suitability within the future redevelopment of the site	40 plus	C2 EM	6.6m
T 23 21	Wild Pear <i>Pyrus communis</i>	4	20	3	Small native ornamental providing conservation interest	Evaluate suitability within the future redevelopment of the site	10 plus	C3 Y	2.4m
T 23 22	Wych Elm <i>Ulmus glabra</i>	3	23	8	Hedgerow tree	Evaluate suitability within the future redevelopment of the site	20 plus	C2 EM	2.8m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
| Ashley | Wiltshire

|SN13 8AN



Tag No.	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 23 23	Norway Spruce <i>Picea abies</i>	6	50	17	Structurally and physiologically Fair condition	Evaluate suitability within the future redevelopment of the site	20 plus	C2 M	6m
T 23 24	European Lime <i>Tilia x europea</i>	12	70	18	Significant landscape amenity tree in a prominent location ree formed as a singular canopy with adjacent 2325 & 2326	Treat the group of trees as a singular landscape feature		A2 M	8.4m
T 23 25	European Lime <i>Tilia x europea</i>	12	70	18	Significant landscape amenity tree in a prominent location formed as a singular canopy with adjacent 2324 & 2326	Evaluate suitability within the future redevelopment of the site	20 plus	A2 EM	8.4m
T 23 26	European Lime <i>Tilia x europea</i>	12	100 Basal	18	Significant landscape amenity tree in a prominent location formed as a singular canopy with adjacent 2324 & 2325	Treat the group of trees as a singular landscape feature	20 plus	A2 EM	10m
T 23 27	Norway Maple <i>Acer platanoides</i>	7	30	6	Fence line tree. Structurally and physiologically Fair condition	Evaluate suitability within the future redevelopment of the site	20 plus	C3 EM	3.6m
T 23 28	European Lime <i>Tilia x europea</i>	12	70	18	Significant landscape tree Structurally and physiologically good condition	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	8.4m
T 23 29	European Lime <i>Tilia x europea</i>	14	100	20	Significant landscape tree Structurally and physiologically good condition	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	12m
T 23 30	European Lime <i>Tilia x europea</i>	8	55	17	Significant landscape tree Structurally and physiologically good condition	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	6.6m
T 23 31	European Lime <i>Tilia x europea</i>	8	30	15	Significant landscape tree Structurally and physiologically good condition	Retain, protect and exclude from the redevelopment of the site	40 plus	C3 EM	3.6m
T 23 32	European Lime <i>Tilia x europea</i>	12	110	20	Significant landscape tree Structurally and physiologically good condition	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	7.2m
T 23 33	European Lime <i>Tilia x europea</i>	12	90	16	Part of the dense group screening planting that shares a unitary canopy with the adjacent canopies	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	6.6m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
Ashley | Wiltshire

|SN13 8AN



Tag No.	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 23 34	European Lime <i>Tilia x europea</i>	12	80	16	Significant landscape tree Structurally and physiologically good condition	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	9.6m
T 23 35	European Lime <i>Tilia x europea</i>	9	80	18	Significant landscape tree Structurally and physiologically good condition. Bias of crown to the east over the courtyard	Retain, protect and exclude from the redevelopment of the site	40 plus	B2 M	9.6m
T 23 36	European Lime <i>Tilia x europea</i>	18	95	20	Significant landscape tree Structurally and physiologically good condition	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	11.4m
T 23 37	Atlas Cedar <i>Cedrus Atlantic</i>				One sided canopy due to the shading of the adjacent dominant Lime tree	Retain, protect and exclude from the redevelopment of the site	40 plus	B1 M	
T 23 38	Norway Maple <i>Acer platanoides</i>	20	90	17	Significant landscape tree Structurally and physiologically good condition	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	10.8m
T 23 39	London Plane <i>Platanus x hispanica</i>	22	120	20	Significant landscape tree Structurally and physiologically good condition	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	14.4m
T 23 40	Ash <i>Fraxinus excelsior</i>	12	28	9	Self seeded tree that has developed within the undergrowth of Laurels	Laurels have recently been removed and this tree stands as a misplaced tree beneath the canopy of 2339. Review in 2023 for Ash dieback.	<10	C3 EM	3.4m
T 23 41	Holly <i>Ilex aquifolium</i>	4	20 X 7	3	Coppice of seven woody stems, beneath the canopy of 2339, growing into lower canopy	Retain or remove as required within the redevelopment of the site	40 plus	C2 M	4m
T 23 42	Beech <i>Fagus sylvatica</i>	10	3	10	Informal avenue of five trees, with limited crown space to develop naturally, close to the drive and other more established canopies.	Retain or remove as required within the redevelopment of the site	40 plus	B2 Y	3.6m
T 23 43	Beech <i>Fagus sylvatica</i>	10	3	10	Informal avenue of five young trees, with limited crown space to develop naturally, close to the drive and other more established canopies.	Retain or remove as required within the redevelopment of the site	40 plus	B2 Y	3.6m
T 23 44	Beech <i>Fagus sylvatica</i>	10	3	10	Informal avenue of five young trees, with limited crown space to develop naturally, close to the drive and other more established canopies.	Retain or remove as required within the redevelopment of the site	40 plus	B2 Y	3.6m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
Ashley | Wiltshire

|SN13 8AN



Tag No	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 23 45	Beech <i>Fagus sylvatica</i>	10	3	10	Informal avenue of five young trees, with limited crown space to develop naturally, close to the drive and other more established canopies.	Retain or remove as required within the redevelopment of the site	40 plus	B2 Y	3.6m
T 23 46	Beech <i>Fagus sylvatica</i>	10	3	10	Informal avenue of five young trees, with limited crown space to develop naturally, close to the drive and other more established canopies.	Retain or remove as required within the redevelopment of the site	40 plus	B2 Y	3.6m
T 23 47	Silver Birch <i>Betula pendula</i>	6	28	6	Solitary tree of limited landscape value or significance. Structurally and physiologically fair condition	Retain or remove as required within the redevelopment of the site	40 plus	C3 EM	3.4m
T 23 48	Ash <i>Fraxinus angustifolia</i> 'Raywood'	10	40	14	Informal avenue of five young trees, with limited crown space to develop naturally, close to the drive and other more established canopies.	Retain or remove as required within the redevelopment of the site	40 plus	B3 EM	4.8m
T 23 49	Ash <i>Fraxinus angustifolia</i> 'Raywood'	10	40	14	Informal avenue of five ornamental trees, with varying degrees of wind damage and responsive regrowth. Structurally Poor Physiologically Fair	Retain or remove as required within the redevelopment of the site	40 plus	B3 EM	4.8m
T 23 50	Ash <i>Fraxinus angustifolia</i> 'Raywood'	8	20	12	Informal avenue of five ornamental trees, with varying degrees of wind damage and responsive regrowth. Structurally Poor Physiologically Fair	Retain or remove as required within the redevelopment of the site	40 plus	B3 EM	2.4m
T 23 51	Ash <i>Fraxinus angustifolia</i> 'Raywood'	10	20	14	Informal avenue of five ornamental trees, with varying degrees of wind damage and responsive regrowth. Structurally Poor Physiologically Fair	Retain or remove as required within the redevelopment of the site	40 plus	B3 EM	2.4m
T 23 52	Ash <i>Fraxinus angustifolia</i> 'Raywood'	10	40	14	Informal avenue of five ornamental trees, with varying degrees of wind damage and responsive regrowth. Structurally Poor Physiologically Fair	Retain or remove as required within the redevelopment of the site	40 plus	B3 EM	4.8m
T 23 53	Tulip tree <i>Liriodendron tulipifera</i>	4	15	5	Young tree Structurally Good Physiologically Good.	Retain or remove as required within the redevelopment of the site. Has scope to be replanted	40 plus	C3 Y	1.8m
T 23 54	Ornamental Cherry Prunus Sp.	6	25	4	Young tree Structurally Fair Physiologically Poor	Retain or remove as required within the redevelopment of the site.	20 plus	C1 EM	3m
T 23 55	Ornamental Maple Acer sp.	6	20	7	Young tree Structurally Good Physiologically Good.	Retain or remove as required within the redevelopment of the site.	40 plus	C3 Y	2.4m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
Ashley | Wiltshire

|SN13 8AN



Tag No.	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 23 56	Pin Oak <i>Quercus Palustris</i>	6	17	7	Young tree Structurally Good Physiologically Good	Retain or remove as required within the redevelopment of the site.	40 plus	C3 Y	2.1m
T 23 57	Western Red Cedar <i>Thuja plicata</i>	5	38	10	Multi stemmed side shoots Bushy low level dense growth against the building	Retain or remove as required within the redevelopment of the site.	20 plus	C2 EM	4.6m
T 23 58	Scots Pine <i>Pinus sylvestris</i>	12	50	12	Established single formed good landscape tree	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	6m
T 23 59	Sycamore <i>Acer pseudoplatanus</i>	11	5	11	Prominent tree within the field margin shelter belt, that provides a grouped landscape value of mixed species. Allow the individual trees between T2358 - T2372 to be retained within this narrow band of shelter belt trees, as they form an existing structure to what could become an improved environment for landscape amenity and for the preservation and enhancement of habitat to benefit all biodiversity	Species include Wild Cherry, Hornbeam, Holly, Horse Chestnut, Sycamore Oak, Ash Silver Birch, Japanese Larch and Scots Pine. Retain, thin out the more poorly formed short lived specimens, supply a soft landscaping scheme to introduce native shrubs and marginal meadow grass for low level screening and improved sustainable habitat value for nature conservation	40 plus	B2 M	6m
T 23 60	Japanese Larch <i>Larix japonica</i>	10	5	18	Prominent tree within the field margin shelter belt. See same comment applicable for T2359	Retain, protect and exclude from the redevelopment of the site. See same comment applicable for T2359	40 plus	B2 M	6m
T 23 61	Sycamore <i>Acer pseudoplatanus</i>	12	5	14	Multi-stemmed stored coppice See same comment applicable for T2359	Retain, protect and exclude from the redevelopment of the site. See same comment applicable for T2359	40 plus	A2 M	6m
T 23 62	Ash <i>Fraxinus excelsior</i>	10	43	16	Field side tree, beyond the fence line of the shelter belt See same comment applicable for T2359	Retain, protect and exclude from the redevelopment of the site. See same comment applicable for T2359	40 plus	B2 M	6m
T 23 63	Sycamore <i>Acer pseudoplatanus</i>	14	53	18	Prominent tree within the field margin shelter belt. See same comment applicable for T2359	Retain, protect and exclude from the redevelopment of the site. See same comment applicable for T2359	40 plus	B2 M	6.4m
T 23 64	Ash <i>Fraxinus excelsior</i>	12	70	20	Field side tree, beyond the fence line of the shelter belt See same comment applicable for T2359	Retain, protect and exclude from the redevelopment of the site. See same comment applicable for T2359	40 plus	A2 M	8.4m
T 23 65	Sycamore <i>Acer pseudoplatanus</i>	12	60	20	Prominent tree within the field margin shelter belt. See same comment applicable for T2359	Retain, protect and exclude from the redevelopment of the site. See same comment applicable for T2359	40 plus	A2 M	7.2m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
| Ashley | Wiltshire

|SN13 8AN



Tag No	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 23 66	Sycamore <i>Acer Pseudoplatanus</i>	16	65	16	Prominent tree within the group. Structurally Good Physiologically Good	Retain, protect and exclude from the redevelopment of the site. See same comment applicable for T2359	40 plus	A2 M	7.8m
G. 23 67	Group of Shelter belt Trees	-	-	-	Group Canopy Species include Wild Cherry, Hornbeam, Holly, Horse Chestnut, Sycamore Oak, Ash Silver Birch, Field Maple, European Larch and Scots Pine	Retain, thin out the more poorly formed short lived specimens, supply a soft landscaping scheme to introduce mixed native shrubs and marginal meadow grass for low level screening and improved sustainable habitat value for nature conservation	40 plus	A-C 2/3	10m beyond fence line to the north
T 23 68	Silver Birch <i>Betula pendula</i>	8	37	16	Prominent tree within the group. Structurally Good Physiologically Good	Retain, protect and exclude from the redevelopment of the site. See same comment applicable for T2359	40 plus	B3	4.5m
T 23 69	Norway Maple <i>Acer platanoides 'Purpureum'</i>	12	60	12	Field side tree, beyond the fence line of the shelter belt See same comment applicable for T2359	Retain, protect and exclude from the redevelopment of the site. See same comment applicable for T2359	40 plus	B2	7.2m
T 23 70	Ash <i>Fraxinus excelsior</i>								
T 23 71	Ash <i>Fraxinus excelsior</i>				Large leaning Ash from the north side of the Ampney Brook, located within the survey Group of G1.	Plotted tree with an extensive RPA, to ensure any access roadway, factors in the appropriate consideration to preserve its RPA	40 plus	B3	
T 23 72	Ash <i>Fraxinus excelsior</i>	13	5	18	Prominent tree within the group. Structurally Good Physiologically Good	Retain, protect and exclude from the redevelopment of the site. See same comment applicable for T2359	40 plus	B2	6m
T 23 73	Silver Birch <i>Betula pendula</i>	13	4	14	Prominent tree within the group towards the south side of the shelter belt. Structurally Good Physiologically Good	Retain, protect and exclude from the redevelopment of the site. See same comment applicable for T2359	40 plus	B2	4.8m
T 23 74	Field Maple <i>Acer campestre</i>	14	65	12	Open grown tree with deadwood, cavities and natural retrenchment of the upper canopy, all providing important specialist features for bats roosts, nesting birds and saproxylic insects, akin to an evolving veteran tree.	Ensure to retain all features exactly as they are, for the benefit of wildlife conservation, retaining all deadwood	40 plus	A3	15m to allow for future veteran status
T 23 75	Sycamore <i>Acer pseudoplatanus</i>	18	120	20	Open grown tree with deadwood and cavities, both providing important specialist features for bats roosts, nesting birds and saproxylic insects	Ensure to retain all features exactly as they are, for the benefit of wildlife conservation, retaining all deadwood and low branching	40 plus	A3	15m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
Ashley | Wiltshire

|SN13 8AN



Tag No	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 23 76	Alder <i>Alder glutinosa</i>	10	60	20	Tall prominent tree within the embankment south of the stream	RPA plotted to ensure that this and the adjacent trees are adequately considered in the context of any proposed construction and/or site access being evaluated, between the parkland and the existing access gate to the paddock	40 plus	B2 M	7.2m
G. 23 77	Group of 8 Ash Group of 4 Alder	12	40	15	Informal line of trees running north to south from the shelterbelt, below T 2375 on a slightly raised section of ground, possibly formed from a former hedge line	Retain the group of trees as a singular functional group. Provide a soft landscaping scheme to potentially enrich and enhance the feature. Potentially hedge lay and replant with a mixed native hedgerow	40 plus	B3 M	7m Surrounding the entire 12 trees
T 23 78	Common Walnut <i>Juglans regia</i>	14	60	15	Solitary open grown tree Structurally Good Physiologically Good	Retain, protect and exclude from the redevelopment of the site.	40 plus	A2 M	7.2m
T 23 79	Pedunculate Oak <i>Quercus robur</i>	6	30	8	Part of the group screening planting that shares a unitary canopy and amenity with the adjacent canopies	Retain as an integral element of the group planting consisting of T 2379 - 2382	40 plus	B2 M	7m
T 23 80	Silver Birch <i>Betula pendula</i>	14	45	10	Part of the group planting that shares a unitary canopy and amenity with the adjacent canopies.	Retain as an integral element of the group planting consisting of T 2379 - 2382	40 plus	B2 M	7m
T 23 81	Horse Chestnut <i>Aesculus hippocastanum</i>	12	50	10	Part of the group planting that shares a unitary canopy and amenity with the adjacent canopies.	Retain as an integral element of the group planting consisting of T 2379 - 2382	40 plus	B2 M	7m
T 23 82	Larch <i>Larix europea</i>	12	5	17	Part of the group planting that shares a unitary canopy and amenity with the adjacent canopies.	Retain as an integral element of the group planting consisting of T 2379 - 2382	40 plus	B2 M	7m
T 23 83	Sycamore <i>Acer pseudoplatanus</i>	12	60	11	Solitary open grown tree Structurally Good Physiologically Good	Retain, protect and exclude from the redevelopment of the site.	40 plus	A2 M	7.2m
T 23 84	Small Leaf Lime <i>Tilia cordata</i>	10	45	9	One sided solitary tree, that just lost the adjacent companion tree of the size and species in high winds, located 4m to the east Structurally Poor Physiologically Good	Thin the canopy by up to 30% to allow the prevailing wind to pass through the dense one sided branch structure. Prune away damaged stems	40 plus	B2 M	5.4m
T 23 85	Sycamore <i>Acer pseudoplatanus</i>	11	45	8	Solitary open grown tree Structurally Good Physiologically Good	Retain, protect and exclude from the redevelopment of the site.	40 plus	B2 M	5.4m



Tag No	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 23 86	Sycamore <i>Acer pseudoplatanus</i>	26	130	20	Significant landscape tree of holistic amenity value that has suffered severe historic buttress browsing from domestic animals Structurally Poor overall. Physiologically Poor on north, east and upper canopy. Physiologically Good on western and southern canopy, with complex crown architecture from semi autonomous functional units.	Manage the tree as a veteran feature with retained cavities. Reduce the vigorous western and southern low to mid canopy regrowth by up to 4m, to encourage the central existing vertical regrowth to promote a subsequent central second generation crown regeneration. This will potentially improve the trees current bio-mechanical distribution of regrowth, thus minimising the likelihood of wind throw. Apply wood chip to 50-75mm depth to cover its RPA to retain branch debris, promote mycorrhizal fungi	40 plus	A3	20m Allows for 5m more than BS:5837 To promote a positive growing environment excluding all guests From its RPA
T 23 87	Pedunculate Oak <i>Quercus robur</i>	12	45	10	Relatively young solitary open grown tree, with scope to continue to become a significant tree of landscape interest and haven for wildlife Structurally Good Physiologically Good	Suggest allowing this uniform tree to grow out its lower canopy to touch ground level. This will form a long term protection of the trees main stem, allow for a landscape contrast with all other pruned, crown lifted trees, and will ensure no mowing compaction and/or physical damage can occur to the tree. Also to dissuade future guests from standing beneath it.	40 plus	A2 EM	6m
T 33 88	Small Leaf Lime <i>Tilia cordata</i>	12	80	12	Structurally Good Physiologically Good	Retain, protect and exclude from the redevelopment of the site.	40 plus	A2 M	9.6m
T 23 89	Norway Maple <i>Acer platanoides</i>	10	45	10	Structurally Fair Physiologically Fair	Retain, protect and exclude from the redevelopment of the site where appropriate	40 plus	B2 M	5.4m
T 23 90	Bird Cherry <i>Prunus padus</i>	8	33	8	Structurally Fair Physiologically Fair	Retain, protect and exclude from the redevelopment of the site where appropriate	40 plus	B2 M	4m
T 23 91	Norway Maple <i>Acer platanoides</i>	14	45	15	Structurally Fair Physiologically Fair	Retain, protect and exclude from the redevelopment of the site where appropriate	40 plus	B2 M	5.4m
T 23 92	Field Maple <i>Acer campestre</i>	8	50	7	A hidden conservation asset. Superb veteran tree with natural retrenchment, significant hollowing throughout its twin stems, deadwood and a built up historic leaf composting area surrounding its Root Protection Area and beyond, that will support excellent mycorrhizal networks of a mutualistic benefit.	This tree must be afforded the maximum Root Protection Area of 15m, to ensure no changes are imposed on this very significant yet small veteran trees growing environment. This includes not carrying out <u>any</u> changes of existing ground levels up to 15m from its base	40 plus	A3 M	15m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
Ashley | Wiltshire

|SN13 8AN



Tag No	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 23 93	Holm Oak <i>Quercus ilex</i>	4 Av.	20 Av.	5	Group of five trees forming a valuable grouped low level screening canopy.	Protect and exclude from the proposed redevelopment	40 plus	B2 EM	2.4m
T 23 94	Common Walnut <i>Juglans regia</i>	18	70	13	Open grown tree within a prominent landscape location. Structurally Good Physiologically Good	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	8.4m
T 23 95	Beech <i>Fagus sylvatica</i>	10	15	10	Young tree Structurally Fair Physiologically Good	Retain, protect and exclude from the redevelopment of the site where appropriate	40 plus	C2 Y	1.8m
T 23 96	Beech <i>Fagus sylvatica</i>	6	15	5	Young tree Structurally Fair Physiologically Good	Retain, protect and exclude from the redevelopment of the site where appropriate	40 plus	C2 Y	1.8m
T 23 97	Sycamore <i>Acer pseudoplatanus</i>	20	90	20	Feature tree with a little multiple leading stems, with included union to the north. Structurally Poor Physiologically Good	Climbing inspection recommended, to review integrity of the trees main split stem and make any any recommendations for remedial work	40 plus	A2 M	10.1m
T 23 98	Beech <i>Fagus sylvatica</i>	22	1.2	20	Very significant landscape tree. Bifurcate stems at 6m Structurally Poor Physiologically Good. Shallow roots visible and vulnerable from mower and pedestrian compaction Muddy conditions resulting in both water logging and drought	Climbing inspection recommended, to review integrity of the trees main forking make any any recommendations for remedial work Positively design access around the outside of the trees RPA, to safe guard its future, rather than 'free for all' access directly beneath it	40 plus	A2 M	14.5
T 23 99	Purple Plum <i>Prunus pissardi nigra</i>	6	20	6	Seven stems aligning the south side of the Yew hedge. Eastern stem is shading out the formal Yew 'egg'	Remove eastern stem from against the Yew Topiary 'egg'	20 plus	C1 EM	2.4m
T 24 00	Cedar of Lebanon <i>Cedrus libani</i>	17	90	20	Very significant landscape tree Structurally Good Physiologically Good	Positively design access around the outside of the trees RPA, to safe guard its future, rather than 'free for all' access directly beneath it. Minimise compaction and allow needle debris/ organic matter to build up a humus layer, to feed and protect the vulnerable roots	40 plus	A1 M	10.1
-	End of Tags 2301-2400	-	-	-	-	-	-	-	-



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
| Ashley | Wiltshire

|SN13 8AN



Tag No.	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
	Tag 997-1000				Four boundary trees	Adjacent to the Church			
T 997	Yew <i>Taxus baccata</i>	16	80	17	Focal tree of historic landscape importance and significance between Ampney Park and the church. Being shaded out by the adjacent Western Red Cedar tree	Ensure this trees available growing space is not compromised by the Western Red Cedar T 1000. Suggest for this reason to fell the W'R'C' Ensure reactive inappropriate tree surgery is not undertaken to plicate neighbouring interest	40 plus	A1 M	15m Allow for max RPA
T 998	Horse Chestnut <i>Aesculus hippocastanum</i>	9	70	13	Unifies the Yew and Aspen as an important landscape grup. Excessive low level boughs growing out to the east, low over the churchyard and towards the tower and grave stones. Damage noted to the rubble wall at the trees base and possible movement in gate pillars.	Prune back the two lowest eastern boughs, leaving up to a 1.5m decay buffer to existing growing points. Retain the three upper canopy stems. Rebuild the walls/ pillars with suitable engineering solutions to accommodate the trees future	40 plus	A2 M	8.4m
T 999	Aspen <i>Populus tremula</i>	18	80	20	Significant landscape of high amenity value with ecological interest from historic cavities. A landscape asset to the foreground of the church	Retain as a mature tree with no pollarding or pruning as this would be detrimental to the trees winter form and current graceful nature	40 plus	A1 M	9.6m
T 1000	Western Red Cedar <i>Thuja plicata</i>	9	70	13	Misplaced conifer that is causing significant shading to the adjacent Yew T999, and adversely affecting its available growing space, causing a misshapen crown to the Yew	Evaluate the long term benefits to the landscape. To section fell this tree in order to allow the Yew T999 full physical growing space	40 plus	B1 EM	8.4m
	T 2410-2432				Trees location Driveside from front of house	To turning for Pump Houses			
T 2410	Beech <i>Fagus sylvatica</i>	8	20	6	Line of seven Beech trees of limited landscape value. Poor genetic forms. Structurally Poor Physiologically Fair	Consider removal of all seven trees to allow full space, in which the eight Walnut trees on the opposite side of the driveway can be appreciated	40 plus	C1 Y	2.4m
T 2411	Beech <i>Fagus sylvatica</i>	8	25	7	Line of six Beech trees of limited landscape value. Poor genetic forms. Structurally Poor Physiologically Fair	Consider removal of all six trees to allow full space, in which the eight Walnut trees on the opposite side of the driveway can be appreciated	40 plus	C1 Y	2.4m
T 2412	Ornamental Crab Apple <i>Malus sp.</i>	5	20	4	Attractive ornamental tree, though misplaced on the entrance approach to the house	Consider its relevance within the context of the driveway approach	20 plus	B1 SM	2.4m
T 2413	Beech <i>Fagus sylvatica</i>	6	28	8	Line of six Beech trees of limited landscape value. Poor genetic forms. Structurally Poor Physiologically Fair	Manage the spacing of these trees as they develop and consider thinning out the uniformity of their alignment, through selective felling of the poorer formed trees	40 plus	C1 Y	2.4m
T 2414	Common Walnut <i>Juglans Regia</i>	17	50	14	Part of a group of eight Walnut trees that form a significant landscape feature, as a unitary driveway approach	Retain all trees as a singular group. Consider mowing regime to be less intensive around their collective bases	40 plus	A2 EM	6m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
Ashley | Wiltshire

|SN13 8AN



Tag No.	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 24 15	Common Walnut <i>Juglans Regia</i>	17	50	16	Part of a group of eight Walnut trees that form a significant landscape feature, as a unitary driveway approach	Retain all trees as a singular group. Consider mowing regime to be less intensive around their collective bases Allowing less compaction and physical damage to exposed lateral roots of all the Walnuts	40 plus	A2 EM	6m
T 24 16	Common Walnut <i>Juglans Regia</i>	18	60	16	Part of a group of eight Walnut trees that form a significant landscape feature, as a unitary driveway approach	Retain all trees as a singular group. Consider mowing regime to be less intensive around their collective bases	40 plus	A2 EM	6m
T 24 17	Common Walnut <i>Juglans Regia</i>	12	50	14	Part of a group of eight Walnut trees that form a significant landscape feature, as a unitary driveway approach	Retain all trees as a singular group. Consider mowing regime to be less intensive around their collective bases	40 plus	A2 EM	6m
T 24 18	Common Walnut <i>Juglans Regia</i>	17	60	18	Part of a group of eight Walnut trees that form a significant landscape feature, as a unitary driveway approach	Retain all trees as a singular group. Consider mowing regime to be less intensive around their collective bases	40 plus	A2 EM	7.2m
T 24 19	Common Walnut <i>Juglans Regia</i>	16	50	14	Part of a group of eight Walnut trees that form a significant landscape feature, as a unitary driveway approach	Retain all trees as a singular group. Consider mowing regime to be less intensive around their collective bases	40 plus	A2 EM	6m
T 24 20	Common Walnut <i>Juglans Regia</i>	18	60	16	Part of a group of eight Walnut trees that form a significant landscape feature, as a unitary driveway approach	Retain all trees as a singular group. Consider mowing regime to be less intensive around their collective bases	40 plus	A2 EM	7.2m
T 24 21	Common Walnut <i>Juglans Regia</i>	18	60	16	Part of a group of eight Walnut trees that form a significant landscape feature, as a unitary driveway approach	Retain all trees as a singular group. Consider mowing regime to be less intensive around their collective bases	40 plus	A2 EM	6m
T 24 22	Beech <i>Fagus sylvatica</i>	8	25	6	Line of six Beech trees of limited landscape value. Poor genetic forms. Structurally Poor Physiologically Fair	Retain all trees as a singular group. Consider mowing regime to be less intensive around their collective bases	40 plus	C1 Y	3m
T 24 23	Beech <i>Fagus sylvatica</i>	8	28	6	Line of six Beech trees of limited landscape value. Poor genetic forms. Structurally and Physiologically Poor	Retain all trees as a singular group. Consider mowing regime to be less intensive around their collective bases	40 plus	C1 Y	3.4m
T 24 24	Beech <i>Fagus sylvatica</i>	16	70	14	Line of six Beech trees of limited landscape value. Poor genetics Structurally Poor Physiologically Poor Excessive bark loss and decay around low heavy bough unions over field	Retain all trees as a singular group. Consider mowing regime to be less intensive around their collective bases	40 plus	C1 EM	3m



Tag No.	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 24 25	Beech <i>Fagus sylvatica</i>	7	23	7	Line of six Beech trees of limited landscape value. Poor genetics Structurally Poor Physiologically Poor Excessive bark loss around low heavy bough unions over field	Retain all trees as a singular group. Consider mowing regime to be less intensive around their collective bases. Allowing less compaction and physical damage to exposed lateral roots	40 plus	C1 Y	3m
T 24 26	Beech <i>Fagus sylvatica</i>	7	23	7	Young tree close to with the weeping cedar	Could be retained as a future landscape specimen.	40 plus	C1 Y	3m
T 24 27	Weeping Cedar <i>Cedrus libani 'pendula'</i>	3	30	4	Small specimen tree that doesn't add structural value to the wide reaching landscape in which it has been planted	Would suit a more intimate garden setting. Consider removal and/or replant elsewhere on site if practicable	40 plus	B1 EM	3.6m
T 24 28	Pin Oak <i>Quercus palustris</i>	5	10	4	Young Root Ball mature planted tree	Retain as a future specimen	40 plus	C1 Y	1.2m
T 24 29	Norway Maple <i>Acer platanoides</i>	6	20	6	Young tree misplaced within the landscape, that detracts from the group of Walnut trees , directly to the east	Review its relevance and contribution if any within the landscape and remove as required	40 plus	C1 Y	2.4m
T 24 30	Silver Birch <i>Betula pendula</i>	10	25	13	Lone Birch tree of limited landscape value or relevance Physiologically Poor Structurally Fair Providing a conservation interest	Retain or remove as required within the redevelopment of the site.	20 plus	C1 EM	3m
T 24 31	Silver Birch <i>Betula pendula</i>	2	15	8	Degraded tree with depleted canopy, liable to collapse from basal decay. Physiologically Poor Structurally Poor Providing a conservation interest as a feeding pole for birds such as wood pecker, nut hatch, tree creeper	Retain or remove as required within the redevelopment of the site.	<10	C1 EM	1.8m
T 24 32	Beech <i>Fagus sylvatica</i>	18	70	17	Focal tree in a prominent position Physiologically Good Structurally Good	Retain, protect and exclude from the redevelopment of the site	40 plus	A1 M	8.4m
	Tags 2442 - 2500				Trees location Vicinity of driveway turning to the flat roof garden building and Pump House	Down to the Pump House			
T 24 42	Beech <i>Fagus sylvatica</i>	22	50	14	Focal tree in a prominent position Physiologically Good Structurally Good	Retain, protect and exclude from the redevelopment of the site	40 plus	A1 M	6m
T 24 43	Ash <i>Fraxinus excelsior</i>	16	40	14	Within the crown spread of the more established Beech.	Retain, protect and exclude from the redevelopment of the site	40 plus	B2 M	4.8m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
| Ashley | Wiltshire

|SN13 8AN



Tag No.	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
	T 2444-2451				Location of trees South east of driveside bridge	Not plotted on the Sheet 1. topo			
T 24 44	Sessile Oak <i>Quercus petraea</i>	22	110	20	Superb oak with veteran characteristics. Small main stem cavities suitable for bats, stag headed retained dead wood, arboreal Rose. Low vigour. <i>Not on the topo</i>	Excellent wildlife and landscape value that must not be compromised by logistics of potential future development access parking, storage, service excavations	40 plus	A1	15m Max RPA Given
T 24 45	Tulip tree <i>Liriodendron tulipifera</i>	3	130	5	Young tree with sufficient space to develop as a mature specimen <i>Not on the topo</i>	Retain, protect and exclude from the redevelopment of the site	40 plus	C1 Y	1.6m
T 24 46	Alder <i>Alder glutinosa</i>	3	120	6	Young tree with sufficient space to develop as a mature specimen <i>Not on the topo</i>	Retain, protect and exclude from the redevelopment of the site	40 plus	C1 Y	1.5m
T 24 47	Alder <i>Alder glutinosa</i>	10	220	10	Group of three drawn up Alder stems on the waters edge providing good landscape and conservation value. <i>Not on the topo</i>	Retain, protect and exclude from the redevelopment of the site	40 plus	B1 Y	6m
T 24 48	Sessile Oak <i>Quercus petraea</i>	4	140	9	Young tree leaning out over the water course <i>Not on the topo</i>	Retain, protect and exclude from the redevelopment of the site	40 plus	C1 Y	1.7m
T 24 49	Alder <i>Alder glutinosa</i>	6	220	12	Two Alder stems leaning out over the water course <i>Not on the topo</i>	Retain, protect and exclude from the redevelopment of the site	40 plus	C1 Y	2.7m
T 23 50	Alder Alder Glutinosa	15	550	19	Focal tree in a prominent position Physiologically Good Structurally Good	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	6.6m
T 24 51	Alder <i>Alder Glutinosa</i>	14	200 Av. X 8	16	Eight stems generating a stored coppice, directly on the south east corner of the ornate bridge. Physiologically Good Structurally Good	Retain, protect and exclude from the redevelopment of the site.	40 plus	A2 M	5.7m
T 24 52	Crack Willow <i>Salix fragilis</i>	22	800	20	Central dominant tree. Its RPA covers the protection of smaller trees within its crown spread	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	9.6m
T 24 53	Crack Willow <i>Salix fragilis</i>	14	900	18	Key landscape tree of high conservation value	Retain, protect and exclude from the redevelopment of the site.	40 plus	A3 M	10.1m
T 24 54	Crack Willow <i>Salix fragilis</i>	20 x2	70 x2	17 x2	Two stems with an excessive almost lateral eastern lean in one direction. Has been end weight reduced effectively in the past. Excellent landscape and conservation feature tree	Suggest placing a large 2m long section of durable timber such as Oak, laterally on the ground, tight against its bole, with a minimum diameter of 1m, to act as a 'chock' styled prop, to lessen the biomechanics forces exerted against the root plate	40 plus	A1 M	15m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
Ashley | Wiltshire

|SN13 8AN



Tag No.	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 24 55	Alder Alder Glutiososa	10	35	13	5 stems of drawn up waterside growth, all providing excellent conservation value. Within the existing RPA of the surrounding larger Crack willow trees	Retain, protect and exclude from the redevelopment of the site	40 plus	B3 EM	4.2m
T 24 56	Whitebeam <i>Sorbus aria</i>	6	26	7	Solitary small tree of conservation interest	Retain, protect and exclude from the redevelopment of the site	20 plus	C3 EM	3.1m
T 24 57	Holm Oak <i>Quercus ilex</i>	8	30	8	Solitary small tree of conservation interest Physiologically Good Structurally Good	Retain, protect and exclude from the redevelopment of the site	40 plus	B2 SM	3.6m
T 24 58	Yew <i>Taxus baccata</i>	5 Av.	200 Av.	4	Group of five years forming a grouped low level screening canopy, have been topped at 3m	Retain, protect and exclude from the redevelopment of the site	40 plus	B2 EM	2.4m
T 24 59	Leyland Cypress <i>Cupressus x leylandii</i>	4m Av	210 Av.	5	Group of five years forming a grouped low level screening beneath the dominant overhanging Ash trees	Retain or remove as required within the redevelopment of the site.	20 plus	C2 EM	2.5m
T 24 60	Ash <i>Fraxinus excelsior</i>	12	40	17	Group of three leaning Ash with bark missing from historic possible mechanical damage, next to service storage area used for tipping out loose materials	Retain or remove as required within the redevelopment of the site.	20 plus	C3 M	4.8m
T 24 61	Ash <i>Fraxinus excelsior</i>	12	40	17	Group of three leaning Ash with bark missing at 2m from historic possible mechanical damage, next to service storage area used for tipping out loose materials	Retain for conservation value or remove as required within the redevelopment of the site.	20 plus	C3 M	4.8m
T 24 62	Ash <i>Fraxinus excelsior</i>	12	40	17	Group of three leaning Ash with bark missing from historic possible mechanical damage, next to service storage area used for tipping out loose materials	Retain for conservation value or remove as required within the redevelopment of the site.	20 plus	C3 M	4.8m
T 24 63	Ash <i>Fraxinus excelsior</i>	9	35	16	Leaning Ash towards the driveway, forming part of this 'conservation' group of trees	Retain for conservation value or remove as required within the redevelopment of the site.	20 plus	C3 M	4.2m
T 24 64	Leyland Cypress <i>Cupressus x leylandii</i>				Group of five trees forming a unitary canopy understorey	Retain as low level screening, protect and exclude from the proposed development			
T 24 65	Ash <i>Fraxinus excelsior</i>	11	50	16	Twin stem Ash, part of this 'conservation' group of trees	Retain for conservation value or remove as required within the redevelopment of the site.	40 plus	C3 M	6m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
Ashley | Wiltshire

|SN13 8AN



Tag No.	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 24 66	<i>Sycamore</i> <i>Acer pseudoplatanus</i>	9	50	16	Part of this 'conservation' group of trees	Retain, protect and exclude from the redevelopment of the site	40 plus	B2 M	6m
T 24 67	Ash <i>Fraxinus excelsior</i>	10	38/35	15	Part of this 'conservation' group of trees. Excessive southern lean	Retain, protect and exclude from the redevelopment of the site	40 plus	C3 M	4.8m
T 24 68	Ash <i>Fraxinus excelsior</i>	10	40	12	Part of this 'conservation' group of trees. Excessive southern lean	Retain, protect and exclude from the redevelopment of the site		C3 M	4.8m
T 24 69	Ash <i>Fraxinus excelsior</i>	12	65	19	Solitary canopy forms a backdrop to the surrounding conservation group	Retain, protect and exclude from the redevelopment of the site	40 plus	B2 M	7.8m
T 24 70	Ash <i>Fraxinus excelsior</i>	16	60	20	Most established tree within this group. Plotting its RPA to ensure the fringe of all trees are considered in the context of any access requirements within its vicinity	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	7.2m
T 24 71	Norway Maple <i>Acer platanoides</i>	6	30	5	Field side tree tree to the north east side of the copse. Plotting its RPA to ensure the fringe of all trees are considered in the context of any access requirements within its vicinity	Retain, protect and exclude from the redevelopment of the site	40 plus	C2 EM	3.6m
T 24 72	Field Maple <i>Acer campestre</i>	4	17	4	Young tree Structurally Good Physiologically Good In close proximity to the significant veteran Field Maple 2392 to the south	Retain, protect and exclude from the redevelopment of the site. Allow this tree to compliment T 2392 in the future years as a younger age class same species2	40 plus	C3 Y	2m
T 24 73	Norway Maple <i>Acer platanoides</i>	4	17	4	Young tree Structurally Good Physiologically Good	Retain, protect and exclude from the redevelopment of the site.	40 plus	C3 Y	2m
T 24 74	Beech <i>Fagus sylvatica</i>	14	60	14	Solitary small tree of conservation interest Physiologically Good Structurally Good	Retain, protect and exclude from the redevelopment of the site.	40 plus	B2 M	7.2m
T 24 75	Beech <i>Fagus sylvatica</i>	4	20	5	Physiologically Good Structurally Good	Retain, protect and exclude from the redevelopment of the site.	40 plus	C3 Y	2.4m
T 24 76	Ornamental Maple <i>Acer sp.</i>	4	10	4	Physiologically Good Structurally Good	Retain, protect and exclude from the redevelopment of the site.	40 plus	C3 Y	1.2m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
Ashley | Wiltshire

|SN13 8AN



Tag No.	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 24 77	Ornamental Maple <i>Acer sp.</i>	6	25	7	Physiologically Good Structurally Good	Retain, protect and exclude from the redevelopment of the site.	40 plus	C2 EM	3m
T 24 78	London Plane <i>Platanus x hispanica</i>	6	25	5	Physiologically Good Structurally Good	Retain, protect and exclude from the redevelopment of the site.	40 plus	B2 EM	3m
T 24 79	London Plane <i>Platanus x hispanica</i>	13	47	16	Physiologically Good Structurally Good Shallow roots evident in causing a raised profile within the tarmac road way	Retain, protect and exclude from the redevelopment of the site. Ensure any resurfacing to the roadway preserves roots and allows for root regrowth	40 plus	B2 SM	5.7m
T 24 80	London Plane <i>Platanus x hispanica</i>	15	50	16	Physiologically Good Structurally Good. Shallow roots evident in causing a raised profile within the tarmac road way	Retain, protect and exclude from the redevelopment of the site. Ensure any resurfacing to the roadway preserves roots and allows for root regrowth	40 plus	A2 M	6m
T 24 81	Holm Oak <i>Quercus ilex</i>	10	150	9	Solitary specimen Physiologically Good Structurally Good	Retain, protect and exclude from the redevelopment of the site.	40 plus	B2 Y	1.8m
T 24 82	Yew <i>Taxus baccata</i>	6	28	5	Excellent visual impact as a low level shade tolerant tree beneath the surrounding upper dominant woodland canopy	Retain, protect and exclude from the redevelopment of the site.	40 plus	A2 M	3.4m
T 24 83	Bird Cherry <i>Prunus padus</i>	10	60	13	Wide spreading canopy. Open grown tree, with two No. Liquid Amber and One No, Wild Cherry within its southern RPA	Retain, protect and exclude from the redevelopment of the site	40 plus	B3 M	7.2m
T 24 84	Silver Birch <i>Betula pendula</i>	4	20	5	Attractive woodland tree, contrasting with the low dense foliage of the adjacent 2485 Yew	Retain, protect and exclude from the redevelopment of the site	40 plus	B3 M	2.4m
T 24 85	Yew <i>Taxus baccata</i>	6	20	3	Attractive woodland tree, contrasting with the delicate foliage of the adjacent 2484 Birch	Retain, protect and exclude from the redevelopment of the site	40 plus	B3 M	2.4m
T 24 86	Goat Willow <i>Salix caprea</i>	16	90	15	Large spreading twin stemmed tree of good conservation value	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	10.1m
T 24 87	Holm Oak <i>Quercus ilex</i>	6	20	6	Low level shade tolerant tree beneath the surrounding upper dominant woodland canopy	Retain, protect and exclude from the redevelopment of the site	40 plus	B1 Y	2.4m
T 24 88	Goat Willow <i>Salix caprea</i>	10	60	13	Large spreading multi stemmed tree of good conservation value	Retain, protect and exclude from the redevelopment of the site	40 plus	B1 M	7.2m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
Ashley | Wiltshire

|SN13 8AN



Tag No.	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 24 89	Hawthorn <i>Crataegus monogyna</i>	8	25	8	Roadside tree. RPA plotted to safeguard the surrounding trees and ensure the area is not used for parking or storage to facilitate construction	Retain, protect and exclude from the redevelopment of the site	20 plus	C3 EM	3m
T 24 90	Larch <i>Larix europea</i>	7	42	18	Woodland edge tree of landscape interest and diversity in contrast with the majority of other broadleaf species	Retain, protect and exclude from the redevelopment of the site	40 plus	B1 M	5m
T 24 91	Ash <i>Fraxinus excelsior</i>	6	30	13	Drawn up woodland edge tree	Retain, protect and exclude from the redevelopment of the site	40 plus	C3 EM	3.6m
T 24 92	Ash <i>Fraxinus excelsior</i>	10	42	16	Corner of woodland edge, Ash tree of significant landscape value. Physiologically Good Structurally Good	Retain, protect and exclude from the redevelopment of the site	40 plus	A2	5m
T 24 93	Ash <i>Fraxinus excelsior</i>	12	70	14	Significant landscape value, twin stem. Physiologically Good Structurally Good	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	8.4m
T 24 94	Sycamore <i>Acer pseudoplatanus</i>	10	48	14	Open grown tree of landscape value significance. Structurally and physiologically Good condition	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	5.8m
T 24 95	Ornamental Maple <i>Acer sp.</i>	4	15	4	Recently planted root balled tree Structurally and physiologically Good condition	Retain or remove as required within the redevelopment of the site. This tree has the potential scope to be replanted	40 plus	C1 Y	1.8m
T 24 96	Ornamental Maple <i>Acer sp.</i>	4	20	4	Recently planted root balled tree Structurally and physiologically Good condition	Retain or remove as required within the redevelopment of the site. This tree has the potential scope to be replanted	40 plus	C1 Y	2.4m
T 24 97	Alder <i>Alder glutinosa</i>	4	25	7	Structurally and physiologically Good condition	Retain or remove as required within the redevelopment of the site.	40 plus	C1 Y	3m
T 24 98	Beech <i>Fagus sylvatica</i>	6	23	6	Structurally and physiologically Good condition	Retain or remove as required within the redevelopment of the site.	40 plus	C1 Y	2.8m
T 24 99	Crack Willow <i>Salix fragilis</i>	18	85	18	Specimen feature tree Structurally and physiologically Good condition	Extensive RPA to be factored in within the evaluation for the redesign of this key landscape	40 plus	A2 M	10m
T 25 00	Alder <i>Alder glutinosa</i>	12	100	18	Multi stemmed Alder Specimen feature tree Structurally and physiologically Good condition	Extensive RPA to be factored in within the evaluation for the redesign of this key landscape	40 plus	A2 M	10m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
| Ashley | Wiltshire

|SN13 8AN



	T 970 - 989				Location Main front entrance gate	To ornate driveside river bridge			
Tag No.	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 970	Large Leaf Lime <i>Tilia x europea</i>	14	60	16	Feature tree that has been managed as a high pollard, along with all the other roadside trees to contain its lateral branch spread. First tree in a formal line of significant specimens aligning the road, to demark Ampney Park	Maintain the mature feature avenue of all roadside trees on an approximate 5-8year cycle . Implement dead wooding/ crown clean maintenance works as required	40 plus	A2 M	7.2m
T 971	Scots Pine <i>Pinus sylvestris</i>	6	50	20	Tall drawn up specimen growing through the dominant Lime canopy of T.970	Retain, protect and exclude from the redevelopment of the site	40 plus	A2 M	6m
T 972	Large Leaf Lime <i>Tilia x europea</i>	18	80	17	Feature tree that has been managed as a high pollard, along with all the other roadside trees to contain its lateral branch spread. First tree in a formal line of significant specimens aligning the road, to demark Ampney Park	Maintain the mature feature avenue of all roadside trees on an approximate 5-8year cycle . Implement dead wooding/crown clean maintenance/stability survey works annually	40 plus	A2 M	9.6m
T 973	Field Maple <i>Acer campestre</i>	11	25	6	Aligning the boundary fence to the rear of the curtain wall. (Note: Large Ash tree to the south on topo has now been removed)	Conservation value to the woodland copse edge	40 plus	C3 EM	3m
T 974	Field Maple <i>Acer campestre</i>	6 6 6		9 9 5	Three stems together, aligning the boundary fence to the rear of the curtain wall	Conservation value to the woodland copse edge	40 plus	C3 EM	2.8m
T 975 a and b	Whitebeam x2 trees <i>Sorbus aria</i>	a.10 b.10	32 32	8 11	Behind curtain wall In front of northside gate pillar Two native ornamental trees of localised value and interest	Retain, protect and exclude both trees from the redevelopment of the site	40 plus	B1 M	4m
T 976	Sycamore <i>Acer pseudoplatanus</i>	16	32	15	Excessive arboreal ivy. Not allowing this tree to be inspected, as it leans out to the south east	With hand tools only, carefully sever a 1.5m band of ivy from the trees main stem, so as not to damage the thin bark.	40 plus	C3 M	4m
T 977 a b c	Ash <i>Fraxinus excelsior</i>	11 11 15	28 28 34	15 15 16	Three stems. One leans out over the neighbouring field to the north, one stem ivy clad, one larger main stem	Sever Ivy and remove ivy. Reduce end weight by 20% on leaning stem over the field Monitor main stem	40 plus	C3 SM	4.1m
T 978	Goat Willow <i>Salix caprea</i>	13	65	9	Top of bank covered in bank	Sever Ivy and remove ivy, allowing for a closer inspection of the trees structure	40 plus	B3 M	7.8m
T 979	Field Maple <i>Acer campestre</i>	5	11	5	Physiologically Good Structurally Good	Retain, protect and exclude both trees from the redevelopment of the site	40 plus	C1 Y	1.3m



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
Ashley | Wiltshire

|SN13 8AN



Tag No.	Species	Crown Spread Radial m.	Dia. @ 1.5m CM	Height	Comments	Recommendations	Estimated remaining contribution	Category Age Class	RPA Radial meters
T 980	Norway Spuce <i>Picea abies</i>	9	30	16	Within the crown spread of the more established Larch T981. Valuable seed source for birds such as common crossbills (<i>Loxia curvirostra</i>)	Retain, protect and exclude from the redevelopment of the site	40 plus	B3 M	3.6m
T 981	Larch <i>Larix europea</i>	14	70	20	Well established forestry tree with autumn colour Valuable seed source for birds such as Siskin (<i>Spinus spinus</i>)	Retain, protect and exclude from the redevelopment of the site	40 plus	A3 M	8.4m
T 982	Norway Spuce <i>Picea abies</i>	9	62	17	Within the crown spread of the more established Larch T981. Valuable seed source for birds such as common crossbills (<i>Loxia curvirostra</i>)	Retain, protect and exclude from the redevelopment of the site	40 plus	A3 M	7.5m
T 983	Norway Spuce <i>Picea abies</i>	6	32	16	Drawn up specimen. Valuable seed source for birds such as common crossbills (<i>Loxia curvirostra</i>)	Retain, protect and exclude from the redevelopment of the site	40 plus	C3 M	4m
T 984	Norway Spuce <i>Picea abies</i>	6	32	15	Drawn up specimen. Valuable seed source for birds such as common crossbills (<i>Loxia curvirostra</i>)	Retain, protect and exclude from the redevelopment of the site	40 plus	C3 M	4m
T 985	Larch <i>Larix europea</i>	10	45	18	Standing deadwood tree. Excellent conservation value	Retain as a 'snag' for the benefit of wildlife conservation. Monitor the trees stability over time. Reduce as required using a MEWP for safe access	40 plus	A3 M	5.4m
T 986	Larch <i>Larix europea</i>	14	60	15	Leaning tree Valuable seed source for birds such as Siskin (<i>Spinus spinus</i>)	Retain, protect and exclude from the redevelopment of the site	40 plus	B3 M	7.2m
T 987	Large Leaf Lime <i>Tilia x europea</i>	17	85	19	South of drive side, with RPA over the drive. Open grown high quality feature	Retain, protect and exclude from the redevelopment of the site	40 plus	A1 M	10m
T 988 a b	Beech <i>Fagus sylvatica</i>	10 5	30 20	14 4	a - Top of embankment b - Bottom of embankment	Retain, protect and exclude from the redevelopment of the site	40 plus	B2 EM	3.6m
T 989	Crack Willow <i>Salix fragilis</i>	18	80	19	Possible nesting tree for two lesser spotted woodpeckers, noted flying out of the damaged hollow bough within the upper north east canopy	Retain all habitat features, including hung up boughs and dead wood as a valuable conservation feature	40 plus	A3 M	9.6m
T 990	Alder <i>Alder glutinosa</i>	16	10	18	Multi stemmed Alder Specimen feature tree Structurally and physiologically Fair condition	Retain all habitat features, including hung up boughs and dead wood as a valuable conservation feature	40 plus	A3 M	12m
End of tags T970 - 989									



GROUP	Main species noted	-	-	-	Location	North of T.2499 Trees growing within the direct proximity to the listing building Pump Houses	-	-	-
	Grouped				Location Trees grouped to the north of T989 to be excluded from any proposed development	North of T.2499 Trees growing within the direct proximity to the listing building Pump Houses			
G1	Alder Crack Willow Goat Willow Ash Bird Cherry Sycamore				All trees to be excluded and protected from any proposed redevelopment across the site. These grouped trees provide a high degree of conservation and landscape aesthetics, surrounding the unique waterside setting. The emphasis of any future management, must be to not compromise the trees natural lifespans and biodiversity value, as individuals function holistically within the collective.	For the purposes of the forthcoming planning application these trees are to be 'ring fenced' within their own Construction Exclusion Zone At the point for the proposed redevelopment of the various Pump Houses north of T.2499 it will be necessary to formulate a site specific Arboricultural Method Statement (AMS) in order to safe guard the trees that have evolved among the listed buildings.			
	Grouped				Location Dense wooded embankment east of side driveway leading to the Pump Houses	Group noted to the north of T.2470			
G2	Horse Chestnut Norway Maple London Plane Ash Yew Goat Willow Larch Field Maple				All trees to be excluded and protected from any proposed redevelopment across the site. These grouped trees provide a high degree of conservation and landscape aesthetics, surrounding the unique waterside setting. The emphasis of any future management, must be to not compromise the trees natural lifespans and biodiversity value, as individuals function holistically within the collective.	For the purposes of the forthcoming planning application these trees are to be 'ring fenced' within their own Construction Exclusion Zone In relation to site access required via the tarmac service road, the trees Root Protection Areas must be documented and accounted for through an appropriate Arboricultural Method Statement (AMS) to ensure no damage occurs to their vulnerability above and below ground level.			
	Grouped				Location East to West narrow shelter belt of trees	East of T.2358 to T.2372 located on the western end of the group			
G3	G. 2367 Hornbeam Horse Chestnut Sycamore Larch Silver Birch Oak Ash Field Maple Norway Maple Wild Cherry				All trees to be excluded and protected from any proposed redevelopment across the site. These grouped trees provide a high degree of conservation and landscape aesthetics, surrounding the unique waterside setting. The emphasis of any future management, must be to not compromise the trees natural lifespans and biodiversity value, as individuals function holistically within the collective. Consider widening the depth of the shelter belt, to increase the density of under story planting with native shrubs and meadow grass up to 10m into the northern side into the open parkland	Improve and preserve the Root Protection Areas to the north and south of the shelter belt, through allocating understory Native hedging species including: Guelder Rose Wayfaring tree Holly Wild privet Dog Rose Blackthorn Hawthorn Dogwood Spindle Hazel Field Maple Meadow grass/wild flower mix to provide a habitat corridor improvement for mycorrhizal fungi, invertebrates and vertebrates such as voles and dormice, to benefit foraging owls bats and nesting birds			



Tree Parts Ltd
Home Orchard

Planning Tree and Ecology Solutions
| **Ashley** | **Wiltshire**

|SN13 8AN



Schedule guidance notes (from left to right)

- Stem diameter is measured at 1.5m from highest adjacent ground level for single-stemmed trees, for multi-stemmed trees it is measured just at the narrowest point below the stem union/s
- Crown spreads are for this site, recorded as overall average totals in total widths of the whole tree, with any particular relevance of crown bias direction, being noted as supplementary text within the schedule comments.
- Age class is defined into 5 groups: Y = young, SM = semi-mature, EM = early-mature, M = mature, OM = over-mature (and D = Dead)
- Cat. = Category, which summarises the overall quality and key features of the tree:

Category

- A. = Trees of good quality
- B. = Trees of moderate quality
- C. = Trees of low quality
- U. = Trees with a serious structural defect, severe/terminal disease infection, or that are dead, which normally also pose a risk to public safety and should be removed.

Subcategory (equally weighted)

- 1 = Trees of mainly arboricultural (individual) value
- 2 = Trees of mainly landscape value
- 3 = Trees of mainly cultural/heritage/conservation value

- ERC = Estimated Remaining Contribution – The approximate time, in years, that the tree should continue to give the values and benefits it currently provides to the immediate area.
- RPA = Root Protection Area, shown here as the radius of a circle set to become the Construction Exclusion Zone (CEZ) Which will be plotted on Tree Constraints Plans (TCP) and Tree Protection Plans (TPP)

All trees have been surveyed from ground level using the Visual Tree Assessment method (C. Mattheck and H. Breloer)

Whilst this survey is *not* a tree risk assessment, it nonetheless takes into account observed structural defects of the inspected trees in order to inform conclusions with regard to their retentive worth.