

Tag No.	Species	Ht. (m)	Dia. (mm)	Crown Spread (m)				Ht. Cl. (m)	Age Class	Condition	Comments	Recommended Tree Work	Timescale
				N	E	S	W						
Northern edge adjacent to care home													
2748	Copper beech	19	1010	8	9	9	10	<1	Mature	Good	Large with dense spreading crown at base of embankment close to care home building. Self-seed hollies at base. Has been pruned back from building.		
2749	Wych elm	10	180	4	3	2	3	<1	Semi mature	Dead	Killed by Dutch elm disease. Retains branch structure. Low risk due to infrequently accessed location. Provides wildlife habitat.		
2750	Larch	23	520	3	3	3	3	8	Mature	Fair	Tall with straight trunk. No lower branches. Lesser form with fork in upper crown with limb developing towards care home.	Remove to increase clearance of care home and to benefit adjacent beech. Re-place with yew.	Within 12 months
2754	Beech	10	180	5	2	2	3	<1	Semi mature	Fair	Small tree at edge of woodland. Developing bias towards care home. Dense laurel at base.		
2755	Sycamore	18	430	4	2	4	5	6	Early mature	Fair	Restricted spread at edge of woodland. No lower branches. In-accessible due to dense laurel at base	Cut back laurel to allow access to base.	Within 12 months
2756	Sycamore	20	660	5	4	4	3	8	Mature	Fair	Restricted spread at edge of woodland. Straight trunk with no lower branches. Dense laurel at base.	Cut back laurel to allow access to base.	Within 12 months
2757	Lawson cypress	17	670	4	3	4	4	1	Mature	Poor	Dense, at woodland edge adjacent to care home. Tight forks.	Remove to increase clearance of care home. Replace with yew.	Within 12 months
2758	Sycamore	18	350	5	2	2	4	1	Semi mature	Fair	Restricted spread at edge of woodland. Bias towards care home.		
2759	Lawson cypress	1	420	2	2	1	3	0	Mature	Dead	Split at tight fork during recent storm. Has been removed. Tall stump with low branches remains.	Replace with silver birch.	Within 12 months
Western part of site													
629	Willow	7	100: 100: 100: 100	4	4	2	4	1	Semi mature	Poor	Multi stemmed at boundary wall.	Prune to remove stems resting on fence.	Within 12 months
630	Wych elm	10	360	4	5	4	5	1	Early mature	Dead	Has succumbed to Dutch elm Disease. Within strip of trees at Western boundary. Overhanging boundary wall.	Remove. Replace with silver birch.	Annually

Tag No.	Species	Ht. (m)	Dia. (mm)	Crown Spread (m)				Ht. Cl. (m)	Age Class	Condition	Comments	Recommended Tree Work	Timescale
				N	E	S	W						
631	Lawson cypress	12	400	3	3	3	3	0	Semi mature	Fair	Row of 4 individuals forming single spread within strip of trees lining western boundary. Tight forks present.		
632	Rowan	6	120	3	2	2	1	1	Young	Fair	Restricted spread leaning towards path.		
633	Beech	12	200	4	5	3	2	2	Semi mature	Fair	Restricted spread leaning towards path.		
634	Lawson cypress	10	300	3	3	3	3	0	Semi mature	Fair	One of pair forming single spread with strip lining western boundary.		
635	Lawson cypress	10	300	3	3	3	3	0	Semi mature	Fair	One of pair forming single spread with strip lining western boundary.		
636	Beech	6	150	3	4	3	1	1	Young	Fair	Restricted spread at edge of strip of trees lining western boundary. Ivy on trunk.		
637	Cherry	9	150	2	4	1	1	1	Semi mature	Poor	Restricted spread with pronounced lean and poor form. Ivy on trunk.		
638	Silver birch	12	310	3	3	3	2	4	Early mature	Poor	Restricted spread at edge of strip of trees lining western boundary. Dense ivy obscuring lower trunk.		
639	Beech	8	250	2	4	2	1	0	Semi mature	Poor	Restricted spread at edge of strip of trees lining western boundary. 4 minor stems around base.		
640	Lawson cypress	15	430	3	3	3	3	2	Semi mature	Poor	Within strip of trees lining western boundary. 1.5m from boundary wall. Ivy climbing trunk. Dense upper crown.		
641	Beech										Removed due to poor form and proximity to neighbours.		
642	Western red cedar	15	450	3	3	3	3	1	Semi mature	Fair	Within strip of trees lining western boundary. Lesser form with 3 co-dominant stems from 3m. Dense upper crown.		
643	Beech	8	210	4	5	3	1	0	Semi mature	Fair	Restricted spread within strip of trees lining western boundary.		

Tag No.	Species	Ht. (m)	Dia. (mm)	Crown Spread (m)				Ht. Cl. (m)	Age Class	Condition	Comments	Recommended Tree Work	Timescale
				N	E	S	W						
644	Lime	18	380	5	4	4	4	1	Early mature	Fair	Restricted spread within strip of trees lining western boundary. Reasonable form and vigour. Basal shoots becoming dense and ivy climbing trunk.	Prune basal shoots.	Within 12 months
645	Lime	22	680	4	5	5	4	0	Mature	Fair	Within strip of trees lining western boundary. Dense shoot growth obscuring base. Reasonable form and density.	Reduce height and spread by around 20% (to height of adjacent lime tree). Prune basal shoots.	Within 12 months
646	Western red cedar	18	550: 500: 480	5	4	4	6	1	Mature	Fair	Within strip of trees lining western boundary. 3 stems from ground level. Dense crown overhanging boundary with neighbours property. Holly and young beech at base. 1.5m from boundary wall.		
647	Sycamore	9	200	2	4	3	1	2	Semi mature	Fair	Restricted spread overhanging boundary wall. Dense holly at base.		
648	Holly	4	100	2	2	2	2	0	Semi mature	Fair	Small and bushy beneath canopy.		
649	Beech	12	280	3	5	3	2	1	Semi mature	Fair	Restricted spread within strip of trees lining western boundary. Reasonable form and vigour.		
650	Beech	20	600	5	7	5	5	1	Mature	Fair	Within strip of trees lining western boundary. Bias towards care home. Less dense top.		
651	Lawson cypress	10	300	2	2	2	2	0	Semi mature	Poor	Restricted spread adjacent to western boundary. Close to boundary wall.		
652	Lawson cypress	10	300	2	2	2	2	0	Semi mature	Poor	Restricted spread adjacent to western boundary. Poor form with tight fork. Close to boundary wall.		
653	Beech	5	70	2	2	2	1	1	Young	Fair	Well established at edge of group.		
654	Holly	6	100	2	2	2	2	1	Young	Fair	Bushy, forming dense clump with smaller hollies surrounding base.		

Tag No.	Species	Ht. (m)	Dia. (mm)	Crown Spread (m)				Ht. Cl. (m)	Age Class	Condition	Comments	Recommended Tree Work	Timescale
				N	E	S	W						
655	Sycamore	21	800	5	3	5	9	8	Mature	Fair	Within strip of trees lining western boundary. Restricted spread with pronounced bias towards and overhanging neighbouring garden. Dense ivy and basal shoots limiting thorough inspection. Vigour in upper crown appears reasonable. Exposed following removal of neighbouring tree.	Reduce branches overhanging neighbours property by around 20%, to suitable growth points. Prune basal shoots to improve access to base.	Within 12 months
656	Beech	24	730	4	8	8	8	5	Mature	Fair	Within strip of trees lining western boundary. 2 co-dominant leaders from tight fork at 5m. Reasonable density in upper crown. Dense ivy partially obscuring base. Exposed following removal of neighbouring tree.	Reduce height and spread by around 20%, shortening branches overhanging neighbours property.	Within 12 months
657	Sycamore	24	740	5	5	6	8	4	Mature	Fair	Restricted spread within strip of trees lining western boundary. Has been previously crown lifted with minor decay in old pruning wounds. Overhanging neighbours property.	Reduce height and spread by around 20%, shortening branches overhanging neighbours property.	Within 12 months
658	Horse chestnut	24	1000	6	6	8	9	2	Mature	Poor	Within strip of trees lining western boundary. Has shed large limb at tight fork leaving large tear wound at around 8m. Strip of lost bark exposing wood on lower trunk. Large limbs overhanging neighbours garden.	Reduce height and spread by around 20%, shortening branches overhanging neighbours property. Chip fallen branches surrounding base.	Within 12 months
659	Holly	5	120	4	4	2	2	1	Semi mature	Poor	Bushy tree within group.		
660	Lawson cypress	6	200	2	2	2	2	1	Semi mature	Poor	Restricted spread becoming suppressed within dense group.		
661	Beech	7	120	1	2	4	2	1	Young	Poor	Restricted spread within group.		
662	Horse chestnut	24	950	4	4	8	8	3	Mature	Fair	Within of strip of trees lining western boundary. Pronounced bias towards and overhanging neighbouring property. Exposed by loss of large limb from neighbouring tree. Recent installation of gabions along water course may have impacted roots.	Reduce height and spread by around 20%, shortening branches overhanging neighbours property. Chip fallen branches surrounding base.	Within 12 months
663	Sycamore	18	640	1	3	9	5	10	Mature	Poor	At edge of group on boundary with neighbours property. Has been severely pruned with lower branches removed. Small and sparse upper crown with pronounced towards and overhanging neighbours. Exposed by loss of limb from neighbouring tree. Roots likely to have been impacted by installation of gabions.	Remove crown at forks. Additional space will benefit adjacent beech.	Within 12 months

Tag No.	Species	Ht. (m)	Dia. (mm)	Crown Spread (m)				Ht. Cl. (m)	Age Class	Condition	Comments	Recommended Tree Work	Timescale
				N	E	S	W						
664	Beech	20	660	8	8	4	3	2	Mature	Fair	At edge of group on boundary with neighbours property. Exposed by loss of limb from neighbouring tree. Reasonable density. Basal shoots developing. Roots likely to have been impacted by installation of gabions.		
670	Beech	8	310	6	5	5	4	1	Semi mature	Fair	Developing low spreading crown within group.		
671	Sycamore	8	120	3	2	2	2	4	Young	Fair	Self seeded tree developing through laurel.		
672	Larch										Dead tree has been felled. Fallen wood remains on site. Extensive laurel present.		
675	Walnut	12	320	3	1	2	4	4	Early mature	Poor	Restricted spread within group. Very leaning form.		
677	Holly	10	180	1	4	4	1	1	Semi mature	Fair	Restricted spread within group. Leaning form.		
678	Willow	10	150: 120: 120: 110	2	2	2	2	5	Semi mature	Fair	Multi stemmed with bias towards water course at site boundary.		
Eastern part of site													
4678	Beech	18	490	6	6	5	5	2	Mature	Fair	Reasonable form and vigour within group.		
4679	Beech	18	650	6	4	6	6	2	Mature	Poor	At edge of group. Overhanging drainage wayleave. Poor form with tight fork at <2m and rubbing stems at 5m.		
4760	Lawson cypress	8	300: 250: 220	2	2	3	2	0	Early mature	Dead	Recently dead. Retains branch structure. Low risk due to location in woodland. Could be retained to provide deadwood habitat.		
4761	Lawson cypress	10	330	4	4	2	2	0	Semi mature	Poor	2 adjacent individuals forming single spread. One stem is dead. Low risk due to location. Could be retained to provide wildlife habitat.		
4762	Lawson cypress	8	320	6	1	1	1	0	Semi mature	Poor	Has partially blown over but appears to have stabilized. Developing new leaders from leaning stem.		

Tag No.	Species	Ht. (m)	Dia. (mm)	Crown Spread (m)				Ht. Cl. (m)	Age Class	Condition	Comments	Recommended Tree Work	Timescale
				N	E	S	W						
4763	Holly	11	310	3	3	4	2	1	Early mature	Fair	Restricted spread at edge of group. At water course boundary with neighbours property.		
4764	Sycamore	16	550: 400: 290: 200	2	5	6	4	3	Early mature	Poor	Multi stemmed at edge of group with bias towards and overhanging neighbouring garden.		
4765	Beech	16	310	5	2	4	5	2	Semi mature	Fair	Developing restricted spread at edge of group.		
4766	Beech	16	320: 300:	4	5	4	8	6	Early mature	Fair	2 co-dominant stems from ground level.		
4767	Sycamore	16	280	2	2	3	3	6	Semi mature	Poor	Restricted spread at edge of group. Dead ivy on trunk. Decay slight bias towards neighbours garden.		
4768	Cypress /holly	10	250	3	3	3	4	0	Semi mature	Fair	2 adjacent individuals forming single bushy crown.		
4769	Laurel	8	120: 100: 100	3	2	2	3	1	Semi mature	Fair	Small bushy tree beneath canopy.		
4770	Wych elm	18	410	6	5	7	4	6	Early mature	Dead	Recently infected with Dutch Elm Disease within woodland.	Remove crown at forks. Trunk could be retained as standing deadwood.	Within 12 months
4771	Beech	17	400	5	5	3	4	4	Early mature	Fair	Restricted spread of reasonable form. Dense laurel at base.		
4772	Holly	8	160	1	2	3	3	1	Semi mature	Fair	Restricted spread with partially collapsed laurel at base.		
4773	Sycamore	18	390	4	4	5	4	8	Early mature	Fair	Restricted spread of reasonable form. Dense laurel at base.		
4774	Holly	8	200: 200	4	3	2	3	1	Semi mature	Fair	Restricted spread with dense laurel at base.		
4775	Willow	14	230	1	3	1	2	9	Semi mature	Fair	No lower branches and small crown.		

Tag No.	Species	Ht. (m)	Dia. (mm)	Crown Spread (m)				Ht. Cl. (m)	Age Class	Condition	Comments	Recommended Tree Work	Timescale
				N	E	S	W						
4776	Beech	9	160	2	2	2	2	4	Semi mature	Fair	Developing reasonable form beneath canopy. Laurel at base.		
4777	Lawson cypress	10	280	1	2	2	2	0	Semi mature	Fair	At edge of group. Bias towards forms single spread with 2757	Remove to provide space for better new planting. Replace with yew.	Within 12 months
4778	Holly	6	130	3	2	3	3	0	Young	Poor	Bushy clump at edge of group.		
4779	Lawson cypress	8	200	1	4	1	4	1	Semi mature	Poor	Row of 4 individuals. Restricted and suppressed lower branches.		
4783	Lime	15	450	6	5	6	5	2	Early mature	Fair	Dense crown of reasonable form. Dense basal shoots.	Prune basal shoots.	Within 12 months
4784	Sycamore	7	210	2	5	3	1	3	Semi mature	Poor	Self seeded trees developing very close to wall. May damage wall as they increase in girth.	Remove due to very close proximity to wall.	Within 12 months
4785	Privet	3	120	2	2	2	1	1	Mature	Fair	Small bushy tree against wall.		
4787	Beech	25	1000	10	9	6	8	10	Mature	Fair	Dense spreading crown from co-dominant stems from tight fork at 3m. Bias towards area of trees.	Reduce height and spread by around 20%, to suitable growth points. Chip and spread fallen branches around base.	Within 12 months
4788	Lime	16	460	4	5	3	4	1	Early mature	Fair	Restricted spread beneath crown of large beech. Dense basal shoots and stem crossing neighbouring tree.	Prune basal shoots.	Within 12 months
4789	Sycamore	22	1050	5	9	7	5	2	Mature	Fair	Bias towards and overhanging track. Broken and decaying stub in lower crown. Ivy partially obscuring base.	Prune to shorten branches overhanging lane by 20%. Chip and spread fallen branches around base.	Within 12 months
4790	Sycamore	22	650	1	8	8	5	1	Mature	Fair	Restricted spread with bias towards and overhanging track. Straight poorly formed and crossing basal shoots. Wound at 2m exposing decay and Sounds hollow. Wound wood formation is occurring. Ivy well established. Young cypress at base.	Prune to shorten branches overhanging lane by 20%.	Within 12 months
4791	Lawson cypress	10	200	3	4	4	3	0	Semi mature	Fair	Group of 3 individuals at boundary wall. Forms dense clump beneath canopy. Tight forks.		

Tag No.	Species	Ht. (m)	Dia. (mm)	Crown Spread (m)				Ht. Cl. (m)	Age Class	Condition	Comments	Recommended Tree Work	Timescale
				N	E	S	W						
4792	Lawson cypress	12	220	3	4	5	4	1	Semi mature	Poor	Group of 6 individuals at boundary wall. Forms dense clump beneath canopy. Ivy climbing trunks. Tight forks.		
4793	Field maple	15	780	4	9	8	6	6	Mature	Fair	Notable size for species. Dense ivy obscuring base and lower trunk. Overhanging track and neighbours garden.	Sever ivy stems and clear from lowest 1m of trunk.	Within 12 months
4794	Wych elm	9	180: 160	3	1	4	4	2	Semi mature	Dead	Recently infected with Dutch elm disease. Restricted spread overhanging water course at boundary with neighbours garden.	Remove dead tree overhanging neighbours property.	Within 12 months
4795	Ash	18	260	2	3	4	3	8	Semi mature	Fair	Straight trunk with no lower branches. Reasonable form.	Monitor for ash dieback disease.	Annually
4796	Wych elm	6	180	5	3	3	1	1	Semi mature	Dead	Standing dead. Restricted spread of lesser. Growing from boundary wall and overhanging track. Dense ivy obscuring base and lower trunk. Small and of little risk. Provides wildlife habitat.		