

Place Shaping and Corporate Performance - Development Control

Town Hall, Watford, WD17 3EX Email: developmentcontrol@watford.gov.uk

Website: watford.gov.uk Website: watford.gov.uk Telephone: 01923 226400

Application for Consent to Display an Advertisement(s)

Town and Country Planning (Control of Advertisement) (England) Regulations 2007 (as amended)

Publication of applications on planning authority websites

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website. If you require any further clarification, please contact the Authority's planning department.

Site Location	
Disclaimer: We can only make recommendation	ns based on the answers given in the questions.
If you cannot provide a postcode, the description help locate the site - for example "field to the No	n of site location must be completed. Please provide the most accurate site description you can, to orth of the Post Office".
Number	80
Suffix	
Property Name	
Address Line 1	
The Parade High Street	
Address Line 2	
Address Line 3	
Hertfordshire	
Town/city	
Watford	
Postcode	
WD17 1NN	
	t be completed if postcode is not known:
Easting (x)	Northing (y)
510716	196702
Description	

Applicant Details
Name/Company
Title
First name
Surname
Nationwide Building Society
Company Name
Address
Address line 1
Pipers Way
Address line 2
Nationwide House
Address line 3
Town/City
Swindon
County
Country
United Kingdom
Postcode
SN3 1TA
Are you an egent acting on hehalf of the applicant?
Are you an agent acting on behalf of the applicant? ⊘ Yes ○ No
Contact Details Primary number
Timaly named

Secondary number	_
Fax number	
Email address	
	7
	_
	_
Agent Details	
Name/Company	
Title	
First name	
Nicolle	
Surname	_
Waltham	
Company Name	_
	7
Address	
Address line 1	7
Aldgate House	
Address line 2	_
33 Aldgate High St	
Address line 3	_
Town/City	
London	
County	
Country	
United Kingdom	
Postcode	-
EC3N 1AG	

Contact Details
Primary number
***** REDACTED *****
Secondary number
Fax number
Email address
***** REDACTED *****
Type of Proposed Advertisement(s)
Please describe the proposed advertisement(s)
 Replace 1no. Projecting signage with new 500mm. Replace 1no. fascia and logo with new blue fascia and 290mm logo height. Replace safety manifestations with new. Replace 2no. ATM surrounds and decals with new. Replace 1no. Statutory signage with new.

Advertisement Type: Projecting or Hanging Sign Height: 0.5 metres Width: 0.5 metres Depth: 0.086 metres What is the height from the ground to the base of the advertisement?: 2.737 metres What is the maximum projection of the advertisement from the face of the building?: 0.086 metres What is the maximum projection of the individual letters and symbols?: 30 centimetres What is the maximum height of any of the individual letters and symbols?: 40 centimetres What materials will the advertisement be made of?: 1.0go face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and metal bracket The colour of text and background: Core Red & Core Blue Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cdm² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width: 2.181 metres
Projecting or Hanging Sign Height: 0.5 metres Width: 0.5 metres Depth: 0.086 metres What is the height from the ground to the base of the advertisement?: 2.737 metres What is the maximum projection of the advertisement from the face of the building?: 0.086 metres What is the maximum projection of the advertisement from the face of the building?: 0.086 metres What is the maximum height of any of the individual letters and symbols?: 30 centimetres What materials will the advertisement be made of?: 1. Logo' face as acylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and metal bracket The colour of text and background: Core Red & Core Blue Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
Height: 0.5 metres Width: 0.5 metres Depth: 0.086 metres What is the height from the ground to the base of the advertisement?: 2.737 metres What is the maximum projection of the advertisement from the face of the building?: 0.086 metres What is the maximum height of any of the individual letters and symbols?: 30 centimetres What is the maximum height of any of the individual letters and symbols?: 1.0go face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and metal bracket The colour of text and background: Core Red & Core Blue Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
Width: 0.5 metres Depth: 0.086 metres What is the height from the ground to the base of the advertisement?: 2.737 metres What is the maximum projection of the advertisement from the face of the building?: 0.086 metres What is the maximum height of any of the individual letters and symbols?: 30 centimetres What is the maximum height of any of the individual letters and symbols?: 10.090 face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and metal bracket The colour of text and background: Core Red & Core Blue Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
Depth: 0.086 metres What is the height from the ground to the base of the advertisement?: 2.737 metres What is the maximum projection of the advertisement from the face of the building?: 0.086 metres What is the maximum projection of the advertisement from the face of the building?: 0.086 metres What is the maximum height of any of the individual letters and symbols?: 30 centimetres What materials will the advertisement be made of?: 'Logo' face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and metal bracket The colour of text and background: Core Red & Core Blue Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
Depth: 0.086 metres What is the height from the ground to the base of the advertisement?: 2.737 metres What is the maximum projection of the advertisement from the face of the building?: 0.086 metres What is the maximum projection of the advertisement from the face of the building?: 0.086 metres What is the maximum height of any of the individual letters and symbols?: 30 centimetres What materials will the advertisement be made of?: 'Logo' face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and metal bracket The colour of text and background: Core Red & Core Blue Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
What is the height from the ground to the base of the advertisement?: 2.737 metres What is the maximum projection of the advertisement from the face of the building?: 0.086 metres What is the maximum height of any of the individual letters and symbols?: 30 centimetres What materials will the advertisement be made of?: 1.Logo' face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and metal bracket The colour of text and background: Core Red & Core Blue Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
What is the height from the ground to the base of the advertisement?: 2.737 metres What is the maximum projection of the advertisement from the face of the building?: 0.086 metres What is the maximum height of any of the individual letters and symbols?: 30 centimetres What materials will the advertisement be made of?: 1.Logo' face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and metal bracket The colour of text and background: Core Red & Core Blue Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
2.737 metres What is the maximum projection of the advertisement from the face of the building?: 0.086 metres What is the maximum height of any of the individual letters and symbols?: 30 centimetres What materials will the advertisement be made of?: 'Logo' face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and metal bracket The colour of text and background: Core Red & Core Blue Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
What is the maximum projection of the advertisement from the face of the building?: 0.086 metres What is the maximum height of any of the individual letters and symbols?: 30 centimetres What materials will the advertisement be made of?: ¹Logo¹ face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and metal bracket The colour of text and background: Core Red & Core Blue Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
What is the maximum height of any of the individual letters and symbols?: 30 centimetres What materials will the advertisement be made of?: 'Logo' face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and metal bracket The colour of text and background: Core Red & Core Blue Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
What materials will the advertisement be made of?: 'Logo' face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and metal bracket The colour of text and background: Core Red & Core Blue Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
'Logo' face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and metal bracket The colour of text and background: Core Red & Core Blue Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
Core Red & Core Blue Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
Will the illumination be static or intermittent?: Static Advertisement Type: Fascia Sign Height: 0.29 metres Width:
Advertisement Type: Fascia Sign Height: 0.29 metres Width:
Advertisement Type: Fascia Sign Height: 0.29 metres Width:
Fascia Sign Height: 0.29 metres Width:
Fascia Sign Height: 0.29 metres Width:
Height: 0.29 metres Width:
0.29 metres Width:
Width:
Depth: 0.065 metres
What is the height from the ground to the base of the advertisement?:
2.585 metres
What is the maximum projection of the advertisement from the face of the building?: 0.065 metres
What is the maximum height of any of the individual letters and symbols?: 29 centimetres
What materials will the advertisement be made of?:
'Logo' face as perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022).
The colour of text and background: Core Red, Core Blue & White
Will the advertisement be illuminated?:
Yes
Will the advertisement be illuminated internally or externally?:

Please specify the type(s) and details of each proposed advertisement

internally
Illuminance levels: 250 cd/m ²
Will the illumination be static or intermittent?: Static
Advertisement Type: Other type
Height: 1.53 metres
Width: 0.852 metres
Depth: 0.042 metres
What is the height from the ground to the base of the advertisement?: 0.478 metres
What is the maximum projection of the advertisement from the face of the building?: 0.042 metres
What is the maximum height of any of the individual letters and symbols?: 7 centimetres
What materials will the advertisement be made of?: Acrylic finished to match blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). 'Logo' face as acrylic finished to match red PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white.
The colour of text and background: Core Red, Core Blue & White
Will the advertisement be illuminated?: Yes
Will the advertisement be illuminated internally or externally?: Internally
Illuminance levels: 250 cd/m ²
Will the illumination be static or intermittent?: Static
Advertisement Type: Other type
Height: 0.05 metres
Width: 0.05 metres
Depth: 0.01 metres
What is the height from the ground to the base of the advertisement?: 0.85 metres
What is the maximum projection of the advertisement from the face of the building?: 0.01 metres
What is the maximum height of any of the individual letters and symbols?: 5 centimetres
What materials will the advertisement be made of?: Frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White
The colour of text and background: Dusted White against glass
Will the advertisement be illuminated?:

Advertisement Type: Fascia Sign
Height: 0.806 metres
Width: 8.635 metres
Depth: 0.065 metres
What is the height from the ground to the base of the advertisement?: 2.585 metres
What is the maximum projection of the advertisement from the face of the building?: 0.065 metres
What is the maximum height of any of the individual letters and symbols?: 0 centimetres
What materials will the advertisement be made of?: Fascia board in aluminium colour to match Core Blue 282C
The colour of text and background: Core Blue fascia panel
Will the advertisement be illuminated?:
Advertisement Type: Fascia Sign
Height: 0.806 metres
Width: 8.635 metres
Depth: 0.065 metres
What is the height from the ground to the base of the advertisement?: 2.585 metres
What is the maximum projection of the advertisement from the face of the building?: 0.065 metres
What is the maximum height of any of the individual letters and symbols?: 29 centimetres
What materials will the advertisement be made of?: Fascia board in aluminium colour to match Core Blue 282C
The colour of text and background: Core Blue fascia panel
Will the advertisement be illuminated?:
lease describe each of the 'Other type(s)' of advertising proposed
Other type- ATM surround Other type- Safety manifestation

Location of Advertisement(s)
Is the advertisement(s) you are applying for already in place?
If Yes, please provide details
Existing signage replaced to reflect new branding.
- Replace 1no. Projecting signage with new 500mm.
- Replace 1no. fascia and logo with new blue fascia and 290mm logo height.
- Replace safety manifestations with new Replace 2no. ATM surrounds and decals with new.
- Replace 1no. Statutory signage with new.
Is an existing advertisement(s) to be removed and replaced by the advertisement(s) in this proposal?
⊙ Yes ⊙ No
○ Not Applicable
If Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or photograph(s)
Existing elevation's will be submitted as part of the documents for this application
Will the proposed advertisement(s) project over a footpath or other public highway?
○ No
Advertisement(s) Period
Please state the period of time for which consent is sought for the advertisement
From Date
09/10/2023
To Date
08/10/2028
Neighbour and Community Consultation
Have you consulted your neighbours or the local community about the proposal?
○Yes
⊙ No

Site Visit Can the site be seen from a public road, public footpath, bridleway or other public land? Yes No If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? The agent The applicant Other person
Pre-application Advice Has assistance or prior advice been sought from the local authority about this application? ○ Yes ⊙ No
Interest In the Land Does the applicant own the land or buildings where the adverts are to be placed? ○ Yes ② No If No, has the permission of the owner or any other person entitled to give permission for the display of an advertisement been obtained? ② Yes ○ No
Authority Employee/Member With respect to the Authority, is the applicant and/or agent one of the following: (a) a member of staff (b) an elected member (c) related to a member of staff (d) related to an elected member It is an important principle of decision-making that the process is open and transparent. For the purposes of this question, "related to" means related, by birth or otherwise, closely enough that a fair-minded and informed observer, having considered the facts, would conclude that there was bias on the part of the decision-maker in the Local Planning Authority. Do any of the above statements apply? Yes No

Declaration

I/We hereby apply for Consent to display an advertisement as described in the questions answered, details provided, and the accompanying plans/drawings and additional information.

I/We confirm that, to the best of my/our knowledge, any facts stated are true and accurate and any opinions given are the genuine opinions of the person(s) giving them.

I/We also accept that, in accordance with the Planning Portal's terms and conditions:

- Once submitted, this information will be made available to the Local Planning Authority and, once validated by them, be published as part of a public register and on the authority's website;
- Our system will automatically generate and send you emails in regard to the submission of this application.

✓ I / We agree to the outlined declaration	
Signed	
ISG Design	
Date	
08/11/2023	

Amendments Summary

The application declaration signature has been changed.