


Maghull Methodist Church



Topographic Legend

Bottom of Bank	OH Electric
Top of Banking	Railway Line
Building	Road Centre
Building Canopy	Road Markings
Concrete Base	SC Hard-Hard
Contour Major	SC Hard-Soft
Contour Minor	SC Soft-Soft
Fences	Steps
General	Tree Canopy
Kerb Bottom	Vegetation
Kerb Drop	Visible Trench
Kerb Top	Walls
OH Comms	Water Edge

Topographic Abbreviations

AV	Air Valve	PB	Pedestrian Beacon
BH	Borehole	PBox	Post Box
BO(L)	Bollard (Illuminated)	PGR	Pedestrian Guard Rail
BS	Bus Stop	PM	Parking Meter
Cab	Cabinet	PO	Post
CL=	Cover Level	RE	Rodding Eye
COL	Column	RS(L)	Road Sign (Illuminated)
Conc	Concrete	RWP	Rain Water Pipe
DC	Drainage Channel	SPL	Sign Post (Illuminated)
DFBin	Dog Foul Bin	SFCam	Speed Camera
DP	Down Pipe	ST	Stop Tap
EP	Electricity Pole	SV	Sluice Valve
ER	Earth Rod	SVP	Soil Vent Pipe
FFL=	Finished Floor Level	TBox	Telephone Box
FH	Fire Hydrant	TL	Traffic Light
FP	Flag Pole	TOF=	Top of Fence Level
GP	Gate Post	TOW=	Top of Wall Level
GV	Gas Valve	TP	Telecoms Pole
GY	Gully	VP	Vent Pipe
IC	Inspection Cover	WB	Waste Bin
KO	Kerb Outlet	WB=	Window Bottom Level
LP	Lamp Post	WM	Water Meter
MH	Manhole	WO	Wash Out
Mr	Marker	WT=	Window Top Level
MP	Marker Post	WV	Water Valve
MW	Monitoring Well		

Measured Building Legend

External Building Line	Window Sill and Head Height
Internal Building Line	Window Sill and Head Height
Building Overheads	Window Sill and Head Height
Stairs/Steps	Window Sill and Head Height
Doors	Window Sill and Head Height
Windows	Window Sill and Head Height
Sanitaryware	Window Sill and Head Height
Kitchen Furniture	Window Sill and Head Height
Direction of Stairs (Arrow points up)	Window Sill and Head Height
Direction of Sloped Ceiling (Arrow points down)	Window Sill and Head Height

SR=0.00
Head=0.00

Double door	CH=0.00	Ceiling Height
Single door	FCH=0.00	False Ceiling Height
Window	FFL=0.00	Finished Floor Level

Utility Legend

Air Line	SWD Sewer
Alarm Cable	Survey Extents
BT Cable	Heating Pipe
CATV Cable	HV Electric Cable
Chamber Extent	Kingston Comms
Comms Cable	Oil Pipe
CWD Sewer	Rising Main
Earth Wire/Tape	Traffic Control
Electric Cable	Unknown Detection
Fibre Optic Cable	Vent Pipe
Fuel Line	GPR Detection
FWD Sewer	Assumed Route
Gas Pipe	Records Route
Band of Cables	Cable Riser
Empty Service Duct	Drainage Backdrop

Utility Abbreviations

CP	Cathodic Protection	LoS	Loss of Signal
Cut	Disconnected Utility	MDPE	Middle Density PE
DI	Ductile Iron	SI	Span Iron
DoB	Depth of Bottom	TLC	Traffic Light Control
DoC	Depth of Cover	UDI	Unreliable Depth Into
ED	Empty Duct	UPVC	Unplasticised
End of Trace	End of Trace	UPVC	Unplasticised
PE	Polyethylene	UTR	Unlikely to Raise
HDPE	High Density PE	VC	Vitrified Clay

- Manufacturer Stated Depths**
- Detected Using Electromagnetic Location Methods
e.g. Any metallic pipework. Accuracy ± 2.5% of depth reading.
 - Detected Using Electromagnetic Location Methods
e.g. Using a Sonic to locate drainage pipework. Accuracy ± 2.5% of depth reading.
 - Detected Using Ground Penetrating Radar
e.g. A plastic pipe or service not located by other means. Accuracy depends on ground conditions.

CAUTION LIVE SERVICES PRESENT - EXTREME CARE SHOULD BE TAKEN WHEN EXCAVATING

ZS Surveys Ltd. and their agents or partners, are not responsible for any situation, incident or loss resulting from actions or planning resulting from total reliance upon this drawing or accompanying information. The completeness of the underground network information cannot be wholly guaranteed and as such no guarantee or warranties are provided or implied. The location and/or identification of a service will not positively indicate whether it is live or dead. A service indicated from records that has not been located or identified on site does not necessarily imply that it does not exist or is dead; however, its presence should be anticipated. The results of Electro Magnetic and GPR detection techniques are not reliable and ground probing for the actual position and depth of services should be established.

If this drawing and any associated drawings should be used in relation to works, we advise that the users of this information follow the principles detailed by the Health and Safety Executive guidance directive HSG47 'Avoiding Danger from Underground Services'. Further details of this directive are available at www.hse.gov.uk <http://www.hse.gov.uk/h47>

Notes

THIS DRAWING SHOULD ONLY BE USED FOR ITS ORIGINAL PURPOSE. ZS SURVEYS LTD. ACCEPTS NO RESPONSIBILITY FOR THIS DRAWING IF SUPPLIED TO ANY PARTY OTHER THAN THE ORIGINAL CLIENT.

ALL LEVELS RELATED DOSTN15 GRID PROJECTION.

ALL DIMENSIONS SHOULD BE VERIFIED ON SITE PRIOR TO CONSTRUCTION.

ALL HATCHING IS FOR PRESENTATIONAL PURPOSES ONLY.

Client	darnton3		
Site Location:	SITE_LOCATION		
Drawing Type:	DRAWING_TYPE		
Surveyed:	??	Drawn:	??
Checked:	??	Authorised:	??
Date:	DD.MM.YY	Scale:	1:200@A0
ZS Surveys Ltd		Land, Building & Engineering Surveys www.zssurveys.com info@zssurveys.com	
Project Number:	PROJECT_REF	Sheet Number:	SHEET_NUM

SCALE 1:50	5m
SCALE 1:100	10m
SCALE 1:200	20m
SCALE 1:500	50m
SCALE 1:1250	125m