



**TREE TO BE RETAINED**

**TREE TO BE PRUNED**

**TREE TO BE REMOVED**

**A CATEGORY TREE**

**B CATEGORY TREE**

**C CATEGORY TREE**

**U CATEGORY TREE**

**ROOT PROTECTION AREA (RPA) FOR RETAINED TREES**

**SENSITIVE DEMOLITION**  
The existing feature(s) is within the RPAs of retained trees and therefore, to minimise impact on underlying roots is to be demolished as per the method statement & under the supervision of the project arboriculturist.

**CONSTRUCTION EXCLUSION ZONE**

Root protection areas (RPA) of retained trees within which all construction activity is restricted.

All trees that are being retained on site must be protected by barriers and/or ground protection before any materials or machinery are brought onto the site, and before any demolition, development or stripping of soil commences. Where all activity can be excluded from the RPA, vertical barriers must be erected to create a construction exclusion zone. Where, due to site constraints, construction activity cannot be fully or permanently excluded in this manner from all or part of a tree's RPA, appropriate ground protection can be installed.

**DEFAULT POSITION FOR THE TREE PROTECTION BARRIERS.**

**Tree Protection Fence** shall comprise of Heras type panels on 'boots', well braced by attachment to scaffold pole uprights driven firmly into the ground. Once the exclusion zone has been protected by barriers and/or ground protection, construction work can commence. All weather notices may be erected on the barriers.

- 1 Weldmesh (e.g Heras) Panels
- 2 Concrete or rubber blocks
- 3 Scaffold pole uprights driven firmly into ground, then secured to panels with wire ties, or,
- 4 Uprights driven firmly into ground through hole in block, then secured to panels with wire ties.
- 5 Panels to be interlinked using clamps

**POST DEMOLITION FENCING**  
To be erected after sensitive demolition of the feature(s) within the RPAs of the retained trees.

The original of this drawing was produced in colour - a monochrome copy should not be relied upon.

Rev	Date	Details	Drawn
C	23.02.23	Revised layout	HEP
B	07.04.21	Revised layout T3 shown removed	SN
A	08.01.21	Revised layout T3 & T14 shown retained	RA

**ACD ENVIRONMENTAL**

HEAD OFFICE  
Rodbourne Rail Business Centre, Malmesbury,  
SN16 0ES  
Tel: 01666 825646

4 & 5 The Old Mill, Fry's Yard, Bridge Street, Godalming,  
GU7 1HP  
Tel: 01483 425714

Suite 6, Crescent House, Yonge Close, Eastleigh,  
SO50 9SX  
Tel: 02382 026300

email: mail@acdenv.co.uk  
www.acdenvironmental.co.uk

Copyright of ACD. All rights described in Chapter IV of the Copyright, Designs and Patents Act 1988 have been generally asserted: 2015. Copyright of this plan remains with ACD until all fees have been paid in full.

scheme: Tay Mount, Lady Margaret Road, Sunningdale  
client: Ashley Homes  
drawing: Tree Protection Plan  
date: 27.10.2020  
scale: 1:250@A2  
dwg no: PRI23037-03  
drawn: RA checked: AJB