27 Crown Street, Methwold, Norfolk, IP26 4NR.

Proposed replacement Sash windows to front elevation.

EN-PLAN

PLANNING & ARCHITECTURE



©Crown Copyright and database rights 2018 OS 100019980

Block Plan

19

1:500

13.11.2023

LOCATION & BLOCK PLAN



A 0 1

EN-PLAN

EXISTING AND PROPOSED ELEVATION


PLANNING & ARCHITECTURE

PLANS TO BE PRINTED ON A3.









Notes: 1) These drawings remain the PROPERTY OF EN-PLAN 2) All dimensions are to be CHECKED BY THE CONTRACTOR. 3) ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED. 4) DO NOTE SCALE COPIES OF THIS DRAWING. 5) This plan must be read in CONJUNCTION WITH ANY OTHER PLANS IN THE SET AND ANY SPECIALIST DRAWINGS RELATED TO THE PROJECT. 6) All discrepancies to be REPORTED TO EN-PLAN BEFORE CONTINUING.

EN-PLAN

PLANNING & ARCHITECTURE

Sash Window Spec

Not to scale

5

INTRODUCTION

This document provides detailed information relating to the windows and doors that have been specified for your project.

ITEM DETAIL

General Information:

- All drawings are viewed from the outside.
- Dimensions are actual window sizes.
- Excludes all internal or external trims as standard.

Key to abbreviations:

Frame CE = Cill Extension | CSE = Cill Side Extension | WBG = Window Board Groove

Glass

Arg = Argon | Kry = Krypton | AcLam = Acoustic Laminated Glass | Lam = Laminated Glass

Approx Weight: 108 kg

tem	Qty	
1	5 No.	
2		
	\ \ \ \ \ \ \ \ \ \ \ \ \ \	
2	4	111.00
	1200	

Description			
W1 Front, W2 Front, W3 Front, W4 Front, W5 Front			
Box Sash Windo	w (51-144-44)		
Timber Frame:	Engineered Softwood (FSC Certified)		
Timber Cill:	Grandis Hardwood (FSC Certified)		
Timber Sash:	Engineered Softwood (FSC Certified)		
Timber Linings:	Grandis (FSC Certfied)		
Frame Profile:	Historic/Flush Linings		
Sash Profile:	Historic Lambs Tongue (18mm)		
CE/ WBG:	No / No		
Sash Bar:	Solid Bar		
Finish:	RAL Colour TBC		
Gasket:	White		
Glazing:	6 No. 4.0mm Float / 6 Arg / 4.0mm Float-1.0 with a Bronze		
	Historic Aluminium Spacer,		
	6 No. 4.0mm Tough / 6 Arg / 4.0mm Tough-1.0 with a Bronze		
	Historic Aluminium Spacer		
Glazing Method	: Putty, White		
Hardware:	Polished Brass		
# Horns .	Additional Information		
1 Type A	20mm Stops; Sash Eye		
2 None	Standard Lifts		
U _w Value:	2.2W/m2K		

tem	Qty		Description		
2	1 No.		W6 Stairs		
1	F F	1	Box Sash Window (S1-144-44)		
3 			Timber Frame:	Engineered Softwood (FSC Certified)	
			Timber Cill:	Grandis Hardwood (FSC Certified)	
	42		Timber Sash:	Engineered Softwood (FSC Certified)	
		82.1	Timber Linings:	Grandis (FSC Certfied)	
		5	Frame Profile:	Historic/Flush Linings	
	£		Sash Profile:	Historic Lambs Tongue (18mm)	
			CE/ WBG:	No / No	
			Sash Bar:	Solid Bar	
			Finish:	RAL Colour TBC	
	1010		Gasket:	White	
			Glazing:	6 No. 4.0mm Float / 6 Arg / 4.0mm Float-1.0 with a Bronze	
				Historic Aluminium Spacer,	
				6 No. 4.0mm Tough / 6 Arg / 4.0mm Tough-1.0 with a Bronze	
				Historic Aluminium Spacer	
			Glazing Method:	Putty, White	
			Hardware:	Polished Brass	
			# Horns .	Additional Information .	
			1 Type A	20mm Stops; Sash Eye	
			2 None	Standard Lifts	
			U _w Value:	2.2W/m2K	
			Approx Weight:	93 kg	
	6 No.		Total No of Items	k	

SPECIFICATION

Products will be supplied to this specification unless stated in the project notes. This specification refers to the Owner's Manual, the Installation Manual, Our Guarantees (available on our website at

https://www.georgebarnsdale.co.uk/brochures/) and the Standard Conditions of Sale (included at the end of this document).

Guarantees

Our products are all designed to provide exceptional performance with long life and low maintenance. As a result, we provide industry leading guarantees with comprehensive cover as detailed in Our Guarantees.

Timber

Our windows and doors are manufactured from FSC® certified engineered timber, sourced from well managed forests (German sourced insulated panel products may be certified to the PEFC® scheme, an alternative to FSC®, commonly used in Germany). If you require full FSC® chain of custody documentation, please advise us at the time of order. Please note, that there may be some engineered joints visible on the timber particularly when using pine.

Coating System

Our windows and doors are all factory finished using our advanced 4 layer microporous coating system, applied in our state of the art paint facility, providing an excellent finish and long life with low maintenance. This allows our windows and doors to be supplied with our industry leading guarantees and significantly better real life performance than most alternatives.

Our colour matching process allows us to match to colours defined in various standards and ranges (RAL, NCS and



Copyright En-Plan

13.11.2023

Notes: 1) THESE DRAWINGS REMAIN THE PROPERTY OF EN-PLAN 2) ALL DIMENSIONS ARE TO BE CHECKED BY THE CONTRACTOR. 3) ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED. 4) DO NOTE SCALE COPIES OF THIS DRAWING. 5) THIS PLAN MUST BE READ IN CONJUNCTION WITH ANY OTHER PLANS IN THE SET AND ANY SPECIALIST DRAWINGS RELATED TO THE PROJECT. 6) All discrepancies to be REPORTED TO EN-PLAN BEFORE CONTINUING.

EN-PL

A D3