




© COPYRIGHT
 THE COPYRIGHT IN THIS DRAWING IS VESTED IN CUBE CONSULTING ENGINEERS LIMITED AND NO LICENCE OR ASSIGNMENT OF ANY KIND HAS BEEN OR IS GRANTED TO ANY THIRD PARTY WHETHER BY PROVISION OF COPIES OR ORIGINALS OR OTHERWISE UNLESS AGREED IN WRITING.

- NOTES:
- DO NOT SCALE FROM THIS DRAWING.
 - ALL LEVELS ARE IN METRES ABOVE ORDINANCE DATUM AND ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
 - GULLIES ARE EXPECTED TO BE REQUIRED TO PLANT ROOMS, AN ALLOWANCE SHOULD BE MADE FOR THESE DESIGN AND SPECIFICATION BY MEP ENGINEER.
 - ALL WORKS TO EXISTING PUBLIC SEWERS TO BE SUBJECT TO THAMES WATER APPROVAL.
 - ATTENUATION VOLUMES AND LOCATIONS ARE INDICATIVE ONLY. SUBJECT TO COORDINATION AND CONFIRMATION BY DETAILED HYDRAULIC MODELING, GREENROOF DESIGN AND SPECIFICATION BY OTHERS.
 - ALL SEWERS TO BE ABANDONED ARE TO BE CHECKED TO ENSURE ALL LIVE CONNECTIONS ARE IDENTIFIED AND CATERED FOR.

- KEY
- SITE BOUNDARY
 - - - EXISTING FOUL WATER PUBLIC SEWER
 - - - EXISTING COMBINED WATER PUBLIC SEWER
 - - - EXISTING COMBINED WATER SEWER
 - - - EXISTING SURFACE WATER SEWER
 - - - PROPOSED PUBLIC SEWER DIVERSION
 - - - EXISTING SEWER TO BE ADANDONED
 - - - PROPOSED FOUL WATER SEWER
 - PROPOSED FOUL WATER INSPECTION CHAMBER
 - PROPOSED FOUL WATER DRAIN POINT
 - PROPOSED COMBINED WATER INSPECTION CHAMBER
 - PROPOSED SURFACE WATER SEWER
 - PROPOSED SURFACE WATER INSPECTION CHAMBER
 - PROPOSED SURFACE WATER MANHOLE
 - PROPOSED RAIN WATER PIPE
 - PROPOSED SURFACE WATER CHANNEL DRAIN
 - PROPOSED ATTENUATION TANK
 - EXPECTED 1.5m PILING NO BUILD ZONE (SUBJECT TO APPROVAL)

P01	10/11/2023	PRELIMINARY ISSUE	AP	CR
REV	DATE	DESCRIPTION	DRN	APP
STATUS				

PRELIMINARY ISSUE



CLIENT
 HG LIVING

PROJECT
 KENNINGTON LANE

DRAWING TITLE
 BELOW GROUND DRAINAGE LAYOUT

JOB NO.	DATE	SCALE
1142	10/11/23	1:100

DRN	DES	CHK	APP	CR
AP	AP	CR	CR	CR

DRAWING NUMBER
 P0022-FE-SW-00-DR-C-0100

REV
 P01

