CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL21


Item Reference: Spare room

Quote Ref: 3451/1 V3

Key Features:







Detailed Specification

Width (mm)	1100	Head Drip	None	Glass Pattern	Clear
Height (mm)	1200		1400-6405	Stass raccin	ctear
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
eature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
loating Mullion	No	Window Board Required	No	Size of Bar	18mm
qualise Glass Widths	Yes	ACT OF THE SAME STANDARD		Handle	Monkeytail - Black
Colour	F&B Old White (Match)			Peg Stay Alignment Peg Stay	Opening end pointing to handle Monkeytail - Black
ill	190mm x 38mm (inc. in overall ht)			Lockable Peg Stay Dummy Hinges	Yes None
ill Species	Finger Jointed Redwood			Hinge System	Pivot with Seigenia locks
ill Horns	No			rinige system	FIVOL WITH Seigenia tocks
actory Fit Cill	Yes			FSC Certified	Yes

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1


Style: DL47

Item Reference: Childrens bedroom

Quote Ref: 3451/1 V3

Key Features:





Detailed Specification:

/idth (mm)	1500	Head Drip	None	Glass Pattern	Clear
eight (mm)	1300	30		Class i decei ii	ctear
rame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
eature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
yle Option	Dummy Sash			Size of Bar	18mm
		Window Board Required	No		(1.511.Man)
qualise Glass Widths	Yes			Handle	Monkeytail - Black
				Peg Stay Alignment	Opening end pointing to handle
olour	F&B Old White (Match)			Peg Stay	Monkeytail - Black
				Lockable Peg Stay	Yes
ill	190mm x 38mm (inc. in overall ht)			Dummy Hinges	None
ill Species	Finger Jointed Redwood			Hinge System	
ill Horns	No			Tinige System	Pivot with Seigenia locks
actory Fit Cill	Yes			FSC Certified	Yes

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL47


Item Reference: Children bedroom

Quote Ref: 3451/1 V3

Key Features:







Detailed Specification

Width (mm)	1500	Head Drip	None	Glass Pattern	Clear
Height (mm)	1300	X		Glass Fattern	Clear
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
Style Option	Dummy Sash	seni ve		Size of Bar	18mm
Faurlica Class Width	Yes	Window Board Required	No		
Equalise Glass Widths	res			Handle	Monkeytail - Black
Colour	F&B Old White (Match)			Peg Stay Alignment Peg Stay	Opening end pointing to handle Monkeytail - Black
Cill	190mm x 38mm (inc. in overall ht)			Lockable Peg Stay	Yes
Cill Species	Finger Jointed Redwood			Dummy Hinges	None
Cill Horns	No			Hinge System	Pivot with Seigenia locks
Factory Fit Cill	Yes				
ractory ric citi	163			FSC Certified	Yes

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL2


Item Reference: Hallway

Quote Ref: 3451/1 V3

Key Features:







Detailed Specification

Width (mm)	600	Head Drip	None	Glass Pattern	Clear
leight (mm)	1300			Time (attern	cca
rame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
eature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
olour	F&B Old White (Match)	Window Board Required	No	Size of Bar	18mm
Cill Cill Species Cill Horns Factory Fit Cill	190mm x 38mm (inc. in overall ht) Finger Jointed Redwood No Yes			Handle Peg Stay Alignment Peg Stay Lockable Peg Stay Dummy Hinges Hinge System	Monkeytail - Black Opening end pointing to handle Monkeytail - Black Yes None Pivot with Seigenia locks
				FSC Certified	Yes

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL2


Item Reference: Bathroom

Quote Ref: 3451/1 V3

Key Features:







Detailed Specification:

Width (mm) Height (mm)	600 1050	Head Drip	None	Glass Pattern	Clear
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
Colour	F&B Old White (Match)	Window Board Required	No	Size of Bar	18mm
Cill Cill Species Cill Horns Factory Fit Cill	190mm x 38mm (inc. in overall ht) Finger Jointed Redwood No Yes			Handle Peg Stay Alignment Peg Stay Lockable Peg Stay Dummy Hinges Hinge System	Monkeytail - Black Opening end pointing to handle Monkeytail - Black Yes None Pivot with Seigenia locks
				FSC Certified	Yes

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL2


Item Reference: Bathroom

Quote Ref: 3451/1 V3

Key Features:







Detailed Specification:

Cill Horns Factory Fit Cill VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	600	Hea
Height (mm)	1050	
Frame Head Size	60mm	Add
Feature Mould	Ovolo	Tric
Colour	F&B Old White (Match)	Wind
Cill	190mm x 38mm (inc. in overall ht)	
Cill Species	Finger Jointed Redwood	

190m	ım x 38mm (inc. in overall ht)
Finge	er Jointed Redwood
No	
Yes	

Head Drip	None
Add Ons Required	No
Trickle Vents Required	No
Window Board Required	No

Glass Pattern	Clear
Glass Type	4mm Annealed
Glazing Features	Astragal Squares
Size of Bar	18mm
Handle	Monkeytail - Black
Peg Stay Alignment	Opening end pointing to handle
Peg Stay	Monkeytail - Black
Lockable Peg Stay	Yes
Dummy Hinges	None
Hinge System	Pivot with Seigenia locks

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL2


Item Reference: Hallway

Quote Ref: 3451/1 V3









Detailed Specification:

Width (mm)	600	Head Drip	None	Glass Pattern	Clear
Height (mm)	1300			2	cicar
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
2 N	PER STANCE OF THE			Size of Bar	18mm
Colour	F&B Old White (Match)	Window Board Required	No		
				Handle	Monkeytail - Black
Cill	190mm x 38mm (inc. in overall ht)			Peg Stay Alignment	Opening end pointing to handle
Cill Species	Finger Jointed Redwood			Peg Stay	Monkeytail - Black
Cill Horns	No			Lockable Peg Stay	Yes
Factory Fit Cill	Yes			Dummy Hinges	None
				Hinge System	Pivot with Seigenia locks
					seigema tocks
				FSC Certified	Yes

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL2


Item Reference: Masterbed

Quote Ref: 3451/1 V3









Detailed Specification:

Width (mm)	600	Head Drip	None	Glass Pattern	Clear
Height (mm)	1300	25			5.541
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
Colour	F&B Old White (Match)	Window Board Required	No	Size of Bar	18mm
G.III			F6122	Handle	Monkeytail - Black
Cill	190mm x 38mm (inc. in overall ht)			Peg Stay Alignment	Opening end pointing to handle
Cill Species	Finger Jointed Redwood			Peg Stay	Monkeytail - Black
Cill Horns	No			Lockable Peg Stay	Yes
Factory Fit Cill	Yes			Dummy Hinges	None
				Hinge System	Pivot with Seigenia locks
				FSC Certified	Yes

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL21


Item Reference: Master bedroom

Quote Ref: 3451/1 V3

Key Features:







VIEWED FROM OUTSID

Width (mm)	1100	
Height (mm)	1200	
Frame Head Size	60mm	
Feature Mould	Ovolo	27
Floating Mullion	No	1
Equalise Glass Widths	Yes	
Colour	F&B Old White (Match)	
Cill	190mm x 38mm (inc. in overall ht)	
Cill Species	Finger Jointed Redwood	
Cill Horns	No	
Factory Fit Cill	Yes	

Head Drip	None	Glass Pattern	Clear
Add Ons Required	No	Glass Type	4mm Annealed
Trickle Vents Required	No	Glazing Features	Astragal Squares
		Size of Bar	18mm
Window Board Required	No		
		Handle	Monkeytail - Black
		Peg Stay Alignment	Opening end pointing to handle
		Peg Stay	Monkeytail - Black
		Lockable Peg Stay	Yes
		Dummy Hinges	None
		Hinge System	Pivot with Seigenia locks
		FSC Certified	Yes

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL21


Item Reference: Master bedroom

Quote Ref: 3451/1 V3

Key Features:







Detailed Specification:

Width (mm)	1100	Head Drip	None	Glass Pattern	Clear
Height (mm)	1200	1.8%	N. Carlot	3.400 / 4.55111	cicar
rame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
eature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
50 175 Day 1440	762			Size of Bar	18mm
loating Mullion	No	Window Board Required	No		
qualise Glass Widths	Yes			Handle	Monkeytail - Black
3 19	ADMINISTRAÇÃO DE MONTOS.			Peg Stay Alignment	Opening end pointing to handle
olour	F&B Old White (Match)			Peg Stay	Monkeytail - Black
				Lockable Peg Stay	Yes
ill	190mm x 38mm (inc. in overall ht)			Dummy Hinges	None
ill Species	Finger Jointed Redwood			Hinge System	Pivot with Seigenia locks
ill Horns	No				salgema toeks
actory Fit Cill	Yes			FSC Certified	Yes

Item: 11 CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD Style: DL21

Quantity: 1


Item Reference: Master bedroom

Quote Ref: 3451/1 V3

Key Features:







Detailed Specification:

Width (mm)	1100	Head Drip	None	Glass Pattern	Clear
leight (mm)	1200				Stear
rame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
eature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
				Size of Bar	18mm
loating Mullion	No	Window Board Required	No		
qualise Glass Widths	Yes			Handle	Monkeytail - Black
				Peg Stay Alignment	Opening end pointing to handle
olour	F&B Old White (Match)			Peg Stay	Monkeytail - Black
				Lockable Peg Stay	Yes
ill	190mm x 38mm (inc. in overall ht)			Dummy Hinges	None
ill Species	Finger Jointed Redwood			Hinge System	Pivot with Seigenia locks
ill Horns	No			Andrew Control of the	The state of the s
actory Fit Cill	Yes			FSC Certified	Yes

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL21


Item Reference: En suite

Quote Ref: 3451/1 V3

Key Features:








Detailed Specification:

Vidth (mm)	1100	Head Drip	None	Glass Pattern	Clear
leight (mm)	1200				
rame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
eature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
a 96 526 99451				Size of Bar	18mm
oating Mullion	No	Window Board Required	No		
qualise Glass Widths	Yes			Handle	Monkeytail - Black
				Peg Stay Alignment	Opening end pointing to handle
lour	F&B Old White (Match)			Peg Stay	Monkeytail - Black
				Lockable Peg Stay	Yes
ll .	190mm x 38mm (inc. in overall ht)			Dummy Hinges	None
ll Species	Finger Jointed Redwood			Hinge System	Pivot with Seigenia locks
ll Horns	No			ge bystem	. The men seigenia tocks
actory Fit Cill	Yes			FSC Certified	Yes



CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL3


Item Reference: Playroom

Quote Ref: 3451/1 V3

Key Features:







Detailed Specification:

Width (mm)	600	Head Drip	None	Glass Pattern	Clear
Height (mm)	1050			STORMOR TO THE STORM THE STORM	
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
Colour	F&B Old White (Match)	Window Board Required	No	Size of Bar	18mm
Cill Cill Species Cill Horns Factory Fit Cill	190mm x 38mm (inc. in overall ht) Finger Jointed Redwood No Yes			Handle Peg Stay Alignment Peg Stay Lockable Peg Stay Dummy Hinges Hinge System	Monkeytail - Black Opening end pointing to handle Monkeytail - Black Yes None Pivot with Seigenia locks
				FSC Certified	Yes

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD Item: 15 Quantity: 1 Style: DL63 Item Reference: Living room Ouote Ref: 3451/1 V3 **Key Features:** - 1500 -508 508 426 Carried 1400 Detailed Specification: VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION. Width (mm) 1500 Head Drip None Glass Pattern Clear Height (mm) 1400 Frame Head Size 60mm Add Ons Required No Glass Type 4mm Annealed Feature Mould Ovolo Trickle Vents Required No Glazing Features Astragal Squares Style Option Dummy Sash Size of Bar 18mm Window Board Required No **Equal Height Squares** Yes Handle Monkeytail - Black (RH internal) Equalise Glass Widths Yes Peg Stay Alignment Opening end pointing to handle Peg Stay Monkeytail - Black Colour F&B Old White (Match) Lockable Peg Stay Yes **Dummy Hinges** None Cill 190mm x 38mm (inc. in overall ht) Hinge System Pivot with Seigenia locks Cill Species Finger Jointed Redwood

Page 15 of 24

FSC Certified

Yes

Cill Horns

Factory Fit Cill


No

Item: 16 ENTRANCE DOOR IN MERANTI Quantity: 1 Style: OUT-A-Apsley Item Reference: Living room door Quote Ref: 3451/1 V3

Key Features:







DRAWING NOTES: VIEWED FROM OUTSIDE. ARROW DENOTES HINGE POSITION.
DRAWINGS DO NOT DEPICT KNOCKERS. SPY HOLES, SECURITY CHAINS OR DOORKNOBS. REFER TO BROCHURE FOR FULL GLAZING CONFIGURATIONS.

M. Fan Y.	to wake	20101	陈, 祖之。	ecit	Franklin St. of	100
D'Awe	経の見る	5, cos; @ E	5015	(m, 69 H)	子供を予算部	191818
			90:05 M	7-20-9-5		Market Co

Overall Width (mm)	1050	Head Drip	None	Door Sash Glass Pattern	Clear
Overall Height (mm)	2100			Door Sasir Glass Facterin	Cteal
Frame Head Size	60mm	Cill Type	Projecting Cill	Glass Type	4mm Toughened
Stiles & Rails	110mm	Cill	145mm x 35mm (inc. in overall ht)	Glass Type	4mm rougheried
		Cill Horns	No	Door Sash Glazing Features	Astragal Squares
Feature Mould	Ovolo	Cill Species	Engineered Meranti	Size Of Bar	18mm
		Factory Fit Cill	Yes	SIZE OF BUI	IDITITI
Hinge Side	Left			Door Handle	Avon - Aged Bronze Lever/Lever (Dark Kaba)
Door Opens	Out	Add Ons Required	No	Door Knocker	No
Door Sash Style	Apsley	,		Letterbox	None
		Trickle Vents Required	No	Security Chain	None
Colour	F&B Old White (Match)			occurrey chain	None
		Threshold Board Required	No	FSC Certified	No
					2.25
		Hinge Colour	Black		
		Threshold Colour	Black		
		External Access	Yes		

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 2

Style: DL3


Item Reference: Next to door

Quote Ref: 3451/1 V3

Key Features:







Detailed Specification:

Width (mm)

Factory Fit Cill

VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

verall ht)

Yes

500

Head Drip	None	
Add Ons Required	No	
Trickle Vents Required	No	
Window Board Required	No	

Glass Pattern	Clear
Glass Type	4mm Toughened
Glazing Features	Astragal Squares
Size of Bar	18mm
Handle	Monkeytail - Black
Peg Stay Alignment	Opening end pointing to handle
Peg Stay	Monkeytail - Black
Lockable Peg Stay	Yes
Dummy Hinges	None
Hinge System	Pivot with Seigenia locks

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL3


Item Reference: Hallway

Quote Ref: 3451/1 V3

Key Features:







Detailed Specification

Width (mm)	600	Head Drip	None	Glass Pattern	Clear
leight (mm)	1050			Olass Faccetti	Clear
rame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
Colour	F&B Old White (Match)	Window Board Required	No	Size of Bar	18mm
Cill	100			Handle	Monkeytail - Black
Cill Species	190mm x 38mm (inc. in overall ht) Finger Jointed Redwood			Peg Stay Alignment	Opening end pointing to handle
Cill Horns	3			Peg Stay	Monkeytail - Black
	No			Lockable Peg Stay	Yes
actory Fit Cill	Yes			Dummy Hinges	None
				Hinge System	Pivot with Seigenia locks
				FSC Certified	Yes

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD

Quantity: 👱 🤦 1

Style: DL3

Item Reference: Utility


Quote Ref: 3451/1 V3

FSC Certified

Key Features:







Detailed Specification

VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	600
Height (mm)	1050
Frame Head Size	60mm
Feature Mould	Ovolo
Colour	F&B Old White (Match)
racon	

Cill	190mm x 38mm (inc. in overall ht)	
Cill Species	Finger Jointed Redwood	
Cill Horns	No	
Factory Fit Cill	Yes	

Head Drip	None	
Add Ons Required	No	
Trickle Vents Required	No	
Window Board Required	No	

Glass Pattern	Clear
Glass Type	4mm Annealed
Glazing Features	Astragal Squares
Size of Bar	18mm
Handle	Monkeytail - Black
Peg Stay Alignment	Opening end pointing to handle
Peg Stay	Monkeytail - Black
Lockable Peg Stay	Yes
Dummy Hinges	None
Hinge System	Pivot with Seigenia locks

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL3


Item Reference: Little loo

Quote Ref: 3451/1 V3

Key Features:







Detailed Specification:

VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	600	Head Drip	None	Glass Pattern	Clear
Height (mm)	1050				cicui
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
Colour	F&B Old White (Match)	Window Board Required	No	Size of Bar	18mm
				Handle	Monkeytail - Blac
Cill	190mm x 38mm (inc. in overall ht)			Peg Stay Alignment	Opening end poin
Cill Species	Finger Jointed Redwood			Peg Stay	Monkeytail - Blaci
Cill Horns	No			Lockable Peg Stay	Yes
Factory Fit Cill	Yes			Dummy Hinges	None
				Hinge System	Pivot with Seigen

ack

ointing to handle

Pivot with Seigenia locks

FSC Certified

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL3


Item Reference: Kitchen

Quote Ref: 3451/1 V3









Detailed Specification:

	atn (mm) ight (mm)	1050	Head Drip	None	Glass Pattern	Clear
	ime Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
Fea	ature Mould	Ovolo	Trickle Vents Required	No	Glazing Features Size of Bar	Astragal Squares
Col	our	F&B Old White (Match)	Window Board Required	No	Size of but	18mm
Cill	Species Horns ctory Fit Cill	190mm x 38mm (inc. in overall ht) Finger Jointed Redwood No Yes			Handle Peg Stay Alignment Peg Stay Lockable Peg Stay Dummy Hinges Hinge System	Monkeytail - Black Opening end pointing to handle Monkeytail - Black Yes None Pivot with Seigenia locks
					FSC Certified	Yes

Item: 22 CONVENTIONAL FLUS

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD


Quantity: 1

Style: DL21 Item Reference: Kitchen

Quote Ref: 3451/1 V3







Detai	led	Speci	ficat	ien:

Width (mm)	1100	Head Drip	None	Glass Pattern	Clear
Height (mm) Frame Head Size	1200 60mm	Add Ons Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features Size of Bar	Astragal Squares 18mm
Floating Mullion Equalise Glass Widths	No Yes	Window Board Required	No	Handle Peg Stay Alignment	Monkeytail - Black Opening end pointing to handle
Colour	F&B Old White (Match)			Peg Stay Lockable Peg Stay	Monkeytail - Black Yes
Cill Cill Species	190mm x 38mm (inc. in overall ht) Finger Jointed Redwood			Dummy Hinges Hinge System	None Pivot with Seigenia locks
Cill Horns Factory Fit Cill	No Yes			FSC Certified	Yes

CONVENTIONAL FLUSH CASEMENT IN FINGER JOINTED REDWOOD



Quantity: 1


Style: DL63

Item Reference: Kitchen

Quote Ref: 3451/1 V3







Q*************************************	POLICE HY DISTRICT	STREET, ALSO STREET, ST. ST. ST.	
I like to the h & li	ATABLE VALL	cificatio	n Yel

Width (mm)	1500	Head Drip	None	Glass Pattern	Clear
Height (mm)	1400				Alternative Manufacture & Total
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Trickle Vents Required	No	Glazing Features	Astragal Squares
Style Option	Dummy Sash	_		Size of Bar	18mm
Style option	+ - · · · · · · · · · · · · · · · · · ·	Window Board Required	No		
Equal Height Squares	Yes	And the second of the second o		Handle	Monkeytail - Black (RH internal)
Equalise Glass Widths	Yes			Peg Stay Alignment	Opening end pointing to handle
Equatise diass fridais				Peg Stay	Monkeytail - Black
Colour	F&B Old White (Match)			Lockable Peg Stay	Yes
Cotour				Dummy Hinges	None
Cill	190mm x 38mm (inc. in overall ht)			Hinge System	Pivot with Seigenia locks
Cill Species	Finger Jointed Redwood				
Cill Horns	No			FSC Certified	Yes
Factory Fit Cill	Yes				