





QUOTATION


Window Supply Co Ltd 03/20 7 Murraysgate Industrial Est Whitburn Livingston West Lothian EH47 0LE Tel : 01506 310111 Fax: 01506 310333	Victorian Sliders Victorian House Parc Hendre Business Park Capel Hendre Carmarthenshire SA18 3SJ Tel : 01269 846200 Fax: 01269 846201	Quotation No : 203431 Printed Date : 17-Mar-2023 Representative : Customer : S14 Pricing Method : Price Grids
	Quotation Spec Glazed / Supply Only	
	Quotation Reference QD87942	


1	ECO Slide Vertical Slider(WER:1.4 U-Valu)		Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 765mm x 1960mm (ECO V/S)		Specification	Frame Price 765 x 1960	1			
 <p>Cill Horn : 0mm</p>		Colour	White				
		Cill colour	White				
		Cill	4005 152mm Cill				
		Add-on (Head)	-				
		Add-on (Cill)	-				
		Add-on (Left jamb)	-				
		Add-on (Right jamb)	-				
		Ventilator (Head)	Eco Maxi Vent				
		Ventilator (Sash)	-				
		VS Sash Horns	-				
		VS Hardware Colour	Chrome				
		VS Travel Restrictor	Travel Restrictor Required				
		VS Sash Locks	1 x Cam Lock				
		VS Keeps	Cam Lock Keep				
		VS Top Sash	2 x Pole Eye Top Sash				
VS Bottom Sash	2 x Sash Lift						
VS Outside D Handle	-						
Glazing thickness	24mm						
VS Tilt Knobs	Tilt Knobs Required						
Glazing Details & Apertures							
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge							
A1 A6							
Notes :							


2	ECO Slide Vertical Slider(WER:1.4 U-Valu)		Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 765mm x 1960mm (ECO V/S)		Specification	Frame Price 765 x 1960				
 <p>Cill Horn : 0mm</p>		Colour	White				
		Cill colour	White				
		Cill	4005 152mm Cill				
		Add-on (Head)	-				
		Add-on (Cill)	-				
		Add-on (Left jamb)	-				
		Add-on (Right jamb)	-				
		Ventilator (Head)	Eco Maxi Vent				
		Ventilator (Sash)	-				
		VS Sash Horns	-				
		VS Hardware Colour	Chrome				
		VS Travel Restrictor	Travel Restrictor Required				
		VS Sash Locks	1 x Cam Lock				
		VS Keeps	Cam Lock Keep				
		VS Top Sash	2 x Pole Eye Top Sash				
VS Bottom Sash	2 x Sash Lift						
VS Outside D Handle	-						
Glazing thickness	24mm						
VS Tilt Knobs	Tilt Knobs Required						
Glazing Details & Apertures							
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge							
A1 A6							
Notes :							


3	ECO Slide Vertical Slider(WER:1.4 U-Valu)		Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 882mm x 2000mm (ECO V/S)		Specification	Frame Price 882 x 2000				
 <p>Cill Horn : 0mm</p>		Colour	White				
		Cill colour	White				
		Cill	4005 152mm Cill				
		Add-on (Head)	-				
		Add-on (Cill)	-				
		Add-on (Left jamb)	-				
		Add-on (Right jamb)	-				
		Ventilator (Head)	Eco Maxi Vent				
		Ventilator (Sash)	-				
		VS Sash Horns	-				
		VS Hardware Colour	Chrome				
		VS Travel Restrictor	Travel Restrictor Required				
		VS Sash Locks	2 x Cam Lock				
		VS Keeps	Cam Lock Keep				
		VS Top Sash	2 x Pole Eye Top Sash				
		VS Bottom Sash	2 x Sash Lift				
		VS Outside D Handle	-				
		Glazing thickness	24mm				
		VS Tilt Knobs	Tilt Knobs Required				
Glazing Details & Apertures							
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge							
A1 A6							
Notes :							


4	ECO Slide Vertical Slider(WER:1.4 U-Valu)		Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 757mm x 1228mm (ECO V/S)		Specification	Frame Price 757 x 1228				
 <p>Cill Horn : 0mm</p>		Colour	White				
		Cill colour	White				
		Cill	4005 152mm Cill				
		Add-on (Head)	-				
		Add-on (Cill)	-				
		Add-on (Left jamb)	-				
		Add-on (Right jamb)	-				
		Ventilator (Head)	Eco Maxi Vent				
		Ventilator (Sash)	-				
		VS Sash Horns	-				
		VS Hardware Colour	Chrome				
		VS Travel Restrictor	Travel Restrictor Required				
		VS Sash Locks	1 x Cam Lock				
		VS Keeps	Cam Lock Keep				
		VS Top Sash	2 x Pole Eye Top Sash				
		VS Bottom Sash	2 x Sash Lift				
		VS Outside D Handle	-				
		Glazing thickness	24mm				
		VS Tilt Knobs	Tilt Knobs Required				
Glazing Details & Apertures							
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge							
A1 A6							
Notes :							


5	ECO Slide Vertical Slider(WER:1.4 U-Valu)		Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 820mm x 1760mm (ECO V/S)		Specification	Frame Price 820 x 1760				
 <p>Cill Horn : 0mm</p>		Colour	White				
		Cill colour	White				
		Cill	4005 152mm Cill				
		Add-on (Head)	-				
		Add-on (Cill)	-				
		Add-on (Left jamb)	-				
		Add-on (Right jamb)	-				
		Ventilator (Head)	Eco Maxi Vent				
		Ventilator (Sash)	-				
		VS Sash Horns	-				
		VS Hardware Colour	Chrome				
		VS Travel Restrictor	Travel Restrictor Required				
		VS Sash Locks	2 x Cam Lock				
		VS Keeps	Cam Lock Keep				
		VS Top Sash	2 x Pole Eye Top Sash				
		VS Bottom Sash	2 x Sash Lift				
		VS Outside D Handle	-				
		Glazing thickness	24mm				
		VS Tilt Knobs	Tilt Knobs Required				
Glazing Details & Apertures							
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge							
A1 A6							
Notes :							

6	ECO Slide Vertical Slider(WER:1.4 U-Valu)		Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 765mm x 1960mm (ECO V/S)		Specification	Frame Price 765 x 1960				
 <p>Cill Horn : 0mm</p>		Colour	White				
		Cill colour	White				
		Cill	4005 152mm Cill				
		Add-on (Head)	-				
		Add-on (Cill)	-				
		Add-on (Left jamb)	-				
		Add-on (Right jamb)	-				
		Ventilator (Head)	Eco Maxi Vent				
		Ventilator (Sash)	-				
		VS Sash Horns	-				
		VS Hardware Colour	Chrome				
		VS Travel Restrictor	Travel Restrictor Required				
		VS Sash Locks	1 x Cam Lock				
		VS Keeps	Cam Lock Keep				
		VS Top Sash	2 x Pole Eye Top Sash				
VS Bottom Sash	2 x Sash Lift						
VS Outside D Handle	-						
Glazing thickness	24mm						
VS Tilt Knobs	Tilt Knobs Required						
Glazing Details & Apertures							
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge							
A1 A6							
Notes :							

7	ECO Slide Vertical Slider(WER:1.4 U-Valu)		Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 765mm x 1960mm (ECO V/S)		Specification	Frame Price 765 x 1960				
 <p>Cill Horn : 0mm</p>		Colour	White				
		Cill colour	White				
		Cill	4005 152mm Cill				
		Add-on (Head)	-				
		Add-on (Cill)	-				
		Add-on (Left jamb)	-				
		Add-on (Right jamb)	-				
		Ventilator (Head)	Eco Maxi Vent				
		Ventilator (Sash)	-				
		VS Sash Horns	-				
		VS Hardware Colour	Chrome				
		VS Travel Restrictor	Travel Restrictor Required				
		VS Sash Locks	1 x Cam Lock				
		VS Keeps	Cam Lock Keep				
		VS Top Sash	2 x Pole Eye Top Sash				
VS Bottom Sash	2 x Sash Lift						
VS Outside D Handle	-						
Glazing thickness	24mm						
VS Tilt Knobs	Tilt Knobs Required						
Glazing Details & Apertures							
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge							
A1 A6							
Notes :							

8	ECO Slide Vertical Slider(WER:1.4 U-Valu)		Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 930mm x 1834mm (ECO V/S)		Specification	Frame Price 930 x 1834				
 <p>Cill Horn : 0mm</p>		Colour	White				
		Cill colour	White				
		Cill	4005 152mm Cill				
		Add-on (Head)	-				
		Add-on (Cill)	-				
		Add-on (Left jamb)	-				
		Add-on (Right jamb)	-				
		Ventilator (Head)	Eco Maxi Vent				
		Ventilator (Sash)	-				
		VS Sash Horns	-				
		VS Hardware Colour	Chrome				
		VS Travel Restrictor	Travel Restrictor Required				
		VS Sash Locks	2 x Cam Lock				
		VS Keeps	Cam Lock Keep				
		VS Top Sash	2 x Pole Eye Top Sash				
VS Bottom Sash	2 x Sash Lift						
VS Outside D Handle	-						
Glazing thickness	24mm						
VS Tilt Knobs	Tilt Knobs Required						
Glazing Details & Apertures							
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge							
A1 A6							
Notes :							

9	ECO Slide Vertical Slider(WER:1.4 U-Valu)		Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 895mm x 1960mm (ECO V/S)		Specification	Frame Price 895 x 1960				
 <p>Cill Horn : 0mm</p>		Colour White Cill colour White Cill 4005 152mm Cill Add-on (Head) - Add-on (Cill) - Add-on (Left jamb) - Add-on (Right jamb) - Ventilator (Head) Eco Maxi Vent Ventilator (Sash) - VS Sash Horns - VS Hardware Colour Chrome VS Travel Restrictor Travel Restrictor Required VS Sash Locks 2 x Cam Lock VS Keeps Cam Lock Keep VS Top Sash 2 x Pole Eye Top Sash VS Bottom Sash 2 x Sash Lift VS Outside D Handle - Glazing thickness 24mm VS Tilt Knobs Tilt Knobs Required	Hardware Colour Price Surcharge 04/04/2022 Eco Maxi Vent				
Glazing Details & Apertures							
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge							
A1 A6							
Notes :							

10	ECO Slide Vertical Slider(WER:1.4 U-Valu)		Pricing	Qty	Gross	Disc.	Nett
O/A Sizes 895mm x 1960mm (ECO V/S)		Specification	Frame Price 895 x 1960				
 <p>Cill Horn : 0mm</p>		Colour White Cill colour White Cill 4005 152mm Cill Add-on (Head) - Add-on (Cill) - Add-on (Left jamb) - Add-on (Right jamb) - Ventilator (Head) Eco Maxi Vent Ventilator (Sash) - VS Sash Horns - VS Hardware Colour Chrome VS Travel Restrictor Travel Restrictor Required VS Sash Locks 2 x Cam Lock VS Keeps Cam Lock Keep VS Top Sash 2 x Pole Eye Top Sash VS Bottom Sash 2 x Sash Lift VS Outside D Handle - Glazing thickness 24mm VS Tilt Knobs Tilt Knobs Required	Hardware Colour Price Surcharge 04/04/2022 Eco Maxi Vent				
Glazing Details & Apertures							
4-16-4 Softcoat / Low Iron Tuff : 16mm Warm Edge							
A1 A6							
Notes :							

Delivery Terms	
PaymentTerms	