




07716 825217
oscar@foxframing.co.uk



PLAN

PLEASE NOTE:

FOUNDATION SPEC

TO BE CONFIRMED BY GROUND WORKS CONTRACTOR OR STRUCTURAL ENGINEER

BRICKWORK SPEC:

300MM HIGH (4 COURSES)

TWIN SKIN 225MM WIDE

PLEASE NOTE: BRICKWORK NEEDS TO SIT ON TOP OF THE FINISHED CONCRETE SLAB

FRAME INFORMATION:

5.4M WIDE x 5.4M DEEP TWO BAY FULL HEIGHT FRAME

200 X 200MM FRONT ELEVATION POSTS/BEAMS

150 X 150MM MAIN FRAME POSTS/BEAMS

CLEARANCE UNDER THE MAIN BEAM TO BE 2.1M

28.5 DEGREE GABLE ENDED ROOF - 4M MAX TO RIDGE

ROOF RAFTERS & STUDWORK TO BE POSITIONED @ 400MM CENTRES

WEATHERBOARD TO BE FIXED WITH A 35MM OVERLAP


PLEASE SEE WWW.FOXFRAMING.CO.UK FOR FULL TERMS, CONDITIONS & SPECIFICATIONS RELATING TO FRAME MANUFACTURE & ASSOCIATED GROUND WORKS

DO NOT SCALE FROM THIS DRAWING EXCEPT FOR PLANNING PURPOSES

NOT FOR CONSTRUCTION

© FOX FRAMING DIMENSIONS IN MILLIMETRES PRINT AT A3

Rev No: Revisions Date:



SCALE BAR 1:50

LOCATION:	CLIENT:	REV:	SCALE:
	R. COOK		1:50 @ A3
	DRAWING No:		DATE:
	RC/001		15.11.23
DRAWING TYPE:	DRAWING NAME:		
PLANNING	TWO BAY 5.4 x 5.4m FULL HEIGHT FRAME; PLAN & SPECIFICATIONS		