

29 November 2023

Our Ref: CJD.LPC.5477

Mr Simon Ford  
Department for Place  
South Gloucestershire Council  
PO Box 1954  
Bristol  
BS37 ODD

Dear Mr Ford

**Wick Quarry, London Road Wick, BS30 5SJ**

***“Variation of condition 13 attached to PK18/0222/F to read 'The development hereby permitted shall be implemented in the phases as set out in Table - Timescale and Phasing, of the supporting statement dated 15/11/2021 and drawing No. W22/RDH/11 Rev C', and variation of Conditions 3 and 4 to reflect the amended geotechnical requirements. (PK18/0222/F) Restoration of quarry to a nature reserve and outline permission of a wardens lodge (dwelling), greenhouse, poly tunnel, barns, machinery shed, workshop and office with welfare facilities, education centre and business and office units”***

**Planning Permission P21/07554/RVC  
Application to Discharge Condition 20**

I refer to the above Planning Permission which was granted on 27<sup>th</sup> January 2023. The purpose of this submission is to Discharge Condition 20. I enclose the duly completed Application Form and the fee of £116 has been paid.

Condition 20 states as follows, *“Within one year of the date of this permission a survey of the geological features and exposures of Wick Quarry, to be obscured by reg-grading materials should be carried and a report provided to the Council.”*

The relevant information is set out in the submitted document titled *“Geo Consulting Engineering Ltd Correspondence - 27th November 2023”*.

I do trust the above information provides you with all the requisite to Discharge Condition 20.

Yours sincerely



**Chris Dance  
Director  
LPC Ltd**

cc Client