Planning Services Oxford Town Hall Oxford OX1 1BX

Tel: 01865 249811 Email: planning@oxford.gov.uk Website: www.oxford.gov.uk



Application for Consent to Display an Advertisement(s)

Town and Country Planning (Control of Advertisement) (England) Regulations 2007 (as amended)

Publication of applications on planning authority websites

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website. If you require any further clarification, please contact the Authority's planning department.

Site Location	
Disclaimer: We can only make recommendation	ns based on the answers given in the questions.
If you cannot provide a postcode, the description help locate the site - for example "field to the No	n of site location must be completed. Please provide the most accurate site description you can, to orth of the Post Office".
Number	44
Suffix	
Property Name	
Address Line 1	
Queen Street	
Address Line 2	
Address Line 3	
Oxfordshire	
Town/city	
Oxford	
Postcode	
OX1 1ET	
•	be completed if postcode is not known:
Easting (x)	Northing (y)
451288	206171
Description	

Applicant Details
Name/Company
Title
First name
Surname
Nationwide Building Society
Company Name
Address
Address line 1
Pipers Way,
Address line 2
Nationwide House
Address line 3
Town/City
Swindon
County
Country
United Kingdom
Postcode
SN3 1TA
Are you an agent acting on behalf of the applicant? Yes
○ No
Contact Details
Primary number

Secondary number
Fax number
Email address
Agent Details
Name/Company
Title
First name
Holly
Surname
De-Buriatte
Company Name
Address
Address line 1
Boleyn House,
Address line 2
St Augustines Business Park
Address line 3
Town/City
Whitstable
County
Country
United Kingdom
Postcode
CT5 2QJ

Contact Details	
Primary number	
***** REDACTED *****	
Secondary number	
Fax number	
Email address	
***** REDACTED *****	
Type of Proposed Advertisement(s)	
Please describe the proposed advertisement(s)	
- Replace 1no. Projecting signage with new 600mm.	
- Replace 2no. Fascia and Lozenge signage logo with 1no.New 490mm Logo height.	

- Replace 1no. ATM surround with new and decals.
- Install new window message " A good way to bank." Avoid join to glass.
- Replace safety manifestation with new.

tropecting or Hanging Sign teleght: (5 metres Width: (5 metres Depth: (5,056 metres Depth: (5,056 metres Depth: (5,074 metres Depth: (6,074 metres Depth: (6	
Note the second of the second of the advertisement? (A fine the second of the second of the advertisement? (A fine the second of the second of the advertisement? (A fine the second of the second of the advertisement from the face of the building? (A fine the second of the second of the advertisement from the face of the building? (A fine the second of the second of the advertisement from the face of the building? (A fine the second of the s	Advertisement Type: Projecting or Hanging Sign
List metres List begins: List begins to the height from the ground to the base of the advertisement?: List is the height from the ground to the base of the advertisement?: List is the maximum projection of the advertisement from the face of the building?: List is the maximum height of any of the individual letters and symbols?: So centimetes What is the maximum height of any of the individual letters and symbols?: So centimetes What is the maximum height of any of the individual letters and symbols?: So centimetes What materials will the advertisement be made of?: Logo face as a crylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and netable bracket. The colour of text and background: It is above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?: Ses Will the advertisement be illuminated internally or externally?: Ituminance levels: So colin?* Will the illumination be static or intermittent?: Italiance levels: So colin?* Will the illumination be static or intermittent?: Italiance levels: So coline services What is the height from the ground to the base of the advertisement?: LOS metres What is the height from the ground to the base of the advertisement?: OS metres What is the maximum projection of the advertisement from the face of the building?: What is the maximum height of any of the individual letters and symbols?: 9 centimetres What is the maximum height of any of the individual letters and symbols?: 10 centimetres What is the maximum height of any of the individual letters and symbols?: 10 centimetres What is the maximum height of any of the individual letters and symbols?: 10 centimetres What is the maximum height of proposed drawings, core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 40, 282 C Will the advertisement be lilluminated?:	Height: 0.6 metres
that is the height from the ground to the base of the advertisement?: 1.074 metres What is the maximum projection of the advertisement from the face of the building?: 1.683 metres What is the maximum height of any of the individual letters and symbols?: 6 centimetres What materials will the advertisement be made of?: 1.090 face as a cyrlic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and netal bracket. 1.090 face as a cyrlic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and netal bracket. 1.090 face as a feet to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C 1.091 the advertisement be illuminated?: 1.092 will the advertisement be illuminated internally or externally?: 1.093 metres 1.094 will the advertisement be static or intermittent?: 1.095 cdm² 1.094 will the illumination be static or intermittent?: 1.095 metres 1.095 metres 1.095 metres 1.096 metres 1.096 metres 1.096 metres 1.097 face as 8 perspect 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished dribtle. Formed aluminium fascia sign with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished dribtle. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022). 1.096 control ext and background: 1.097 face as 8 perspect 440 Red acrylic with returns finished Matt blue (RAL 5022). 1.097 face as 8 perspect 440 Red acrylic with returns finished Matt blue (RAL 5022). 1.097 face as 8 perspect 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished wither. Formed aluminium faccia sign with returns finished blue (RAL 5022). 1.098 faces as the perspect and red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished to match PMS	Width: 0.6 metres
What is the maximum projection of the advertisement from the face of the building?: (893 metres) What is the maximum height of any of the individual letters and symbols?: 6 certimetes What materials will the advertisement be made of?: .ogo face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and netal bracket. The colour of text and background: so above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?: es Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 500 cd/m² Will the illumination be static or intermittent?: Islatic Advertisement Type: assicia Sign Islatic Advertisement projection of the advertisement?: .206 metres What is the height from the ground to the base of the advertisement?: .206 metres What is the maximum projection of the advertisement from the face of the building?: .0055 metres What is the maximum height of any of the individual letters and symbols?: 9 certimetres What is the maximum height of any of the individual letters and symbols?: 9 certimetres What is the maximum height of any of the individual letters and symbols?: 9 certimetres What is the maximum height of any of the individual letters and symbols?: 9 certimetres What materials will the advertisement be made of?: .ogo face as Perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished hithe. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022). The colour of text and background: so above. Refer to proposed drawings. Core red = #F9883D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?:	Depth: 0.086 metres
What is the maximum height of any of the individual letters and symbols?: 6 centimetres What materials will the advertisement be made of?:ogo face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and netal bracket. The colour of text and background: Is above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?: (See See See See See See See See See See	What is the height from the ground to the base of the advertisement?: 3.074 metres
What materials will the advertisement be made of?:gog/ face as a carylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and netal bracket. The colour of text and background: ss above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?: The colour of text and background: ss above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?: The colour of text and background: ss above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the illumination be static or intermittent?: The colour of text and background: ss across the maximum projection of the advertisement from the face of the building?:056 metres What is the height from the ground to the base of the advertisement?? The colour of text and background: ss above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?: Will the advertisement be illuminated?:	What is the maximum projection of the advertisement from the face of the building?: 0.693 metres
Logo' face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge and netal bracket. The colour of text and background: It is above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?: The colour of text and background: The advertisement be illuminated?: The advertisement be illuminated internally or externally?: The internally The illumination be static or intermittent?: The illumination be stat	What is the maximum height of any of the individual letters and symbols?: 36 centimetres
ss above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?: es Will the advertisement be illuminated internally or externally?: Itemally Illuminance levels: 50 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: ascia Sign Illeight: 1.49 metres Width: 1.685 metres What is the height from the ground to the base of the advertisement?: 2.06 metres What is the maximum projection of the advertisement from the face of the building?: 1.065 metres What is the maximum height of any of the individual letters and symbols?: 9 centimetres What is the maximum height of any of the individual letters and symbols?: 9 centimetres What as the passing will the advertisement be made of?: 2.06 for ace as Perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022). The colour of text and background: Is above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?:	What materials will the advertisement be made of?: 'Logo' face as acrylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red acrylic edge ar metal bracket.
Will the advertisement be illuminated internally or externally?: Iternally Illuminance levels: 50 cd/m² Will the illumination be static or intermittent?: Istatic Advertisement Type: Iascia Sign Itelight: I.49 metres Width: I.685 metres Itelight: I.035 metres Internally What is the height from the ground to the base of the advertisement?: I.206 metres What is the maximum projection of the advertisement from the face of the building?: I.085 metres What is the maximum height of any of the individual letters and symbols?: 9 centimetres What materials will the advertisement be made of?: I.090 face as Perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022). In colour of text and background: Ites sabove. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be Illuminated?:	The colour of text and background: As above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C
Iluminance levels: 50 cd/m² Will the illumination be static or intermittent?: static Advertisement Type: ascia Sign leight:49 metres Width:685 metres Vidth:685 metres Vidth:035 metres Viviat is the height from the ground to the base of the advertisement?:206 metres Viviat is the maximum projection of the advertisement from the face of the building?:065 metres Viviat is the maximum projection of the advertisement from the face of the building?:065 metres Viviat is the maximum height of any of the individual letters and symbols?: 9 centimetres Viviat is the maximum height of any of the individual letters and symbols?: 9 centimetres Viviat materials will the advertisement be made of?:090 face as Perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished with: Formed aluminium fascia sign with returns finished Matt blue (RAL 5022). The colour of text and background: It is above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Vivii the advertisement be illuminated?:	Will the advertisement be illuminated?: Yes
Vill the illumination be static or intermittent?: Static Advertisement Type: Sascia Sign Leight: 1.49 metres Vidth: 1.685 metres Depth: 1.035 metres Vhat is the height from the ground to the base of the advertisement?: 1.206 metres Vhat is the maximum projection of the advertisement from the face of the building?: 1.065 metres Vhat is the maximum height of any of the individual letters and symbols?: 9 centimetres Vhat is the maximum height of any of the individual letters and symbols?: 1.065 metres Vhat is a the maximum height of any of the individual letters and symbols?: 1.065 metres Vhat is a the maximum height of any of the individual letters and symbols?: 1.060 metres Vhat is the maximum height of any of the individual letters and symbols?: 1.060 metres Vhat is the maximum height of any of the individual letters and symbols?: 1.060 metres Vhat is the maximum height of any of the individual letters and symbols?: 1.060 metres Vhat is the maximum height of any of the individual letters and symbols?: 1.060 metres Vhat is the maximum height of any of the individual letters and symbols?: 1.060 metres Vhat is the maximum height of any of the individual letters and symbols?: 1.060 metres Vhat is the maximum height of any of the individual letters and symbols?: 1.060 metres Vhat is the maximum height of any of the individual letters and symbols?: 1.060 metres Vhat is the maximum height of any of the individual letters and symbols?: 1.060 metres Vhat is the maximum height of any of the individual letters and symbols?: 2.070 metres Vhat is the maximum height of any of the individual letters and symbols?: 2.080 metres Vhat is the maximum height of any of the individual letters and symbols?: 2.090 metres Vhat is the maximum height of any of the individual letters and symbols?: 2.090 metres Vhat is the maximum height of any of the individual letters and symbols?: 2.090 metres Vhat is the maximum height of any of the individual letters and symbols?: 2.090 metres Vhat is	Will the advertisement be illuminated internally or externally?: Internally
Advertisement Type: fascia Sign felight: 1.49 metres Vidth: 1.685 metres Vipth: 1.035 metres Vihat is the height from the ground to the base of the advertisement?: 1.206 metres Vihat is the maximum projection of the advertisement from the face of the building?: 1.065 metres Vihat is the maximum height of any of the individual letters and symbols?: 9 centimetres Vihat materials will the advertisement be made of?: 1.090 face as Perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished vihite. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022). Vihat colour of text and background: It is above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Vill the advertisement be illuminated?:	Illuminance levels: 250 cd/m ²
Rescia Sign Relight: 1.49 metres Vidth: 1.685 metres Repth: 1.035 metres Vhat is the height from the ground to the base of the advertisement?: 1.206 metres Vhat is the maximum projection of the advertisement from the face of the building?: 1.065 metres Vhat is the maximum height of any of the individual letters and symbols?: 9 centimetres Vhat is the advertisement be made of?: 1.090 face as Perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022). The colour of text and background: It is above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Vill the advertisement be illuminated?:	Will the illumination be static or intermittent?: Static
Neight: 1.49 metres Vidth: 1.685 metres Depth: 1.035 metres Vhat is the height from the ground to the base of the advertisement?: 2.206 metres Vhat is the maximum projection of the advertisement from the face of the building?: 1.065 metres Vhat is the maximum height of any of the individual letters and symbols?: 9 centimetres Vhat materials will the advertisement be made of?: 2.090 face as Perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022). The colour of text and background: Its above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Vill the advertisement be illuminated?:	Advertisement Type:
Vidth:685 metres Depth:035 metres What is the height from the ground to the base of the advertisement?:206 metres What is the maximum projection of the advertisement from the face of the building?:065 metres What is the maximum height of any of the individual letters and symbols?: 9 centimetres What materials will the advertisement be made of?:090' face as Perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022). The colour of text and background: as above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?:	Fascia Sign
Depth: 035 metres What is the height from the ground to the base of the advertisement?:206 metres What is the maximum projection of the advertisement from the face of the building?:065 metres What is the maximum height of any of the individual letters and symbols?: 9 centimetres What is the maximum height of any of the individual letters and symbols?: 9 centimetres What materials will the advertisement be made of?:ogo' face as Perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022). The colour of text and background: as above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?:	Height: 0.49 metres
What is the height from the ground to the base of the advertisement?:206 metres What is the maximum projection of the advertisement from the face of the building?:065 metres What is the maximum height of any of the individual letters and symbols?: 9 centimetres What materials will the advertisement be made of?:ogo' face as Perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022). The colour of text and background: as above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?:	Width: 3.685 metres
What is the maximum projection of the advertisement from the face of the building?: .065 metres What is the maximum height of any of the individual letters and symbols?: 9 centimetres What materials will the advertisement be made of?: .ogo' face as Perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022). The colour of text and background: as above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?:	Depth: 0.035 metres
What is the maximum height of any of the individual letters and symbols?: 9 centimetres What materials will the advertisement be made of?: Logo' face as Perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022). The colour of text and background: As above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?:	What is the height from the ground to the base of the advertisement?: 4.206 metres
What materials will the advertisement be made of?: Logo' face as Perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022). The colour of text and background: as above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?:	What is the maximum projection of the advertisement from the face of the building?: 0.065 metres
Logo' face as Perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022). The colour of text and background: as above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Will the advertisement be illuminated?:	What is the maximum height of any of the individual letters and symbols?: 49 centimetres
s above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C Vill the advertisement be illuminated?:	What materials will the advertisement be made of?: 'Logo' face as Perspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Formed aluminium fascia sign with returns finished Matt blue (RAL 5022).
	The colour of text and background: As above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C
	Will the advertisement be illuminated?: Yes
Vill the advertisement be illuminated internally or externally?:	Will the advertisement be illuminated internally or externally?:

Please specify the type(s) and details of each proposed advertisement

Internally
Illuminance levels: 250 cd/m ²
Will the illumination be static or intermittent?: Static
Advertisement Type: Other type
Height: 1.53 metres
Width: 0.852 metres
Depth: 0.042 metres
What is the height from the ground to the base of the advertisement?: 0.478 metres
What is the maximum projection of the advertisement from the face of the building?: 0.042 metres
What is the maximum height of any of the individual letters and symbols?: 7 centimetres
What materials will the advertisement be made of?: Acrylic finished to match blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). 'Logo' face as acrylic finished to match red PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white.
The colour of text and background: As above. Refer to proposed drawings. Core red = #F9383D, 0, 87, 69, 2, 032 C Core blue = #011546, 100, 90, 40, 40, 282 C
Will the advertisement be illuminated?: Yes
Will the advertisement be illuminated internally or externally?: Internally
Illuminance levels: 250 cd/m ²
Will the illumination be static or intermittent?: Static
Advertisement Type: Other type
Height: 0.135 metres
Width: 1.766 metres
Depth: 0.01 metres
What is the height from the ground to the base of the advertisement?: 0.135 metres
What is the maximum projection of the advertisement from the face of the building?: 0.01 metres
What is the maximum height of any of the individual letters and symbols?: 13.5 centimetres
What materials will the advertisement be made of?: Frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White.
The colour of text and background: As above.
Will the advertisement be illuminated?:

Advertisement Type: Other type
Height: 0.05 metres
Width: 0.05 metres
Depth: 0.01 metres
What is the height from the ground to the base of the advertisement?: 0.85 metres
What is the maximum projection of the advertisement from the face of the building?: 0.01 metres
What is the maximum height of any of the individual letters and symbols?: 5 centimetres
What materials will the advertisement be made of?: Frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White.
The colour of text and background: As above.
Will the advertisement be illuminated?:
Advertisement Type: Fascia Sign
Height:
1.315 metres
Width:
12.82 metres
Depth: 0.03 metres
What is the height from the ground to the base of the advertisement?: 2.891 metres
What is the maximum projection of the advertisement from the face of the building?: 0.03 metres
What is the maximum height of any of the individual letters and symbols?: 0 centimetres
What materials will the advertisement be made of?: Fascia board in aluminium.
The colour of text and background: Colour to match Core Blue 282C.
Will the advertisement be illuminated?:
ease describe each of the 'Other type(s)' of advertising proposed
Other type - ATM. Other type - Window message: Refers to white lettering applied to the internal face of the window with 'A good way to bank.' text. Other type - Safety manifestation: Refers to 50 mm diameter double dotted line in white frosted vinyl internally applied to the window.

Location of Advertisement(s)
Is the advertisement(s) you are applying for already in place?
○ Yes② No
Is an existing advertisement(s) to be removed and replaced by the advertisement(s) in this proposal?
○ No ○ Not Applicable
If Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or photograph(s)
Existing elevation/s will be submitted as part of the documents for this application.
Will the proposed advertisement(s) project over a footpath or other public highway?
○ No
Advertisement(s) Period
Please state the period of time for which consent is sought for the advertisement
From Date
09/10/2023
To Date
08/10/2028
Neighbour and Community Consultation
Have you consulted your neighbours or the local community about the proposal?
O Yes
⊗ No
Site Visit
Can the site be seen from a public road, public footpath, bridleway or other public land?
✓ Yes◯ No
If the planning authority needs to make an appointment to carry out a site visit, whom should they contact?

Other person

Pre-application Advice
Has assistance or prior advice been sought from the local authority about this application?
○ Yes ⊙ No
Interest In the Land
Does the applicant own the land or buildings where the adverts are to be placed? ○ Yes ⊙ No
If No, has the permission of the owner or any other person entitled to give permission for the display of an advertisement been obtained? ② Yes ○ No
Authority Employee/Member
With respect to the Authority, is the applicant and/or agent one of the following:
(a) a member of staff (b) an elected member
(c) related to a member of staff
(d) related to an elected member
It is an important principle of decision-making that the process is open and transparent.
For the purposes of this question, "related to" means related, by birth or otherwise, closely enough that a fair-minded and informed observer, having considered the facts, would conclude that there was bias on the part of the decision-maker in the Local Planning Authority.
Do any of the above statements apply?
○ Yes⊙ No
Declaration
I/We hereby apply for Consent to display an advertisement as described in the questions answered, details provided, and the accompanying plans/drawings and additional information.
I/We confirm that, to the best of my/our knowledge, any facts stated are true and accurate and any opinions given are the genuine opinions of the person(s) giving them.
I/We also accept that, in accordance with the Planning Portal's terms and conditions:
- Once submitted, this information will be made available to the Local Planning Authority and, once validated by them, be published as part of a public register and on the authority's website;
- Our system will automatically generate and send you emails in regard to the submission of this application.
✓I / We agree to the outlined declaration
Signed
ISG Design
Date
2023/11/23

