


**DRAWING NOTES**

1. THESE DRAWINGS TO BE READ IN CONJUNCTION WITH DRAWING 10755-001.


SAFETY HEALTH & ENVIRONMENTAL	
	SIGNIFICANT DESIGNER IDENTIFIED HAZARDS
REF	HAZARD
A	PROPOSED STRUCTURE DESIGNED IN ACCORDANCE WITH CURRENT STANDARDS AS FAR AS IS REASONABLY PRACTICABLE. APPROVAL AND RELEVANT DEROGATIONS TO BE SOUGHT AND APPROVED.
B	WORKING ADJACENT TO RAILWAY. WORK AT HEIGHT AND LIFTING OPERATIONS. WORKS ON OR NEAR THE LINE TO BE UNDERTAKEN IN ACCORDANCE WITH NETWORK RAIL WORK PROCEDURES.
C	DEMOLITION OF EXISTING STRUCTURE. CONTRACTOR TO DESIGN NECESSARY TEMPORARY WORKS AND DETERMINE SAFE DEMOLITION SEQUENCE & LIFTING PLAN FOR EXISTING STRUCTURE.
D	CONDITION OF EXISTING TRESTLES. ADDITIONAL STRENGTHENING/RENEWAL OF SUBSTRUCTURES TO BE IMPLEMENTED PRIOR TO INSTALLATION OF NEW MAIN SPAN.
E	CONDITION OF EXISTING FOUNDATIONS. ADDITIONAL STRENGTHENING/RENEWAL OF FOUNDATIONS TO BE IMPLEMENTED PRIOR TO INSTALLATION OF NEW MAIN SPAN.
F	EXISTING SERVICES. SERVICES TO BE IDENTIFIED, TRACED AND ISOLATED AND TEMPORARILY SUPPORTED PRIOR TO WORKS. SUITABLE PROTECTION MEASURES TO BE UNDERTAKEN BY CONTRACTOR PRIOR TO INSTALLATION.
G	EXISTING STAIRS AND LANDING PARAPETS TO BE TEMPORARILY SUPPORTED OR REMOVED DURING WORKS. SEE TEMPORARY WORKS SUBMISSION FOR DETAILS.
H	RAIL IMPACT LOADS DUE TO STRUCTURE CLEARANCE. RESIDUAL RISK
I	LIFTING POINTS DESIGNED FOR VERTICAL LOADS ONLY. LIFTING BEAMS TO BE UTILISED TO ENSURE VERTICAL LOADING APPLIED TO LIFTING POINTS DURING LIFTING PROCEDURES

# FORM B

C	FORM B (3) ISSUE	NR	BTB	BTB	22.02.23
B	FORM B (2) ISSUE	NR	SC	BTB	15.12.22
A	FORM B (1) ISSUE	NR	SC	BTB	18.03.22
REV	AMENDMENT	DRN	CHK	APP	DATE



CLIENT




PROJECT TITLE

**BRADING STATION FOOTBRIDGE  
ELR - IOW  
STRUCTURE No. EW1/25  
MILEAGE - 4m 1166yds**

DRAWING TITLE


**PROPOSED FOOTBRIDGE  
LIFTING EYE DETAILS**

DRAWN	CHK	APP	DATE	SCALE
NR	SC	BTB	FEB 22	AS SHOWN AT A1
JOB NUMBER		DRAWING NUMBER		REVISION
10755		106		C




**SECTION A-A  
(FABRICATION)**


**SECTION A-A  
(LIFTING ARRANGEMENT)**




**SECTION A-A  
(FINAL ARRANGEMENT)**



**LIFT EYE DETAIL  
SCALE N.T.S.**




**LIFT EYE FIXING POINT - PLAN  
SCALE 1:10**



**INFILL FIXING  
SCALE N.T.S.**

**LIFTING POINTS DESIGNED FOR VERTICAL LOADS ONLY. SPREADER BEAM TO BE UTILISED TO ENSURE VERTICAL LOADING APPLIED TO LIFTING POINTS**



**MAIN PLAN  
SCALE 1:25**