





GRAF UK Ltd  
Beaumont Road  
Banbury, UK-OX16 1RH

info@grafuk.co.uk  
www.graf-water.co.uk

Tel. 01608 661500  
Fax +49 7641 589-50

# Wastewater treatment system one2clean plus one-tank system lorry-bearing




# Wastewater treatment system one2clean plus one-tank system lorry-bearing

# The advanced wastewater solution!

## Available in the following versions



**lorry-bearing**



**vehicle loading**



**ped. loading**

A reliable wastewater disposal system no longer needs to be complicated. With one2clean plus, you will be able to take responsibility for the timely disposal of your waste water, while taking care of your budget and the environment.

**one2clean plus dispenses with the unnecessary extras, making it a reliable solution:**

- Only one tank with only one chamber required
- Less energy consumption and less wear
- No mechanical elements in the waste water
- No pumps in the waste water
- No electrical components in the waste water
- Incredibly little sewage sludge
- 2 years warranty on technology
- 10 years warranty on sewage reservoirs

**one2clean plus is a clean solution**

- one2clean plus only needs 3 steps to produce clear water
- one2clean plus is odourless
- one2clean plus already meets the needs of tomorrow

**one2clean plus is excellent value for money**

- Incredibly little sewage sludge
- Minimum maintenance costs
- Minimum power consumption

## **one2clean plus offers maximum safety and reliability**

- Low space requirements
- Long warranty and lifetime
- Twice the buffer volume
- Logistical advantages

## **Sizing**

**Inh.:** 1-3

**max. daily flow [l/d]:** 450

**Volume [l]:** 2700

**Length [mm]:** 2.080

**Height [mm]:** 1.690

**Width [mm]:** 1.490

**Weight [kg]:** 120

**order no.:** Auf Anfrage

---

---

**Inh.:** 4-5

**max. daily flow [l/d]:** 750

**Volume [l]:** 3750

**Length [mm]:** 2.280

**Height [mm]:** 1.880

**Width [mm]:** 1.680

**Weight [kg]:** 150

**order no.:** Auf Anfrage

---

**Inh.:** 6-7

**max. daily flow [l/d]:** 1050

**Volume [l]:** 4800

**Length [mm]:** 2.280

**Height [mm]:** 2.110

**Width [mm]:** 1.910

**Weight [kg]:** 185

**order no.:** Auf Anfrage

---

---

**Inh.:** 8-9

**max. daily flow [l/d]:** 1350

**Volume [l]:** 6500

**Length [mm]:** 2.390

**Height [mm]:** 2.390

**Width [mm]:** 2.190

**Weight [kg]:** 220

**order no.:** Auf Anfrage

---

## Accessory



**+H Hygiene package**

[107936]



**+D Package for  
denitrification  
(removal of nitrogen)**

[107520]



**+O Outlet with clear  
water pump**

[107537]



**+R Remote  
transmission**

[On request]

© 2023 GRAF

<https://www.graf.info/en-gb/wastewater-treatment/wastewater-treatment-systems/one2clean-plus/one2clean-plus-one-tank-system.html>