



Wavin Stormwater Management



CONNECT TO BETTER

Wavin Stormwater Management

Project Details

| | | | |
|---------------------|--|--------------------|--------------|
| Project Name | Halfpenny House | Produced By | Leigh Brooks |
| Client Name | K and N Allison-Guy | | |
| Site Address | Halfway Hosue, Crossways Road, Grayshott, Hants, GU26 6HF | Date | 07/11/2023 |

Modular Units and Tank Details - SA-1

Unit configuration

The following information provides an approximate calculation and some assumptions. If more accurate information is required, please contact our technical team.

| | | |
|------------------------------|------|----------------|
| Length | 2m | 2 units |
| Width | 2m | 4 units |
| Depth | 0.4m | 1 units |
| Total Number of Units | | 8 units |

Recommended Unit

Wavin recommend using the following unit for your installation.



AquaCell Eco

Product Number: 6LB025
AquaCell Eco is manufactured from specially reformulated, recycled material and has been designed for shallow, non-trafficked, landscaped applications.

Other Unit(s)

The following unit(s) can also be used with, or in place of the recommended unit.

Calculations

Site Details

| | |
|---------------------|-----------------------|
| Area | 250m ² |
| Soil Type | Loose Sand and Gravel |
| Groundwater Present | No |

| | |
|--|----------------|
| Traffic Loading (Soakaway size based on 1:30 year Storm) | Non-Trafficked |
|--|----------------|

If you would like to find out how to purchase, please contact your Area Sales Manager

Local Sales Manager

| | |
|--------------|--------------|
| Name | Tom Clifford |
| Phone Number | [REDACTED] |

Site Sales Manager

| | |
|--------------|----------------|
| Name | Michelle Carey |
| Phone Number | [REDACTED] |

Aquacell Disclaimer

- All information generated by this tool is supplied in good faith and without charge to enable reasonable assessment of the practical performance of Wavin products.
- Wavin offers a program of continuous improvement and reserves the right to modify the specification of products without notice.
- All information in this publication is believed to be correct at time of preparation. However, no responsibility can be accepted for any errors or omissions. Final determination of the suitability of information or material for the use contemplated and the manner of the use is the sole responsibility of the user
- Calculations are based upon relevant industry standards in accordance with the Wallingford Procedure, and should be verified by a qualified engineer.