

Arboricultural Constraints Plan - Tree Schedule

Survey Completed 08/09/2023

Stoneywood Gate - Aberdeen

Tag	Common Name	Species	Age	No. of Stems	Ht.	Dia	Crown Spread				CHt	1st Br Ht	1st Br Dir.	PC	SC	Comments	Recommendations	LE	BS Cat	RPA-r
							N	E	S	W										
54	Ash	Fraxinus excelsior	Y	1	12	0.15	1.5	1.0	1.0	2.0	2.0	1.0	W	Fair	Fair	Tree growing close to boundary wall and further growth is likely to impact structure.	Remove	<10	U	1.8
55	Silver birch	Betula pendula	SM	1	14	0.27	3.0	2.0	2.0	2.5	3.0	2.0	W	Fair	Fair	No significant defects visible.	-	20 to 40	B	3.3
55a	beech	Fagus sylvatica	Y	1	8	0.16	3.0	3.0	2.0	1.5	1.0	0.5	W	Fair	Fair	Self- seeded tree growing intimately with birch 55.	Remove to favour birch tree	<10	U	1.8
56	Silver birch	Betula pendula	SM	1	11	0.19	4.0	0.5	0.5	4.0	3.0	2.0	NW	Fair	Fair	Asymmetric crown weighted north-northwest	-	20 to 40	B	2.4
57	Goat willow	Salix caprea	SM	2	12	0.23; 0.17	3.0	3.0	2.0	5.0	4.0	3.0	NE	Fair	Fair	No significant defects visible.	-	20 to 40	B	3.3
58	Copper beech	Fagus sylvatica x purpurea	Y	1	8	0.16	4.0	1.0	2.0	4.5	2.0	2.0	NW	Fair	Fair	Asymmetric crown weighted north-northwest	-	20 to 40	B	1.8
59	Horse chestnut	Aesculus hippocastanum	SM	1	12	0.36	6.0	4.5	4.5	6.5	2.0	1.5	S	Fair	Fair	Basal epicormics present. Asymmetric crown weighted north-northwest.	Remove basal epicormics.	20 to 40	B	4.2
60	Ornamental cherry	Prunus spp.	SM	1	7	0.11	1.0	1.0	2.5	2.5	3.0	2.0	S	Poor	Fair	Somewhat sparsely foliated with an asymmetric crown weighted south.	-	10 to 20	C	1.2
61	Ash	Fraxinus excelsior	SM	1	13	0.19	3.5	3.5	1.5	2.0	5.0	3.5	NE	Fair	Fair	Tree growing close to boundary wall and further growth is likely to impact structure. Dieback evident in lower half of crown.	Remove	<10	U	2.4
62	Sycamore	Acer pseudoplatanus	SM	1	10	0.19	4.0	4.0	3.0	3.5	4.0	3.0	N	Fair	Fair	Basal shoot at 0.3m. Bifurcated at 4m (Tension fork).	Remove basal shoot.	21 to 40	B	2.4
63	Laburnum	Laburnum anagyroides	M	1	7	0.25	-	-	-	-	-	-	-	Dead	Poor	Tree has fallen and is now deadwood.	Remove	<10	U	3
64	Ornamental cherry	Prunus spp.	SM	2	6	0.20	3.0	2.0	1.0	4.0	3.0	2.5	N	Fair	Fair	No significant defects visible.	-	20 to 40	B	2.4
65	Ornamental cherry	Prunus spp.	SM	4	7	0.22	4.0	3.0	1.5	4.0	3.0	3.0	N	Fair	Fair	No significant defects visible.	-	20 to 40	B	2.7
66	Laburnum	Laburnum anagyroides	SM	1	6	0.22	3.0	2.0	2.0	4.0	3.0	2.0	W	Fair	Fair	No significant defects visible.	-	20 to 40	B	2.7
67	Ornamental cherry	Prunus spp.	SM	2	6	0.20	4.0	2.0	1.0	3.0	2.0	2.0	N	Fair	Poor	Heavily asymmetric crown and lean weighted north. Surface roots exposed.	Remove	<10	U	2.4

Arboricultural Constraints Plan - Tree Schedule

Survey Completed 08/09/2023

Stoneywood Gate - Aberdeen

Tag	Common Name	Species	Age	No. of Stems	Ht.	Dia	Crown Spread				CHt	1st Br Ht	1st Br Dir.	PC	SC	Comments	Recommendations	LE	BS Cat	RPA-r
							N	E	S	W										
68	Sycamore	Acer pseudoplatanus	SM	2	3	0.20	1.0	1.0	1.0	1.0	1.0	1.0	N	Poor	Poor	Dual stemmed. Recently topped at 2m.	Remove	<10	U	2.4
69	Aspen	Populus tremula	Y	1	6	0.10	2.5	2.0	0.5	3.0	2.0	1.0	NW	Fair	Poor	Becoming suppressed. Roots encroaching on inspection chamber cover.	Remove	<10	U	1.2
70	Alder	Populus tremula	SM	1	5	0.13	0.0	0.0	0.0	0.0	0.0	0.0	_	Dead	Poor	Standing deadwood.	Remove	<10	U	1.5
71	Aspen	Populus tremula	SM	3	19	0.31; 0.27; 0.14	3.0	5.5	5.0	3.5	2.0	3.0	SE	Fair	Fair	Fractured limb at 7m.	Remove fractured limb.	20 to 40	B	5.1
72	Alder	Alnus glutinosa	SM	1	7	0.17	1.0	2.5	4.0	1.0	2.0	2.0	W	Poor	Poor	Becoming suppressed.	Remove	<10	U	2.1
73	Aspen	Populus tremula	SM	1	14	0.25	1.0	1.0	5.0	4.5	2.0	3.0	W	Fair	Fair	Asymmetric crown weighted west	_	20 to 40	B	3
74	Aspen	Populus tremula	SM	1	14	0.18	1.0	1.0	4.0	2.0	8.0	6.0	S	Fair	Fair	Asymmetric crown weighted south	_	20 to 40	B	2.1
75	Aspen	Populus tremula	SM	1	12	0.11	1.0	0.5	1.0	2.0	5.0	4.0	W	Poor	Poor	Etiolated tree becoming suppressed.	Remove.	<10	U	1.2
76	Aspen	Populus tremula	SM	2	12	0.20; 0.16	3.0	2.0	3.5	2.0	6.0	6.0	E	Fair	Fair	No significant defects visible.	_	20 to 40	B	3
77	Aspen	Populus tremula	EM	1	17	0.50	10.0	10.0	5.0	6.0	1.0	2.0	NE	Poor		Asymmetric crown weighted northeast. Foliage hanging within 0.4m of car park surface. Surface roots exposed.	Raise crown over parking area to give 5m clearance above running surface.	20 to 40	B	6
78	Aspen	Populus tremula	SM	1	15	0.22	1.0	1.0	2.0	5.0	4.0	2.0	W	Fair	Fair	Asymmetric crown weighted west.	_	20 to 40	B	2.7
79	Aspen	Populus tremula	SM	2	15	0.21	3.0	1.0	1.0	6.0	3.0	2.0	NW	Fair	Fair	Asymmetric crown weighted northwest.	_	20 to 40	B	2.4
80	Sycamore	Acer pseudoplatanus	SM	1	10	0.25	3.0	2.0	4.0	5.0	2.0	2.0	E	Fair	Poor	Compression fork with included bark at 1.5m	Remove	<10	U	3
81	Whitebeam	Sorbus aria	SM	11	10	0.23	4.0	4.0	3.5	3.0	3.0	3.0	E	Fair	Fair	Asymmetric crown weighted northeast.	_	10 to 20	C	2.7
82	Scots pine	Pinus sylvestris	EM	1	14	0.36	1.0	3.5	4.0	2.5	10.0	8.0	SE	Poor	Poor	Bifurcated at 4m with tear wound at fork. Evidence of branch loss. Sparsely foliated.	_	10 to 20	C	4.2

Arboricultural Constraints Plan - Tree Schedule

Survey Completed 08/09/2023

Stoneywood Gate - Aberdeen

Tag	Common Name	Species	Age	No. of Stems	Ht.	Dia	Crown Spread				CHt	1st Br Ht	1st Br Dir.	PC	SC	Comments	Recommendations	LE	BS Cat	RPA-r
							N	E	S	W										
83	Noble fir	Abies procera	EM	1	19	0.35	3.0	4.0	1.5	1.0	4.0	2.0	E	Fair	Poor	Sparsely foliated lower crown.	Raise crown to 7m and monitor.	20 to 40	B	4.2
84	Scots pine	Pinus sylvestris	EM	1	17	0.31	3.0	1.0	1.0	2.0	8.0	6.0	NE	Fair	Poor	Sparsely foliated crown.	—	10 to 20	C	3.6
85	Scots pine	Pinus sylvestris	SM	1	15	0.21	0.5	0.5	2.0	1.0	10.0	10.0	W	Poor	Poor	Sparsely foliated etiolated stem.	—	10 to 20	C	2.4
86	sycamore	Acer pseudoplatanus	SM	2	9	0.19; 0.19	3.0	4.0	3.0	5.0	3.0	2.0	W	Fair	Fair	No significant defects visible.	—	20 to 40	B	3.3
88	Aspen	Populus tremula	SM	1	14	0.22	2.0	2.0	3.0	3.0	4.0	3.0	W	Fair	Fair	No significant defects visible.	—	20 to 40	B	2.7
89	Aspen	Populus tremula	SM	2	15	0.25; 0.23	3.0	2.0	3.0	5.0	4.0	2.0	W	Poor	Fair	Compression fork with included bark at 0.6m	Remove	<10	U	4.2
90	Aspen	Populus tremula	EM	1	19	0.38	4.0	5.0	4.0	4.0	4.0	3.0	E	Fair	Fair	No significant defects visible.	Remove dead branches in lower crown.	20 to 40	B	4.5
91	Aspen	Populus tremula	SM	1	16	0.17	1.0	1.0	1.0	1.5	7.0	7.0	W	Fair	Poor	Etiolated tree .	—	10 to 20	C	2.1
92	Aspen	Populus tremula	SM	1	16	0.19	3.5	2.0	1.0	1.0	7.0	6.0	NW	Fair	Poor	Etiolated tree .	—	10 to 20	C	2.4
93	Aspen	Populus tremula	SM	1	16	0.21	3.5	1.0	1.0	1.0	7.0	3.0	S	Fair	Fair	No significant defects visible.	—	20 to 40	B	2.4
94	Aspen	Populus tremula	SM	2	14	0.20; 0.21	4.0	1.0	2.5	3.5	4.0	2.0	S	Fair	Poor	Compression fork with included bark at 0.3m.	Remove.	<10	U	3.6
95	Aspen	Populus tremula	SM	2	16	0.22; 0.22	3.0	2.0	1.5	2.0	5.0	4.0	NW	Fair	Poor	Codominant fork at 0.3m.	—	10 to 20	C	3.6
96	Rowan	Sorbus aucuparia	SM	1	6	0.15	—	—	—	—	—	—	—	Dead	Poor	Standing deadwood.	Remove	<10	U	1.8
97	Aspen	Populus tremula	SM	1	17	0.23	2.0	5.0	1.5	1.0	7.0	6.0	E	Fair	Fair	Asymmetric crown weighted northeast.	—	20 to 40	B	2.7
98	Gean	Prunus avium.	SM	1	7	0.19	4.0	3.0	2.0	4.0	3.0	2.0	S	Poor	Poor	Significant dieback. Dying.	Remove	<10	U	2.4
99	Rowan	Sorbus aucuparia	SM	1	4	0.11	—	—	—	—	—	—	—	Dead	Poor	Standing deadwood.	Remove	<10	U	1.2
100	Lawson cypress	Chamaecyparis lawsoniana	SM	1	8	0.25	2.5	3.0	1.5	2.5	2.0	2.0	N	Fair	Poor	Sparsely foliated.	—	10 to 20	C	3
101	Scots pine	Pinus sylvestris	SM	1	14	0.36	1.5	4.5	3.0	3.0	4.0	2.0	E	Fair	Fair	No significant defects visible.	—	20 to 40	B	4.2
102	Noble fir	Abies procera	SM	1	15	0.32	—	—	—	—	—	—	—	Dead	Poor	Standing deadwood.	Remove	<10	U	3.9
103	Noble fir	Abies procera	SM	1	19	0.43	4.0	4.5	1.0	3.0	3.0	3.0	NE	Poor	Poor	Sparsely foliated.	Remove	<10	U	5.1

Arboricultural Constraints Plan - Tree Schedule

Survey Completed 08/09/2023

Stoneywood Gate - Aberdeen

Tag	Common Name	Species	Age	No. of Stems	Ht.	Dia	Crown Spread				CHt	1st Br Ht	1st Br Dir.	PC	SC	Comments	Recommendations	LE	BS Cat	RPA-r
							N	E	S	W										
104	Lawson cypress	Chamaecyparis lawsoniana	SM	1	8	0.20	3.0	1.0	1.0	2.0	3.0	2.0	NW	Fair	Fair	No significant defects visible.	-	20 to 40	B	2.4
105	Silver birch	Betula pendula	SM	1	8	0.12	3.5	0.5	1.0	3.0	4.0	4.0	NW	Fair	Poor	Asymmetric crown weighted northwest.	-	10 to 20	C	1.5
106	Rowan	Sorbus aucuparia	SM	1	3	0.11	-	-	-	-	-	-	-	Dead	Poor	Standing deadwood.	Remove.	<10	U	1.2
107	Rowan	Sorbus aucuparia	EM	1	5	0.16	-	-	-	-	-	-	-	Dead	Poor	Standing deadwood.	Remove.	<10	U	1.8
108	Silver birch	Betula pendula	SM	1	7	0.17	-	-	-	-	-	-	-	Poor	Poor	Significant dieback. Dying.	Remove.	<10	U	2.1
109	Silver birch	Betula pendula	SM	1	10	0.09	1.0	2.0	1.0	1.0	6.0	6.0	N	Poor	Poor	Suppressed.	Remove.	<10	U	1.2
110	Silver birch	Betula pendula	SM	1	10	0.28	3.0	3.0	3.0	3.0	2.0	2.0	W	Fair	Fair	No significant defects visible.	-	>40	A	3.3
111	Lime	Tilia x europea	SM	1	9	0.32	4.0	5.0	4.0	3.0	2.0	2.0	E	Good	Fair	Low spreading crown. Basal epicormics present.	Remove basal epicormics.	>40	A	3.9
112	Sycamore	Acer pseudoplatanus	SM	1	8	0.23	4.0	2.0	1.0	4.0	3.0	2.0	NW	Fair	Fair	No significant defects visible.	-	20 to 40	B	2.7
112a	Sycamore	Acer pseudoplatanus	SM	1	7	0.16	3.5	2.0	1.5	3.0	3.0	2.0	N	Fair	Fair	No significant defects visible.	-	20 to 40	B	1.8
113	Cherry	Prunus spp.	SM	1	10	0.18	4.0	3.0	2.0	2.5	4.0	4.0	NE	Poor	Poor	Sparsely foliated. Dying.	Remove.	<10	U	2.1
114	Rowan	Sorbus aucuparia	SM	1	4	0.07	-	-	-	-	-	-	-	Dead	Poor	Standing deadwood.	Remove.	<10	U	0.9
115	Rowan	Sorbus aucuparia	Y	1	4	0.07	1.0	2.5	0.5	0.5	3.0	2.0	E	Poor	Poor	Suppressed.	Remove.	<10	U	0.9
116	Sycamore	Acer pseudoplatanus	SM	1	8	0.16	2.5	2.5	1.5	1.0	3.0	2.0	NW	Fair	Fair	No significant defects visible.	-	10 to 20	C	1.8
117	Goat willow	Salix caprea	Y	3	4	0.09/0.09/0.09	4.0	3.0	1.0	0.5	2.0	2.0	E	Fair	Poor	Asymmetric crown weighted northeast.	-	10 to 20	C	1.8
118	Ash	Fraxinus excelsior	SM	1	7	0.13	2.0	2.0	2.0	2.0	2.0	2.0	NW	Fair	Fair	No significant defects visible.	-	20 to 40	B	1.5
119	Poplar	Populus nigra	EM	1	20	0.52	5.5	5.5	5.5	6.0	2.0	2.0	E	Fair	Fair	Some evidence of canker on branches.	-	20 to 40	B	6.3

Arboricultural Constraints Plan - Tree Schedule

Survey Completed 08/09/2023

Stoneywood Gate - Aberdeen

Tag	Common Name	Species	Age	No. of Stems	Ht.	Dia	Crown Spread				CHt	1st Br Ht	1st Br Dir.	PC	SC	Comments	Recommendations	LE	BS Cat	RPA-r
							N	E	S	W										
120	Sycamore	Acer pseudoplatanus	SM	1	7	0.20	3.0	3.0	3.0	3.0	3.0	N	Fair	Fair	No significant defects visible.	—	20 to 40	B	2.4	
121	Ash	Fraxinus excelsior	SM	1	9	0.21	3.0	4.0	4.0	4.0	3.0	2.0	E	Fair	Fair	No significant defects visible.	—	20 to 40	B	2.4
122	Hawthorn	Crataegus monogyna	EM	1	3	0.10	2.0	2.0	2.0	2.0	1.0	2.0	N	Fair	Poor	Sparsely foliated	Remove.	<10	U	1.2
123	Weeping cherry	Prunus spp.	SM	1	2	0.11	1.5	1.5	1.0	1.5	1.0	1.0	N	Good	Fair	No significant defects visible.	—	20 to 40	B	1.2
124	Purple crab apple	Malus spp.	Y	1	2	0.05	1.5	2.0	1.0	1.5	2.0	2.0	E	Fair	Fair	No significant defects visible.	—	20 to 40	B	0.9
125	Weeping cherry	Prunus spp.	SM	1	2	0.12	1.5	1.5	1.5	1.5	1.0	1.0	N	Good	Fair	No significant defects visible.	—	20 to 40	B	1.5
126	Crab apple	Malus spp.	SM	2	4	0.11	3.0	2.0	2.0	3.0	2.0	1.0	S	Fair	Fair	No significant defects visible.	—	20 to 40	B	1.2
127	Cherry	Prunus spp.	SM	1	4	0.14	1.5	2.5	3.0	2.0	2.0	2.0	S	Fair	Poor	Evidence of dieback in upper crown.	Monitor	10 to 20	C	1.8
128	Cherry	Prunus spp.	Y	1	2	0.05	—	—	—	—	—	—	—	Poor	Poor	Significant dieback. Dying.	Remove.	<10	U	0.9
129	Sycamore	Acer pseudoplatanus	SM	1	6	0.17	3.0	2.5	4.0	3.0	3.0	2.0	NW	Fair	Poor	Evidence of dieback in upper crown.	Remove deadwood and monitor.	10 to 20	C	2.1
130	Poplar	Populus nigra	EM	1	19	0.50	7.0	7.0	6.5	6.5	2.0	2.0	E	Fair	Fair	Slight evidence of dieback in crown.	Remove deadwood and monitor.	20 to 40	B	6
131	Weeping birch	Betula pendula	SM	1	1.5	0.09	0.5	1.0	2.0	1.0	1.0	1.0	N	Fair	Fair	No significant defects visible.	—	20 to 40	B	1.2
132	Laburnum	Laburnum anagyroides	M	1	5	0.25	4.0	4.0	4.0	4.0	2.0	2.0	E	Fair	Fair	Girdling roots evident.	—	10 to 20	C	3
133	Crimson Norway maple	Acer platanoides "Crimson King"	SM	1	9	0.25	2.0	2.5	3.0	3.0	2.0	2.0	S	Good	Good	No significant defects visible.	—	>40	A	3
134	Sycamore	Acer pseudoplatanus	Y	2	7	0.07; 0.07	2.0	1.0	2.0	2.0	3.0	2.0	N	Poor	Poor	Poor form and vigour.	Remove	<10	U	1.2
135	Blue Atlas cedar	Cedrus atlantica	SM	1	6	0.36	4.5	4.0	5.0	5.0	3.0	2.0	NE	Fair	Fair	No significant defects visible.	—	20 to 40	B	4.2
136	Crab apple	Malus spp.	SM	1	3	0.07	2.0	2.0	2.0	2.0	1.0	0.5	S	Poor	Fair	Reversion suckers arising from below graft.	Remove suckers.	10 to 20	C	0.9
137	Tibetan cherry	Prunus serrula	SM	1	6	0.32	4.0	3.0	3.0	3.5	3.0	1.0	SW	Fair	Fair	Numerous advanced epicormics on stem.	Remove epicormics.	20 to 40	B	3.9

Arboricultural Constraints Plan - Tree Schedule

Survey Completed 08/09/2023

Stoneywood Gate - Aberdeen

Tag	Common Name	Species	Age	No. of Stems	Ht.	Dia	Crown Spread				CHt	1st Br Ht	1st Br Dir.	PC	SC	Comments	Recommendations	LE	BS Cat	RPA-r
							N	E	S	W										
138	Silver birch	Betula pendula	SM	1	11	0.20	1.5	3.0	4.0	3.5	4.0	3.0	S	Fair	Fair	No significant defects visible.	-	20 to 40	B	2.4
139	Ornamental cherry	Prunus spp.	SM	1	7	0.38	5.0	6.0	4.5	4.5	3.0	2.0	S	Fair	Fair	No significant defects visible.	-	20 to 40	B	4.5
140	Sycamore	Acer pseudoplatanus	SM	1	11	0.15	1.0	2.0	3.0	2.0	3.0	3.0	SW	Poor	Poor	Etiolated.	Remove.	<10	U	1.8
141	Hazel	Corylus avellana	SM	ms	4	0.15	2.0	2.0	2.0	2.0	1.0	1.0	S	Fair	Fair	No significant defects visible.	-	20 to 40	B	1.8
153	Oak	Quercus robur	SM	1	9	0.20	4.0	3.0	4.0	5.0	4.0	2.0	N	Fair	Fair	No significant defects visible.	-	>40	A	2.4
155	Beech	Fagus sylvatica	M	1	23	0.72	4.0	3.5	3.5	9.0	6.0	5.0	W	Fair	Fair	Third party tree.	-	20 to 40	B	8.7
161	Beech	Fagus sylvatica	M	1	22	0.84	5.0	6.0	4.0	8.0	5.0	5.0	W	Poor	Fair	Basal decay evident. Ganoderma spp. Brackets on north and south sides.	Remove due to decay and risk of failure	<10	U	10.2
163	Beech	Fagus sylvatica	M	1	23	0.68	6.0	5.0	6.0	6.0	6.0	5.0	W	Fair	Fair	Third party.	-	20 to 40	B	8.1
164	Beech	Fagus sylvatica	M	1	24	0.76	3.0	6.0	5.0	6.0	7.0	6.0	W	Fair	Fair	Third party.	-	20 to 40	B	9
167	Beech	Fagus sylvatica	M	1	21	0.73	4.0	4.0	4.0	6.0	6.0	5.0	W	Fair	Fair	Third party	-	20 to 40	B	8.7
168	Turkey oak	Quercus cerris	M	1	24	0.68	6.0	6.0	8.0	7.0	7.0	2.0	W	Fair	Fair	Third party. No significant defects visible.	-	20 to 40	B	8.1
171	Oak	Quercus robur	SM	1	12	0.23	4.0	3.0	3.0	5.0	5.0	4.0	W	Good	Fair	No significant defects visible.	-	>40	A	2.7
1027	Beech	fagus sylvatica	M	1	19	0.73	7.0	7.0	6.0	7.0	6.0	5.0	N	Fair	Fair	Third party tree. No significant defects visible.	-	20 to 40	B	8.7
OS1	Cappadocium maple	Acer cappadocicum	M	1	12	0.43	4.5	5.5	5.0	3.0	6.0	4.5	N	Fair	Fair	Third party tree. No significant defects visible.	-	>40	A	5.1
OS2	Horse chestnut	Aesculus hippocastanum	M	1	12	0.60	4.5	6.0	5.0	4.0	3.0	3.0	N	Fair	Fair	Third party tree. No significant defects visible.	-	20 to 40	B	7.2
OS3	Horse chestnut	Aesculus hippocastanum	M	1	14	0.64	5.5	4.5	5.0	3.0	3.0	2.0	N	Fair	Fair	Third party tree. No significant defects visible.	-	20 to 40	B	7.8
OS4	Common lime	Tilia x europea	M	1	15	0.51	9.0	8.0	5.0	3.0	5.0	2.0	N	Fair	Fair	Third party tree. No significant defects visible.	-	20 to 40	B	6
OS5	Beech	Fagus sylvatica	M	1	15	0.78	10.0	8.0	6.0	7.0	3.0	2.5	N	Fair	Fair	Third party tree. No significant defects visible.	-	20 to 40	B	9.3

Stoneywood Gate - Aberdeen

Tag	Common Name	Species	Age	No. of Stems	Ht.	Dia	Crown Spread				CHt	1st Br Ht	1st Br Dir.	PC	SC	Comments	Recommendations	LE	BS Cat	RPA-r
							N	E	S	W										

Definition of Terms:

Tag: Tag number: Each tree surveyed has been allocated an arbitrary number for cross referencing between the schedule and the plan.

Stems: Number of stems (where trees are multi-stemmed below 1.5m).

Dia: Tree diameter in metres at 1.5m from ground level (where more than one stem is present a basal diameter has been recorded/calculated).

Ht: Height estimated using a Suunto® clinometer and rounded to the nearest metre.

C Ht.: Crown height - height of crown above ground level.

Crown spread: Measured (to bark at 1.5m) to the four cardinals - North, East, South, and West.

PC: Physiological condition.

SC: Structural Condition.

1st Br Ht.: First branch height

1st Br Dir: First branch direction

Comments: General comments associated with the condition of each tree surveyed.

Cat: BS5837 Retention Category

A = Trees of high quality and value in such a condition as to be able to make a substantial contribution for a minimum of 40 years

B = Trees where retention is desirable – moderate category

C = Trees of low quality and value currently in adequate condition to remain until new planting could be established and expected to remain for a minimum of 10 years, or young trees with a stem diameter less than 150mm measured at 1.5 meters above ground level.

U = Trees in such a condition that any existing value would be lost within 10 years and which should, in the current context, be removed for reasons of sound arboricultural or forestry management.

RPA-r: Root protection radius