

All side facing windows to be obscured glazing and non-opening below 1.7m above floor level.

All rooflights not to protrude more than 150mm beyond the plane of the slope of the original roof.

All external materials to be of a similar appearance to the existing dwelling.

Extractor fan in bathroom to be ducted to outside air
All drainage works to be agreed on site as works progress


S&VP to terminate 900mm above any openings within 3m or to have external AAV fitted no less than 200mm above highest floodable point

Notes: 0
The General contractor is responsible for the verification of all dimensions on site and shall inform the contract administrator of any discrepancies.

Do not scale from this drawing. Use figure dimension only.

Existing foundations, lintels and wall to be exposed if required by Building Control for assessment and upgrading if found inadequate.

Drawings are subject to building control approval



PROPOSED FRONT STREET VIEW
SCALE 1:100 @ A2




PROPOSED REAR STREET VIEW
SCALE 1:100 @ A2




FRONT ELEVATION

EXISTING FRONT STREET VIEW
SCALE 1:100 @ A2



REAR ELEVATION

EXISTING REAR STREET VIEW
SCALE 1:100 @ A2



STAGE
PLANNING

SITE ADDRESS_39 ALBERMARLE GARDENS
KT3

PROJECT NAME_ Householder Planning Application

DRWG ORDER_ EXISTING & PROPOSED
ROOF PLAN

DRW NO_ A1003-304

REVISION_ -

SCALE_ 1:50 @ A2 Format

DATE_ 30.10.2023

NKM ARCHITECTURE
+
PLANNING

Email :info@nkmstudio.co.uk
Website: www.nkmstudio.co.uk
Contact: 07879494253