




The Portchester-Hood 15W is a classic and stylish IP65 rated vandal resistant circular LED bulkhead.

Manufactured from die-cast aluminium and fitted with a strong UV stabilised polycarbonate lens, the Portchester remains robust whilst offering a subtle diffused light.

Options include Dali, Microwave Sensor and Emergency.

# Portchester Hood 15W - LED Bulkhead

## Bulkhead Lighting




## Features

- LED rating 1,782lm (4000K & 6000K).
- LED rating 1,508lm (3000K).
- Luminaire flux 1,301lm (4000K & 6000K).
- Luminaire flux 1,101lm (3000K).
- 3000K (WW), 4000K (NW) and 6000K (CW) colour temperature options.
- -20 to +40°C operating temperature (Emergency 0 to +40°C).
- Long life span > 65,000hrs.
- Osram LED and Osram Driver.
- Hood eyelid cover allows additional impact resistance and reduces upwards light.
- Standard weight: 3.7Kg
- Tamper proof fixings for increased vandal resistance.
- Die-cast aluminium body and strong UV stabilised polycarbonate lens.

## Applications

- Hospitals
- Car Parks
- Schools
- Hotels
- Walkways
- Stairwells



## Specifications

### Portchester Hood 15W

Item Number	Description	Light Source	LED Rating (lm)	Total Wattage (W)	Colour Name	CCT (K)	CRI	Voltage	Driver Current (mA)	Luminaire Flux (lm)	Luminaire Efficacy (lm/W)	Kg	Unit Colour	Face
<b>Standard - Black</b>														
PH15-A3C-00B	Portchester-Hood-15W-LED-AC-6K-Std-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.7	Black	Hood
PH15-A3N-00B	Portchester-Hood-15W-LED-AC-4K-Std-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.7	Black	Hood
PH15-A3W-00B	Portchester-Hood-15W-LED-AC-3K-Std-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.7	Black	Hood
<b>Standard - Grey</b>														
PH15-A3C-00G	Portchester-Hood-15W-LED-AC-6K-Std-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.7	Grey	Hood
PH15-A3N-00G	Portchester-Hood-15W-LED-AC-4K-Std-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.7	Grey	Hood
PH15-A3W-00G	Portchester-Hood-15W-LED-AC-3K-Std-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.7	Grey	Hood
<b>Standard - Black - Emergency</b>														
PH15-A3C-01B	Portchester-Hood-15W-LED-AC-6K-Std-E3-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.2	Black	Hood
PH15-A3N-01B	Portchester-Hood-15W-LED-AC-4K-Std-E3-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.2	Black	Hood
PH15-A3W-01B	Portchester-Hood-15W-LED-AC-3K-Std-E3-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.2	Black	Hood
<b>Standard - Grey - Emergency</b>														
PH15-A3C-01G	Portchester-Hood-15W-LED-AC-6K-Std-E3-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.2	Grey	Hood
PH15-A3N-01G	Portchester-Hood-15W-LED-AC-4K-Std-E3-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.2	Grey	Hood
PH15-A3W-01G	Portchester-Hood-15W-LED-AC-3K-Std-E3-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.2	Grey	Hood
<b>Standard - Black - Microwave</b>														
PH15-A3C-02B	Portchester-Hood-15W-LED-AC-6K-Std-MW-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.9	Black	Hood
PH15-A3N-02B	Portchester-Hood-15W-LED-AC-4K-Std-MW-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.9	Black	Hood
PH15-A3W-02B	Portchester-Hood-15W-LED-AC-3K-Std-MW-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.9	Black	Hood

www.gemmalighting.com

0800 999 5201



# Specifications

## Portchester Hood 15W

Item Number	Description	Light Source	LED Rating (lm)	Total Wattage (W)	Colour Name	CCT (K)	CRI	Voltage	Driver Current (mA)	Luminaire Flux (lm)	Luminaire Efficacy (lm/W)	Kg	Unit Colour	Face
<b>Standard- Grey- Microwave</b>														
PH15-A3C-02G	Portchester-Hood-15W-LED-AC-6K-Std-MW-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.9	Grey	Hood
PH15-A3N-02G	Portchester-Hood-15W-LED-AC-4K-Std-MW-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.9	Grey	Hood
PH15-A3W-02G	Portchester-Hood-15W-LED-AC-3K-Std-MW-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.9	Grey	Hood
<b>Standard - Black- Microwave- Emergency</b>														
PH15-A3C-03B	Portchester-Hood-15W-LED-AC-6K-Std-MW-E3-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.4	Black	Hood
PH15-A3N-03B	Portchester-Hood-15W-LED-AC-4K-Std-MW-E3-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.4	Black	Hood
PH15-A3W-03B	Portchester-Hood-15W-LED-AC-3K-Std-MW-E3-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.4	Black	Hood
<b>Standard - Grey - Microwave - Emergency</b>														
PH15-A3C-03G	Portchester-Hood-15W-LED-AC-6K-Std-MW-E3-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.4	Grey	Hood
PH15-A3N-03G	Portchester-Hood-15W-LED-AC-4K-Std-MW-E3-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.4	Grey	Hood
PH15-A3W-03G	Portchester-Hood-15W-LED-AC-3K-Std-MW-E3-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.4	Grey	Hood
<b>Dali - Black</b>														
PH15-A3C-20B	Portchester-Hood-15W-LED-AC-6K-Dali-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.7	Black	Hood
PH15-A3N-20B	Portchester-Hood-15W-LED-AC-4K-Dali-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.7	Black	Hood
PH15-A3W-20B	Portchester-Hood-15W-LED-AC-3K-Dali-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.7	Black	Hood
<b>Dali - Grey</b>														
PH15-A3C-20G	Portchester-Hood-15W-LED-AC-6K-Dali-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.7	Grey	Hood
PH15-A3N-20G	Portchester-Hood-15W-LED-AC-4K-Dali-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.7	Grey	Hood
PH15-A3W-20G	Portchester-Hood-15W-LED-AC-3K-Dali-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.7	Grey	Hood
<b>Dali - Black - Emergency</b>														
PH15-A3C-21B	Portchester-Hood-15W-LED-AC-6K-Dali-E3-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.2	Black	Hood
PH15-A3N-21B	Portchester-Hood-15W-LED-AC-4K-Dali-E3-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.2	Black	Hood
PH15-A3W-21B	Portchester-Hood-15W-LED-AC-3K-Dali-E3-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.2	Black	Hood
<b>Dali - Grey- Emergency</b>														
PH15-A3C-21G	Portchester-Hood-15W-LED-AC-6K-Dali-E3-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.2	Grey	Hood
PH15-A3N-21G	Portchester-Hood-15W-LED-AC-4K-Dali-E3-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.2	Grey	Hood
PH15-A3W-21G	Portchester-Hood-15W-LED-AC-3K-Dali-E3-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.2	Grey	Hood
<b>Dali - Black - Microwave</b>														
PH15-A3C-22B	Portchester-Hood-15W-LED-AC-6K-Dali-MW-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.9	Black	Hood
PH15-A3N-22B	Portchester-Hood-15W-LED-AC-4K-Dali-MW-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.9	Black	Hood
PH15-A3W-22B	Portchester-Hood-15W-LED-AC-3K-Dali-MW-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.9	Black	Hood
<b>Dali - Grey - Microwave</b>														
PH15-A3C-22G	Portchester-Hood-15W-LED-AC-6K-Dali-MW-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	3.9	Grey	Hood
PH15-A3N-22G	Portchester-Hood-15W-LED-AC-4K-Dali-MW-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	3.9	Grey	Hood
PH15-A3W-22G	Portchester-Hood-15W-LED-AC-3K-Dali-MW-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	3.9	Grey	Hood

# Specifications

## Portchester Hood 15W

Item Number	Description	Light Source	LED Rating (lm)	Total Wattage (W)	Colour Name	CCT (K)	CRI	Voltage	Driver Current (mA)	Luminaire Flux (lm)	Luminaire Efficacy (lm/W)	Kg	Unit Colour	Face
<b>Dali - Black - Microwave - Emergency</b>														
PH15-A3C-23B	Portchester-Hood-15W-LED-AC-6K-Dali-MW-E3-Black	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.4	Black	Hood
PH15-A3N-23B	Portchester-Hood-15W-LED-AC-4K-Dali-MW-E3-Black	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.4	Black	Hood
PH15-A3W-23B	Portchester-Hood-15W-LED-AC-3K-Dali-MW-E3-Black	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.4	Black	Hood
<b>Dali - Grey - Microwave - Emergency</b>														
PH15-A3C-23G	Portchester-Hood-15W-LED-AC-6K-Dali-MW-E3-Grey	LED	1,782	15	CW	6K	Ra>70	220-240	350	1,301	87	4.4	Grey	Hood
PH15-A3N-23G	Portchester-Hood-15W-LED-AC-4K-Dali-MW-E3-Grey	LED	1,782	15	NW	4K	Ra>70	220-240	350	1,301	87	4.4	Grey	Hood
PH15-A3W-23G	Portchester-Hood-15W-LED-AC-3K-Dali-MW-E3-Grey	LED	1,508	15	WW	3K	Ra>80	220-240	350	1,101	73	4.4	Grey	Hood

Legend: **Std** = Standard. **3K** = Warm White (3000K). **4K** = Neutral White (4000K). **6K** = Cool White (6000K). **WW** = Warm White. **NW** = Neutral White. **CW** = Cool White.

[www.gemmalighting.com](http://www.gemmalighting.com)

0800 999 5201

