



SAP Report Submission for Building Regulations Compliance

Client: Town & Country Planning Ltd

Project: Plot 1, 31, Beech Hill Avenue
Barnet, Hertfordshire, EN4 0LU

Contact: Paul Whiffin
Paul Whiffin
pw@atspaceltd.co.uk

Report Issue Date: 14/05/2021


Plot 1, 31, Beech Hill Avenue,
Barnet,
Hertfordshire,
EN4 0LU

Dwelling type: House, Detached
Date of assessment: 14/05/2021
Produced by: Paul Whiffin
Total floor area: 525.89 m²

This document is a Predicted Energy Assessment for properties marketed when they are incomplete. It includes a predicted energy rating which might not represent the final energy rating of the property on completion. Once the property is completed, this rating will be updated and an official Energy Performance Certificate will be created for the property. This will include more detailed information about the energy performance of the completed property.

The energy performance has been assessed using the Government approved SAP2012 methodology and is rated in terms of the energy use per square meter of floor area; the energy efficiency is based on fuel costs and the environmental impact is based on carbon dioxide (CO₂) emissions.


Energy Efficiency Rating



England EU Directive 2002/91/EC

The energy efficiency rating is a measure of the overall efficiency of a home. The higher the rating the more energy efficient the home is and the lower the fuel bills are likely to be.

Environmental Impact (CO₂) Rating



England EU Directive 2002/91/EC

The environmental impact rating is a measure of a home's impact on the environment in terms of carbon dioxide (CO₂) emissions. The higher the rating the less impact it has on the environment.

This report has not been submitted through the Elmhurst Energy members' portal, therefore results are subject to change when the dwelling is completed.

SUMMARY FOR INPUT DATA

Calculation Type: New Build (As Designed)

| | | | | | |
|------------------------------------|--|---------------|----------------|-------------|-----------|
| Property Reference | Q-02404 P1 | | Issued on Date | 14/05/2021 | |
| Assessment Reference | Renewable and Fabric Reduction | Prop Type Ref | New Build | | |
| Property | Plot 1, 31, Beech Hill Avenue, Barnet, Hertfordshire, EN4 0LU | | | | |
| SAP Rating | 94 A | DER | 8.16 | TER | 12.70 |
| Environmental | 91 B | % DER<TER | 35.73 | | |
| CO ₂ Emissions (t/year) | 3.27 | DFEE | 45.55 | TFEE | 56.40 |
| General Requirements Compliance | Pass | % DFEE<TFEE | 19.23 | | |
| Assessor Details | Mr. Paul Whiffin, Paul Whiffin, Tel: 01763 268685, pw@atspaceltd.co.uk | | | Assessor ID | y314-0001 |
| Client | Town & Country Planning Ltd, Q-02404 | | | | |

SUMMARY FOR INPUT DATA FOR: New Build (As Designed)

| | |
|-----------------------|--------------------|
| Orientation | North East |
| Property Tenure | Unknown |
| Transaction Type | New dwelling |
| Terrain Type | Suburban |
| 1.0 Property Type | House, Detached |
| 2.0 Number of Storeys | 3 |
| 3.0 Date Built | 2021 |
| 4.0 Sheltered Sides | 2 |
| 5.0 Sunlight/Shade | Average or unknown |

6.0 Measurements

| | Heat Loss Perimeter | Internal Floor Area | Average Storey Height |
|---------------|---------------------|-----------------------|-----------------------|
| Ground Floor: | 70.49 m | 267.95 m ² | 2.85 m |
| 1st Storey: | 64.05 m | 173.36 m ² | 2.94 m |
| 2nd Storey: | 38.89 m | 84.58 m ² | 1.98 m |

7.0 Living Area m²

8.0 Thermal Mass Parameter
Thermal Mass kJ/m²K

9.0 External Walls

| Description | Type | Construction | U-Value (W/m ² K) | Kappa (kJ/m ² K) | Gross Area (m ²) | Nett Area (m ²) |
|-----------------|--------------|--|------------------------------|-----------------------------|------------------------------|-----------------------------|
| External Wall 1 | Cavity Wall | Other | 0.23 | 9.00 | 389.19 | 299.71 |
| Dormer Cheeks | Timber Frame | Timber framed wall (one layer of plasterboard) | 0.30 | 9.00 | 14.91 | 11.50 |
| Ashlar Wall | Timber Frame | Timber framed wall (one layer of plasterboard) | 0.13 | 9.00 | 35.34 | 35.34 |

9.2 Internal Walls

| Description | Construction | Kappa (kJ/m ² K) | Area (m ²) |
|-------------|-----------------------------------|-----------------------------|------------------------|
| Stud | Plasterboard on timber frame | 9.00 | 166.38 |
| Block | Dense block, plasterboard on dabs | 75.00 | 370.48 |

10.0 External Roofs

| Description | Type | Construction | U-Value (W/m ² K) | Kappa (kJ/m ² K) | Gross Area (m ²) | Nett Area (m ²) |
|----------------|---------------------|--|------------------------------|-----------------------------|------------------------------|-----------------------------|
| Flat Roof | External Flat Roof | Plasterboard, insulated flat roof | 0.16 | 9.00 | 94.59 | 84.49 |
| Slope Roof | External Slope Roof | Plasterboard, insulated slope | 0.18 | 9.00 | 80.13 | 73.82 |
| Dormer Roof | External Flat Roof | Plasterboard, insulated flat roof | 0.20 | 9.00 | 6.43 | 6.43 |
| Ashlar Ceiling | External Plane Roof | Plasterboard, insulated at ceiling level | 0.13 | 9.00 | 88.78 | 88.78 |

10.2 Internal Ceilings

SUMMARY FOR INPUT DATA

Calculation Type: New Build (As Designed)

| Description | Construction | Kappa (kJ/m ² K) | Area (m ²) |
|--------------------|--|-----------------------------|------------------------|
| Internal Ceiling 1 | Plasterboard ceiling, carpeted chipboard floor | 9.00 | 173.36 |
| Internal Ceiling 2 | Plasterboard ceiling, carpeted chipboard floor | 9.00 | 84.58 |

11.0 Heat Loss Floors

| Description | Type | Construction | U-Value (W/m ² K) | Kappa (kJ/m ² K) | Area (m ²) |
|-------------------|----------------------|--|------------------------------|-----------------------------|------------------------|
| Heat Loss Floor 1 | Ground Floor - Solid | Slab on ground, screed over insulation | 0.15 | 110.00 | 267.95 |

11.2 Internal Floors

| Description | Construction | Kappa (kJ/m ² K) | Area (m ²) |
|------------------|--|-----------------------------|------------------------|
| Internal Floor 1 | Plasterboard ceiling, carpeted chipboard floor | 18.00 | 173.36 |
| Internal Floor 2 | Plasterboard ceiling, carpeted chipboard floor | 18.00 | 84.58 |

12.0 Opening Types

| Description | Data Source | Type | Glazing | Glazing Gap | Argon Filled | G-value | Frame Type | Frame Factor | U Value (W/m ² K) |
|-------------|-------------|-------------|-------------------|-------------|--------------|---------|------------|--------------|------------------------------|
| Glazing | BFRC data | Window | Double Low-E Soft | 0.05 | | 0.55 | | | 1.40 |
| Solid Door | Manufacture | Solid Door | | | | | | | 1.80 |
| Rooflight | Manufacture | Roof Window | Double Low-E Soft | 0.05 | | 0.63 | | 0.70 | 1.40 |

13.0 Openings

SUMMARY FOR INPUT DATA

Calculation Type: New Build (As Designed)

| Name | Opening Type | Location | Orientation | Curtain Type | Overhang Ratio | Wide Overhang | Width (m) | Height (m) | Count | Area (m ²) | Curtain Closed |
|------------------------------|--------------|-----------------------------------|-------------|---------------------------------------|----------------|---------------|-----------|------------|-------|------------------------|----------------|
| FW | Window | [1] External Wall 1 | North East | Dark-coloured curtain or roller blind | 0.00 | | | | | 31.31 | 100 |
| LSW | Window | [1] External Wall 1 | South East | Dark-coloured curtain or roller blind | 0.00 | | | | | 6.81 | 100 |
| RW | Window | [1] External Wall 1 | South West | Dark-coloured curtain or roller blind | 0.00 | | | | | 14.20 | 100 |
| RSW | Window | [1] External Wall 1 | North West | Dark-coloured curtain or roller blind | 0.00 | | | | | 4.64 | 100 |
| RDW | Window | [2] Dormer Cheeks | South West | Dark-coloured curtain or roller blind | 0.00 | | | | | 3.41 | 100 |
| FR | Roof Window | [2] Slope Roof | North East | Dark-coloured curtain or roller blind | | | | | | 1.58 | 100 |
| LSR | Roof Window | [2] Slope Roof | South East | Dark-coloured curtain or roller blind | | | | | | 1.58 | 100 |
| RR | Roof Window | [2] Slope Roof | South West | Dark-coloured curtain or roller blind | | | | | | 1.57 | 100 |
| RSR | Roof Window | [2] Slope Roof | North West | Dark-coloured curtain or roller blind | | | | | | 1.58 | 100 |
| HR | Roof Window | [1] Flat Roof | Horizontal | Dark-coloured curtain or roller blind | | | | | | 10.10 | 100 |
| LSGD | Window | [1] External Wall 1 | South East | Dark-coloured curtain or roller blind | 0.00 | | | | | 1.10 | 100 |
| RGD | Window | [1] External Wall 1 | South West | Dark-coloured curtain or roller blind | 0.00 | | | | | 29.42 | 100 |
| FSD | Solid Door | [1] External Wall 1 | North East | | | | | | | 2.00 | |
| 14.0 Conservatory | | <input type="text" value="None"/> | | | | | | | | | |
| 15.0 Draught Proofing | | <input type="text" value="100"/> | | | | | | | | | |
| 16.0 Draught Lobby | | <input type="text" value="No"/> | | | | | | | | | |

%

SUMMARY FOR INPUT DATA

Calculation Type: New Build (As Designed)

17.0 Thermal Bridging

Calculate Bridges

17.1 List of Bridges

| Source Type | Bridge Type | Length | Psi | Imported |
|------------------------|--|--------|--------|----------|
| Independently assessed | E2 Other lintels (including other steel lintels) | 50.39 | 0.021 | No |
| Independently assessed | E3 Sill | 36.40 | 0.015 | No |
| Independently assessed | E4 Jamb | 115.16 | 0.011 | No |
| Independently assessed | E5 Ground floor (normal) | 70.49 | 0.059 | No |
| Independently assessed | E6 Intermediate floor within a dwelling | 102.94 | 0.000 | No |
| Independently assessed | E10 Eaves (insulation at ceiling level) | 51.63 | 0.107 | No |
| Independently assessed | E12 Gable (insulation at ceiling level) | 12.42 | 0.055 | No |
| Table K1 - Default | E14 Flat roof | 48.55 | 0.080 | No |
| Independently assessed | E16 Corner (normal) | 57.32 | 0.054 | No |
| Independently assessed | E17 Corner (inverted – internal area greater than external area) | 24.38 | -0.100 | No |
| Table K1 - Default | R1 Head of roof window | 13.22 | 0.080 | No |
| Table K1 - Default | R2 Sill of roof window | 13.22 | 0.060 | No |
| Table K1 - Default | R3 Jamb of roof window | 17.92 | 0.080 | No |
| Table K1 - Default | R4 Ridge (vaulted ceiling) | 17.13 | 0.080 | No |
| Table K1 - Default | R7 Flat ceiling (inverted) | 18.03 | 0.040 | No |
| Table K1 - Default | R8 Roof to wall (rafter) | 34.52 | 0.060 | No |
| Table K1 - Default | R9 Roof to wall (flat ceiling) | 13.26 | 0.040 | No |

Y-value W/m²K

18.0 Pressure Testing

Yes

Designed AP₅₀ m³/(h.m²) @ 50 Pa

Property Tested ?

As Built AP₅₀ m³/(h.m²) @ 50 Pa

19.0 Mechanical Ventilation

Summer Overheating

Windows open in hot weather

Cross ventilation possible

Night Ventilation

Air change rate

Mechanical Ventilation

Mechanical Ventilation System Present

20.0 Fans, Open Fireplaces, Flues

| | MHS | SHS | Other | Total |
|------------------------------|-----|-----|-------|-------|
| Number of Chimneys | 0 | | 0 | 0 |
| Number of open flues | 0 | | 0 | 0 |
| Number of intermittent fans | | | | 8 |
| Number of passive vents | | | | 0 |
| Number of flueless gas fires | | | | 0 |

21.0 Fixed Cooling System

No

22.0 Lighting

Internal

Total number of light fittings

Total number of L.E.L. fittings

Percentage of L.E.L. fittings %

External

External lights fitted

Light and motion sensor

SUMMARY FOR INPUT DATA

Calculation Type: New Build (As Designed)

| | | |
|--|---------------------------------------|---------|
| 23.0 Electricity Tariff | Standard | |
| 24.0 Main Heating 1 | Manufacturer | |
| Percentage of Heat | 100 | % |
| Main Heating | BGB | |
| SAP Code | 102 | |
| Efficiency (Sedbuk 2009) | 90.0 | % |
| Model Name | Gas boiler | |
| Manufacturer | Design Stage | |
| Controls | CBI Time and temperature zone control | |
| PCDF Controls | 0 | |
| Delayed Start Stat | Yes | |
| Sap Code | 2110 | |
| Burner Control | On/Off | |
| Flue Type | None or Unknown | |
| Fan Assisted Flue | No | |
| Is MHS Pumped | Pump in heated space | |
| Heat Emitter | Radiators and Underfloor | |
| Underfloor Heating | Yes - Pipes in thin screed | |
| Flow Temperature | 36° - 45°C | |
| 25.0 Main Heating 2 | None | |
| Community Heating | None | |
| 28.0 Water Heating | HWP From main heating 1 | |
| Water Heating | Main Heating 1 | |
| Flue Gas Heat Recovery System | No | |
| Waste Water Heat Recovery Instantaneous System 1 | No | |
| Waste Water Heat Recovery Instantaneous System 2 | No | |
| Waste Water Heat Recovery Storage System | No | |
| Solar Panel | No | |
| Water use <= 125 litres/person/day | Yes | |
| SAP Code | 901 | |
| 29.0 Hot Water Cylinder | Hot Water Cylinder | |
| Cylinder Stat | Yes | |
| Cylinder In Heated Space | Yes | |
| Independent Time Control | Yes | |
| Insulation Type | Measured Loss | |
| Cylinder Volume | 300.00 | L |
| Loss | 2.86 | kWh/day |
| Pipes insulation | Fully insulated primary pipework | |
| 31.0 Thermal Store | None | |
| 32.0 Photovoltaic Unit | One Dwelling | |

SUMMARY FOR INPUT DATA

Calculation Type: New Build (As Designed)

PV Cells kWp
4.50

Orientation
South East

Elevation
30°

Overshading
None Or Little

Connected to Dwelling
Yes

Recommendations

Lower cost measures

None

Further measures to achieve even higher standards

None