Ebley Mill • Ebley Wharf • Stroud • Gloucestershire • GL5 4UF Telephone 01453 766321 • Facsimile 01453 750932 www.stroud.gov.uk

Email: planning@stroud.gov.uk website: www.stroud.gov.uk/plans-online

Conservation South Team Case Officer: Rachel Brown

Email: rachel.brown@stroud.gov.uk

2 January 2024

## Dear Sir/Madam

## E-Consultation on a Planning or Associated Application

Application Number:	S.23/2509/HHOLD
Location:	Southwinds, Common Road, Hampton Green, Box.
Application Type:	Householder Application
Description:	Proposed extension to front and rear. Resubmission of
	S.23/0186/HHOLD.
Grid Reference:	386211,200524
Respond by Date:	23.01.2024
Web Link:	https://publicaccess.stroud.gov.uk/online- applications/search.do?action=simple&searchType=Application

The above application, submitted to the Stroud District Council, is one which we feel you should be consulted on, either as a statutory or advisory consultee. As such, I shall be pleased to receive any views your organisation would like the Planning Authority to take into account.

Copies of all plans and documentation are available on the Council's website at the above link.

Since the Local Planning Authority has by statute only a limited period in which to determine this application, it is important that no delay should occur in receiving any representations. If you have not contacted us by the date above, I shall assume that your organisation has no observations to make on the application. If you need additional time to consider the application, please contact the case officer directly, who may be able to agree an extension of time. Any observations you make will be placed on the public file, and on our website.

To ensure your observations are dealt with efficiently, please use the "submit a comment" tab on the website. If you are a registered partner <u>click here</u> so that your contact details are automatically pulled through authenticating your response.

Yours faithfully

Proper Officer of the Council Duly authorised in that behalf

Glebout