This line will measure 100mm when printed at the correct scale & paper size 203875 67 203850 0 Ordnance Survey, (c) Crown Copyright 2023. All rights reserved. Licence number 100022432 <u>LEGEND</u> Precast concrete soakaways subject to suitable Footpaths - Permeable

Driveway - Gravel / Permeable paving finish to falls.

Footpaths - Permeable paver system.

Pavers Finish

Parking Spaces - Tarmac /

Pred grouto in

Precast concrete soakaways subject to suitable ground conditions & percolation test. Soakaways to incorporate overflow pipe to mains drainage system.

0 1 2 3 4 5 10 15 20 Meters @ 1:200

areas.

Copyright Statement:

All rights reserved. No part of this drawing may be reproduced in any material form or transmitted to any other person without prior written permission of RW Architectural Services Ltd.

Garden / Green self draining

LEGEND

Denotes approximate site planning boundary.



NOTES:
1.) All Dimensions to be validated on site prior to

commencement of work and any discrepancies to be reported to the CA prior to construction.

2.) All work to comply with all current relevant regulations, statutory requirements, codes and standards.

3.) Only drawings issued as FOR CONSTRUCTION are to be used for construction and setting out.

4.) All materials are to be used and installed in strict

compliance with relevant manufactures instructions

Chartered Institute of Architectural Technologists



PLANNING BLDG REGS

Project

Proposed New Dwellings
Land at 5 Kitesnest Lane, Lightpill

lient

Mrs J Gibbons

Drawing Title

Proposed SW Drainage Plan

Date DRG No. Figure 2020 1327-PL09

TENDER