

# Vieo Roof Profile

ROOF PROFILES



Vieo Roof is an external standing seam interlocking roof profile specifiable independently or as the external finish of a Vieo Roof system. The Vieo Roof profile is available in steel or aluminium, and can be rolled off-site or on-site depending on project requirements.

## Product Highlights

- EC 25-454 Vieo roof profile available in 0.7mm steel or 0.9mm aluminium
- All coating options achieve BROOF(T4) to BS EN 13501-5:2016. Contact the [Technical Team](#) for more information
- Profile lengths can be supplied to site up to 14 metres using conventional transport methods
- Profile lengths can be supplied to site up to 22 metres using special transport methods at additional cost
- Profile lengths above 14 metres can also be rolled on-site to meet specific project requirements

TALK TO US

Discover More

Explore Featured Products

Talk to Us

What can we help you with?

[General Enquiry](#)

[Technical Enquiry](#)

[Request A Sample](#)

[Site Services Enquiry](#)

[Book CPD training](#)

[Warranties Request](#)

[Calculations](#)

[Products](#)

[Sectors](#)

[Services](#)

[Sustainability](#)

[Case Studies](#)

[About Us](#)

[Contact Us](#)

[Careers](#)

[Our Products](#)

[Wall Panels](#)

[Legal Information](#)

[Wall Systems](#)

[Cookies Settings](#)

[Wall Profiles](#)

[Cookies Policy and Control](#)

[Roof Panels](#)

[Terms and Conditions of Website Use](#)

[Roof Systems](#)

[Website Privacy Policy](#)

[Roof Profiles](#)

[Modern Slavery Act Statement](#)

[Flashings and Fabrications](#)

[Terms & Conditions of Sale of Group Products](#)

[Direct Marketing Consent Notice](#)

**Euroclad Group** —  
Great Britain

© Euroclad Group. All Rights Reserved