PRE-REGISTRATION CHECK SHEET – TO BE COMPLETED BY DUTY OFFICER AS APPROPRIATE

Application Ref:	24/00010/	/DPP	Pre-app	olication Ref:				Online /	Арр	x
Related Enforc	ement Refere	ence:			I	Retrosp	ective	Yes		
App T Detailed Plann Planning in Pri Approved Matt Listed Building Conservation A Advertisement Development	ing (DPP) nciple (PPP) ers (MSC) (LBC) (LBC) Area (CAC) (ADV)	Pre Pri An Re	orks to T Consu or Notifi nended	pp Type ree (WTT) Itation (PAC) cation (PN) Obligation (L/ Mineral (RON	۹)		Loca Stra Maje Hou PA - 0 PA - 4	itegic or iseholder	ion	X
UPRN: 00012 (If NO UPRN – A <u>Site Address:</u> 6 CORONATIO MAYFIELD DALKEITH EH22 5AE	Admin to conta (Leave blank		Part c	iption of Pro	of gard		g grooi	ming salo	n and	
1. Is the appl	ication fee co	prrect?					NO x	Fee/Refu Fee:	und Ar £500	nount

- 1. Is the application fee correct?
- Is a REFUND required? 2.
- If a Schedule 3 is required has the fee been included? 3.
- Are the plans adequate? (Location, Site, Elevations) 4.
- 5. Is the site boundary clearly defined?
- Are the certificates completed? 6.
- If a S42 statement is required has it been submitted? 7.

Q8-12 are for NON Householder applications only

- 8. Has a Coal Mining Risk Assessment been submitted?
- 9. If a Design Statement is required has it been submitted?
- 10. If a Design/Access Statement is required has it been submitted?
- 11. For Major Applications has a PAR been submitted?
- 12. Is PAR Acceptable?

APPLICATION INCOMPLETE

VALIDATION DATE: 12.01.2024

Initials:	JM	Date	: 05.01.2024
Initials:	JM	Date	: 12.01.2024

х

Х

х

NO

Х

YES

Refund:

Fee:

£

£

NOT REQUIRED

For incomplete applications please note that this information will be transferred directly to the letter to the application/agent; so please ensure that it is specific and accurate.

Admin - If application submitted online please email the letter to the Duty Officer.

Reason for application being invalid:

x Insufficient Fee	The correct fee for this application is £500 and an additional sum of £200 is required.			
Fee Required	The fee for this application is £			
Ownership Certificates	Please complete the enclosed ownership certificate.			
x Inadequate Plans	The following additional plans are required:			
	 The location plan should edge the full property boundary within the red line - The copy of the Land Register of Scotland that edges the property boundary in red would be sufficient, however, as this does not scale can you please mark up on this drawing the site area. 			
	 Can you please also mark up the proposed site plan the distance between the proposed outbuilding and the neighbouring boundaries 			
	Received - 10/01 JM (awaiting fee)			
Design Statement (Valid The application is	lating officer to confirm which statement is required)			
Please submit a Design/I	Design and Access Statement complying with Regulation 13 of the Town and opment Management Procedure) (Scotland) regulations 2008.			
	nfirm in writing that the application is being made under Section 42 of the			
(Section 42 applies to applicat permission; a statement confin	Country Planning (Scotland) Act 1997. ions to develop land without complying with conditions attached to a previous planning ming that the application is made under Section 42 is required for all applications that seek to ttached to previous planning permissions.)			
	ur application is within an identified Coal Risk Area and as such a Coal			

Assessment Mining Risk Assessment (CMRA) is required.

